

10ft (3m) USB-C Fast Charging Cable, Charge & Sync, 100W (5A) PD, USB 2.0, USB-IF Certified - USB C Charging Cord

Product ID: USB2C5C3M



With up to 5A (100W) of power output, you can use this USB-C to USB-C cable to power and charge a USB-C laptop, such as your Apple MacBook Pro, MacBook or Chromebook Pixel, using a USB-C wall charger, car charger or power bank.

The 5A of Power Delivery lets you charge your mobile devices faster than with a regular USB-C 2.0 cable, which is perfect for people on the move. Decrease your charge times and make sure your mobile devices are ready, whenever you need them while you're on the road.

The long cable lets you overcome distance restrictions and stay connected. You can take notes in a boardroom, catch up on emails in your hotel room, or read in a coffee shop.

The USB Type-C cable has undergone rigorous compliance testing and is certified by USB-IF (USB Implementers Forum) to meet all USB 2.0 specifications. This includes all environmental, electrical and mechanical standards, which ensures a reliable and high-quality cable for all of your USB-C devices.

Certifications, Reports and Compatibility



Applications

- Power your USB-C laptop from a charger or power bank
- Charge your USB-C laptop from a docking station

- Fast-charge your USB-C mobile devices from a charger
- Sync your USB-C mobile devices with a laptop

Features

- **USB TYPE-C CHARGING CABLE:** USB-C to C cable delivers 5A output for fast charging portable USB-C devices; Connects to a USB-C wall charger or power bank; USB Power Delivery charges USB-C laptops and tablets up to 100W
- **APPLICATIONS:** Compatible with USB-C Power Delivery-enabled devices; Supports USB 2.0 for general use, including file transfer and device synchronization when connected to a USB-C host computer or external storage
- **PERFORMANCE:** 100W/5A Power Delivery; USB 2.0 Type-C (480Mbps); Length: 10ft (3m); Color: Black; O.D.: 0.19in (5mm); Jacket: PVC; Shield: Aluminum-Mylar Foil with Braid; NOTE: USB-C video (DP Alt Mode) is not supported
- **NOTE:** This USB 2.0 cable does not support any video; For connecting or extending USB-C Displays/Monitors we recommend our USB-C 3.0 cables (e.g. USB315CCV2M)
- **THE IT PRO'S CHOICE:** Our USB-C cables are rigorously tested in our in-house Innovation Lab for reliable performance, durable construction, and broad compatibility with a variety of devices; Backed by free lifetime 24/5 multi-lingual technical assistance

Hardware

| | |
|-----------------------|--------------------------------|
| Warranty | 2 Years |
| Connector Plating | Nickel |
| Cable Jacket Material | PVC - Polyvinyl Chloride |
| Cable Shield Material | Aluminum-Mylar Foil with Braid |

Performance

| | |
|---------------|----------------------|
| Type and Rate | USB 2.0 - 480 Mbit/s |
|---------------|----------------------|

Connector(s)

| | |
|-------------|-------------------------------------------|
| Connector A | 1 - USB Type-C (24-pin) USB 2.0 (480Mbps) |
| Connector B | 1 - USB Type-C (24-pin) USB 2.0 (480Mbps) |

Power

| | |
|----------------|------|
| Power Delivery | 100W |
|----------------|------|

Physical Characteristics

| | |
|-------|-------|
| Color | Black |
|-------|-------|

| | |
|-------------------|------------------|
| Connector Style | Straight |
| Wire Gauge | 24/26 AWG |
| Cable Length | 9.8 ft [3 m] |
| Product Length | 9.8 ft [3.0 m] |
| Product Width | 0.5 in [1.2 cm] |
| Product Height | 0.3 in [0.6 cm] |
| Weight of Product | 5.8 oz [164.0 g] |

Packaging Information

| | |
|---------------------------|------------------|
| Package Quantity | 1 |
| Package Length | 4.7 in [11.9 cm] |
| Package Width | 8.7 in [22.0 cm] |
| Package Height | 1.2 in [3.0 cm] |
| Shipping (Package) Weight | 6.0 oz [170.0 g] |

What's in the Box

| | |
|---------------------|-----------------|
| Included in Package | 1 - USB-C cable |
|---------------------|-----------------|

Warranty Information

| | |
|----------|---------|
| Warranty | 2 Years |
|----------|---------|

**Product appearance and specifications are subject to change without notice.*