

# Product datasheet

Specifications



## APC Back-UPS Pro External Battery Pack

BR24BPG

EAN Code: 0731304268789

### Main

|                           |                       |
|---------------------------|-----------------------|
| Main Input Voltage        | 120 V                 |
| Product or component type | External battery pack |
| Number of cables          | 1                     |
| battery type              | Lead-acid battery     |
| Provided equipment        | User manual           |
| Range of product          | Back-UPS Pro          |

### Batteries & Runtime

|                                        |                           |
|----------------------------------------|---------------------------|
| Device mounting                        | Stand alone battery stack |
| Battery life                           | 4...6 year(s)             |
| Battery voltage                        | 24 V                      |
| Battery capacity                       | 18 Ah                     |
| Number of battery filled slots         | 2                         |
| Number of battery free slots           | 0                         |
| Number of battery replacement quantity | 1                         |
| Battery power in VAh                   | 372 VAh                   |

### Physical

|                |         |
|----------------|---------|
| Colour         | Black   |
| Height         | 301 mm  |
| Width          | 112 mm  |
| Depth          | 382 mm  |
| Product weight | 13.4 kg |
| USB compatible | No      |

### Conformance

|                        |     |
|------------------------|-----|
| Product certifications | TÜV |
|------------------------|-----|

### Environmental

|                                     |             |
|-------------------------------------|-------------|
| Relative humidity                   | 0...95 %    |
| Storage Relative Humidity           | 0...95 %    |
| Ambient air temperature for storage | -15...45 °C |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                                       |              |
|---------------------------------------|--------------|
| Ambient air temperature for operation | 0...40 °C    |
| Operating altitude                    | 0...30000 ft |
| Storage altitude                      | 0...15240 m  |

## Packing Units

|                              |                |
|------------------------------|----------------|
| Unit Type of Package 1       | PCE            |
| Number of Units in Package 1 | 1              |
| Package 1 Height             | 40.000 cm      |
| Package 1 Width              | 24.000 cm      |
| Package 1 Length             | 49.100 cm      |
| Package 1 Weight             | 14.569 kg      |
| Unit Type of Package 2       | P06            |
| Number of Units in Package 2 | 3              |
| Package 2 Height             | 52.000 cm      |
| Package 2 Width              | 60.000 cm      |
| Package 2 Length             | 80.000 cm      |
| Package 2 Weight             | 50.707 kg      |
| SCC14                        | 10731304268786 |

## Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | PH |
|-------------------|----|

## Contractual warranty

|                      |                   |
|----------------------|-------------------|
| Warranty (in months) | 12 Battery 36 UPS |
|----------------------|-------------------|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |               |
|--------------------------------------------------------|---------------|
| Total lifecycle Carbon footprint                       | 67 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 54 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4]        | 4 kg CO2 eq.  |
| Carbon footprint of the installation phase [A5]        | 4 kg CO2 eq.  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 51 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 5 kg CO2 eq.  |

## Use Better



### Materials and Substances

|                                        |                                                                                        |
|----------------------------------------|----------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                                    |
| Packaging without single use plastic   | No                                                                                     |
| SCIP Number                            | 1068e1eb-6a97-4f67-a95e-95f440cdd7dd                                                   |
| EU RoHS Directive                      | <a href="#">Compliant By Exemption</a>                                                 |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |

## Use Again



### Repack and remanufacture

|                                 |                                                                                                                                                                                                                 |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Recyclability potential, in %   | 48                                                                                                                                                                                                              |
| End of life manual availability | <a href="#">End of Life Information</a>                                                                                                                                                                         |
| Removable battery               | No                                                                                                                                                                                                              |
| Take-back                       | No                                                                                                                                                                                                              |
| WEEE Label                      |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Image of product / Alternate images

Alternative

---

