

# Product datasheet

Specifications



## APC Smart-UPS XL Battery Pack 48V, rackmount, 3U



SUA48RMXLBP3U

EAN Code: 0731304238591

### Main

Product or component type	External battery pack
Number of rack unit	3U
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	User manual
Range of product	Smart-UPS Battery Systems
Replacement battery	<a href="#">APCRBC105</a>

### Graphs

Efficiency	<a href="#">View Efficiency Graph</a>
------------	---------------------------------------

### Batteries & Runtime

Number of battery filled slots	0
Number of battery free slots	0
Number of battery replacement quantity	2
Additional information	For use with SUA 2200/3000VA 3U models. Can be used with the 5U models with SUA039 extension cable.

### Physical

Colour	Black
Height	133 mm
Width	483 mm
Depth	660 mm
Product weight	63.64 kg
Mounting preference	No preference
Mounting mode	Rack-mounted
USB compatible	No

### Output

UPS type	Line interactive
----------	------------------

### Environmental

Ambient air temperature for operation	0...40 °C
---------------------------------------	-----------

Relative humidity	0...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage altitude	0...15240 m

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	28 cm
Package 1 Width	61 cm
Package 1 Length	98 cm
Package 1 Weight	72 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	8
Package 2 Height	129 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	574.792 kg

## Logistical informations

Country of origin	PH
-------------------	----

## Contractual warranty

Warranty (in months)	24
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	330 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	266 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	18 kg CO2 eq.
Carbon footprint of the installation phase [A5]	20 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	25 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	B2b22a56-41f2-497e-9ea6-cf093b3b8bd3
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

End of life manual availability	<a href="#">End of Life Information</a>
Removable battery	User replaceable
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

