

Product datasheet

Specifications



Appliance, EcoStruxure IT Data Center Expert, standard, up to 2025 devices, up to 125 surveillance cameras, remote monitoring, management

AP9470

Overview

Presentation StruxureWare Data Center Expert Standard scales up to 2025 devices and 125 surveillance cameras.

Main

Number of rack unit 1U

Number of cables 2

Communication port protocol DNS
HTTP
HTTPS
SMTP
SMS
SSL
TCP/IP

Provided equipment 1 node surveillance license key
25-node license key
CD with software
Server appliance
User manual
Installation guide

General

Operating system Windows 7
Windows 8
Windows Vista
Windows XP
Windows XP Professional SP1
Windows XP Professional SP2

Memory capacity 2GB/250GB available for data storage

Physical

Colour Black

Height 4.4 cm

Width 48.3 cm

Depth 48.3 cm

Product weight 9.55 kg

Mounting location Front

Mounting preference No preference

Mounting mode Rack-mounted

Conformance

Product certifications	TAA compliance
------------------------	----------------

Environmental

Ambient air temperature for operation	10...35 °C
---------------------------------------	------------

Operating altitude	0...10000 ft
--------------------	--------------

Relative humidity	5...90 %
-------------------	----------

Ambient air temperature for storage	-35...60 °C
-------------------------------------	-------------

Storage altitude	0...9144 m
------------------	------------

Storage Relative Humidity	5...95 %
---------------------------	----------

Communications & Management

Communication network type	RJ45 10/100/1000 Base-T
----------------------------	-------------------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	30.5 cm
------------------	---------

Package 1 Width	88.9 cm
-----------------	---------

Package 1 Length	62.9 cm
------------------	---------

Package 1 Weight	19.09 kg
------------------	----------

Logistical informations

Country of origin	US
-------------------	----

Contractual warranty

Warranty (in months)	24
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	4 794 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	330 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	9 540 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
End of life manual availability	End of Life Information
Take-back	No

Offer Marketing Illustration

Product benefits / Features

EcoStruxure IT Data Center Expert

Benefits



Complete Infrastructure Visibility

Deploy faster with automatic updates and centralized monitoring, reducing manual work and operational overhead.



Prevent Costly Downtime

Get proactive alerts and correlated insights to resolve infrastructure issues before they impact operations.



Scale Without Limits

Adapt as your data center evolves without losing visibility, control, or compatibility across your infrastructure.



Image of product / Alternate images

Alternative







