

Product datasheet

Specifications



APC Easy UPS On-Line SRV Battery Pack (5/6kVA) for Standard Runtime Model 192V, 1344VAh, rackmount with kit, 2U

SRV192RBP-7A

EAN Code: 0731304343325

Main

| | |
|---------------------------|--|
| Product or component type | External battery pack |
| Number of rack unit | 2U |
| Battery type | Lead-acid battery |
| Provided equipment | User manual Rack mounting brackets Battery cable |
| Range of product | Smart-UPS Battery Systems |

Batteries & Runtime

| | |
|-------------------------------------|------------|
| Number of battery blocks per string | 16 |
| Device mounting | Rack mount |
| Number of battery filled slots | 0 |
| Number of battery free slots | 0 |
| Battery voltage | 192 V |

Physical

| | |
|----------------|-----------------------|
| Colour | Black |
| Height | 86.5 mm |
| Width | 438 mm |
| Depth | 710 mm |
| Product weight | 47 kg |
| Mounting mode | Rack-mounted with kit |
| USB compatible | No |

Conformance

| | |
|------------------------|-------------------------------------|
| Product certifications | CE UKCA EAC EN/IEC 62040-1 |
|------------------------|-------------------------------------|

Environmental

| | |
|---------------------------------------|-------------------------|
| Ambient air temperature for operation | 0...40 °C |
| Relative humidity | 0...95 % non-condensing |
| Operating altitude | 0...3000 m |

| | |
|-------------------------------------|-------------------------|
| Ambient air temperature for storage | -15...40 °C |
| Storage Relative Humidity | 0...95 % non-condensing |
| Storage altitude | 0...15000 m |

Packing Units

| | |
|------------------------------|---------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 24.5 cm |
| Package 1 Width | 56.5 cm |
| Package 1 Length | 83.6 cm |
| Package 1 Weight | 53 kg |

Logistical informations

| | |
|-------------------|----|
| Country of origin | CN |
|-------------------|----|

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 24 |
|----------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| SCIP Number | 5ac12844-46eb-471b-94f1-318e06a714a6 |
| EU RoHS Directive | Compliant |
| REACH Regulation | Reference contains Substances of Very High Concern above the threshold |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture


| | |
|---------------------------------|---|
| End of life manual availability | End of Life Information |
| Take-back | No |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Image of product / Alternate images

Alternative

