

VWM Series

VERTICAL WALL CABINETS

The VWM Series is the industry's highest capacity and most versatile low profile wall cabinet, with comprehensive flexibility to fit system needs today and as technology changes. This patented design features multiple planes of vertical mounting, it allows deeper equipment to be mounted parallel to the wall and is the first low profile cabinet to offer intuitive mounting for small devices. VWM cabinets are ideal for small to medium networking, surveillance and monitoring, distributed audio and paging systems.

Select one of our pre-configured models or tailor a VWM cabinet to order for the specific needs of the application at designtool.legrandav.com.



Maximizes space and expertly handles the highest density of components.

FEATURES

- Unique design allows mounting of rackrail where it's needed: left, center or right justified and multiple vertical positions
- Choose pivoting or fixed rackrail: with multiple RU options available, all rackrail features both 10-32 thread and cage nut on the same piece of rail. Just flip it over
- Outfit the cabinet's backpan or door with Lever Lock™ to mount small devices
- Available in 10" or 16" depth from the wall (up to 5 or 8RU) and 36" or 42" height along the wall (up to 31" or 37" useable depth)
- Supports thermal management, cable integrity, power distribution and maximizing space while providing a secure location for components of all sizes in an all-in-one system
- Split and solid door options accommodate electronic locks
- Integrators can determine the client's level of system access and visibility
- UL 2416 (NWIN)
- Certified with up to 150 lb. overall weight capacity
- Pivoting rackrail weight capacity: 20 lb.
- Door weight capacity: 30 lb.

VWM Series

VERTICAL WALL MOUNT

Part #	Door	Rackrail Included	Height	Depth	Finish
VWM-2-2-36K-PW	Solid	2 pivot RU, 2 fixed RU	36"	12"	putty
VWM-4-5-36K-PW	Solid	4 pivot RU, 5 fixed RU	36"	12"	putty
VWM-4-5-42K-PW	Solid	4 pivot RU, 5 fixed RU	42"	12"	putty
VWM-SD-4-36K-BW	Split, solid top	4 fixed RU	36"	12"	black
VWM-SD-6-36K-BW	Split, solid top	6 fixed RU	36"	18"	black
VWM-SD-8-36K-BW	Split, solid top	8 fixed RU	36"	18"	black
VWM-PD-4-36K-PW	Split, plexi top	4 fixed RU	36"	12"	putty
VWM-PD-6-36K-PW	Split, plexi top	6 fixed RU	36"	18"	putty
VWM-PD-8-36K-PW	Split, plexi top	8 fixed RU	36"	18"	putty



PRE-CONFIGURED MODELS



VWM-2-2-36K-PW VWM-SD-8-36K-BW VWM-PD-4-36K-PW

SIZE AND COLOR



Black Putty White

- 10" or 16" depth from the wall (up to 5 or 8 RU)
- 36" or 42" height along the wall (up to 31" or 37" useable depth)

PRE-CONFIGURED WITH



Putty or Black Color 2-Gang Electrical Box Fixed or Pivoting Rackrail Split Door with Solid or Plexiglass Hinged Top Cover or Solid Front Door

SYSTEM ACCESS CHOICES



Full Door Split Door Plexi Top (provides top access and visibility to user) Split Door Solid top (provides top access to user) No Door

- Integrator-Only access with full door
- End-User access with split door. Features hinged top panel keyed separately from integrator access section
- Full access with no door

FLEXIBLE OPTIONS & ACCESSORIES TAILORED TO THE SYSTEMS



Fixed Rackrail Pivoting Rackrail Lever Lock™ Back Pan Kit Lever Lock™ Front Door Kits 17" Vertical Lever Lock™ Accessories Back Pan Brush Grommet

- Can be configured as you design the solution or purchased separately

VWM Series


VERTICAL WALL MOUNT

From small device mounting to brush grommets that enable wiring and patching to stay put when servicing and upgrading the system, VWM Series is the vertical wall cabinet that offers the precise configuration capability that evolving systems require.

ACCESSORIES



Choose from fixed position rackrail or pivoting rackrail featuring positive stop for punch downs



Lever Lock™ small device mounting accessories maximize space in the cabinet



Back pan brush grommet enables easy system servicing



Forward Small Device Mounting Clamps

FORWARD CABLE MANAGEMENT



C-Rings



D-Rings



Tie Saddles

COMPLEMENTARY PRODUCTS



Select Series UPS



Select Series PDU with RackLink™: RLNK-1015V



17" Vertical Lever Lock™ Accessories: Plate, Channel, Angle and DIN Rail



Fan Kits: FAN2-DC; FAN2-DC-FC



Thermostatic Fan Control: FC-DC

RACKRAIL OPTIONS

Part #	Rail Type	Useable Rackspace	Mounting Configurations	Fits 10" Deep VWM	Fits 16" Deep VWM
VWM-RR-2	fixed	2	horizontal vertical diagonal	x	x
VWM-RR-4	fixed	4		x	x
VWM-RR-5	fixed	5		x	x
VWM-RR-6	fixed	6			x
VWM-RR-8	fixed	8			x
VWM-RR-PIV-2	pivoting	2	100°	x	x
VWM-RR-PIV-4	pivoting	4		x	x

*all rackrail options feature both 10-32 thread and cage nut

ACCESSORIES

Part #	Description
LL-VWM-BPK	Lever Lock™ backpan kit, includes 6" Lever Lock plate (LL-VP176-SWP)
LL-VWM-36SP	Lever Lock™ front door kit fits 36" split door, includes 10" Lever Lock plate (LL-VP1710)
LL-VWM-36S-42SP	Lever Lock™ front door kit fits 36" solid/42" split door, includes 10" Lever Lock plate (LL-VP1710)
LL-VWM-42S	Lever Lock™ front door kit fits 42" solid door, includes 10" Lever Lock plate (LL-VP1710)
LL-VP176-SWP	17" high 6" deep, vertical Lever Lock™ plate features structured wiring pattern
VWM-6BR-BP	back pan brush grommet

WHAT GREAT SYSTEMS ARE BUILT ON™ | legrandav.com

USA 800.266.7225 av.middleatlantic.support@legrand.com

CANADA 888.766.9770 av.middleatlantic.support@legrand.com

LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold