

Omni XT15 Technical Accessory Guide



NOTE: XT15 Narrowband RF configurations discontinued 12/2020, see PMB 10454.
XT15 WiFi and cellular configurations discontinued 6/2020, see PMB 10338.

NOTE: This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection.

This document and the information contained therein (Information) are Zebra- confidential, and are provided under, and subject to, the confidentiality provision of your PartnerConnect agreement with Zebra. Any public disclosure (via posting on your website or otherwise) of the Information is strictly prohibited and will be considered a violation of your PartnerConnect agreement with Zebra.

* Zebra does not endorse or specifically recommend any third-party products, accessories, or hardware. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Cradles/Charging					
Part Number	Picture	Description	Notes	Required Items	
ST4002-WW		USB Only Single Slot Cradle Kit (Worldwide)	▶ Only provides USB support ▶ Includes USB-A (XT15 acts as host) and Micro-USB/B (XT15 acts as client) ports ▶ Supports terminal and spare battery charging ▶ Includes Power Supply (PWR-BGA12V50W0WW), DC Power Cord (CBL-DC-385A1-01) and USB Cable (PX3058) (connects to Micro-USB/B port for ActiveSync communications) ▶ Replaces ST400, ST4002-AR and ST4002-KR	AC Line Cord (23844-00-00R)	
ST4002		USB Only Single Slot Cradle Kit (Worldwide except Argentina)	▶ Only provides USB support ▶ Includes USB-A (XT15 acts as host) and Micro-USB/B (XT15 acts as client) ports ▶ Supports terminal and spare battery charging ▶ Includes ST1050 power supply and PX3058 USB Cable (connects to Micro-USB/B port for ActiveSync communications). ▶ Discontinued 12/2016, now use ST4002-WW and 23844-00-00R - PMB 2899		
ST4002-AR		USB Only Single Slot Cradle Kit (Argentina only)	▶ Only provides USB support ▶ Includes USB-A (XT15 acts as host) and Micro-USB/B (XT15 acts as client) ports ▶ Supports terminal and spare battery charging ▶ Includes ST1050-AR power supply and PX3058 USB Cable (connects to Micro-USB/B port for ActiveSync communications). ▶ Discontinued 4/2017, now use ST4002-WW and country specific AC Line Cord - PMB 2899		

EMC Product Line - XT15 TAG Page 1 of 24 Document Update date: 5/28/21

Zebra Confidential

ST4002-KR	USB Only Single Slot Cradle Kit	▶ Only provides USB support ▶ Includes USB-A (XT15 acts as host) and Micro-USB/B (XT15 acts as client) ports ▶ Supports terminal and spare battery charging ▶ Includes ST1050 power supply and PX3058 USB Cable (connects to Micro-USB/B port for ActiveSync communications). ▶ Discontinued 4/2017, now use ST4002-WW and country specific AC Line Cord - PMB 2899	
ST4003-WW	USB, Serial, Ethernet Single Slot Cradle Kit (Worldwide)	▶ Provides USB, RS232/Serial, and Ethernet support ▶ Includes USB-A (XT15 acts as host), Micro-USB/B (XT15 acts as client) ports, DE9M RS232/Serial (unpowered), and RJ45 Ethernet ports ▶ Supports terminal and spare battery charging ▶ Includes Power Supply (PWR-BGA12V50W0WW), DC Power Cord (CBL-DC-385A1-01) and USB Cable (PX3058) (connects to Micro-USB/B port for ActiveSync communications) ▶ Replaces ST4003 and ST4003-AR	
ST4003	USB, Serial, Ethernet Single Slot Cradle Kit (Worldwide except Argentina)	▶ Provides USB, RS232/Serial, and Ethernet support ▶ Includes USB-A (XT15 acts as host), Micro-USB/B (XT15 acts as client) ports, DE9M RS232/Serial (unpowered), and RJ45 Ethernet ports ▶ Supports terminal and spare battery charging ▶ Includes ST1050 power supply and PX3058 USB Cable (connects to Micro-USB/B port for ActiveSync communications) ▶ Discontinued 4/2017, now use ST4003-WW and 23844-00-00R - PMB 2899	
ST4003-AR	USB, Serial, Ethernet Single Slot Cradle Kit (Argentina only)	▶ Provides USB, RS232/Serial, and Ethernet support ▶ Includes USB-A (XT15 acts as host), Micro-USB/B (XT15 acts as client) ports, DE9M RS232/Serial (unpowered), and RJ45 Ethernet ports ▶ Supports terminal and spare battery charging ▶ Includes ST1050-AR power supply and PX3058 USB Cable (connects to Micro-USB/B port for ActiveSync communications) ▶ Discontinued 4/2017, now use ST4003-WW and country specific AC Line Cord - PMB 2899	
ST4100	Cradle Ethernet/Serial XMOD Kit	► To be discontinued 8/2021 - see PME 10678	

EMC Product Line - XT15TAG Page 2 of 24 Document Update date: 5/28/21

	T	T		1
ST4004-WW		4-Slot Ethernet/Charging Cradle	► Charges 4 terminals ► Doesnot charge spare batteries. ► Includes Power Supply (PWR-BGA12V72W0WW). ► Replaces ST4004	AC Line Cord (23844-00-00R)
ST4004		4-Slot Ethernet/Charging Cradle	➤ Charges 4 terminals ➤ Doesnot charge spare batteries. ➤ Includes power supply ➤ Discontinued 12/2016, now use ST4004-WW - PMB 2899	9008693 (AC Line Cord) (or country specific line cord)
ST3006-WW		6-Slot Spare Battery Charger Kit	➤ Charges all XT15 battery types ➤ Includes Power Supply (PWR-BGA12V72W0WW). ➤ Replaces ST3006	AC Line Cord (23844-00-00R)
ST3006		6-Slot Spare Battery Charger Kit	➤ Charges all XT15 battery types ► Includes power supply ► Discontinued 4/2017, now use ST3006-WW - PMB 2899	9008693 (AC Line Cord) (or country specific line cord)
MT2031		Wall Mount Bracket for 6-Slot Spare Battery Charger	► Allows 6-Slot Charger to be conveniently mounted to wall ► Charger power supply can be stored inside the bracket behind the charger	
ST1000	psion	Un-Powered Vehicle Cradle	 ▶ Designed only to securely mount the XT15. Does not provide any power or peripheral ports. ▶ Provides quick insertion and removal ▶ Holds the device securely even when operated in high vibration environments. ▶ Cradle is NOT compatible with devices using the Double Loop Handstrap (ST6025) 	► RAM Mounting Bracket (MT3326, MT3327, or MT3328) ► RAM Mount Arm (MT3324 or MT3325) ► RAM Base (MT3501, MT3502, MT3505, MT3507, MT3509 or MT3510)
ST1002	pSidn	Powered Vehicle Cradle	► Charges XT15 and also provides USE and RS232 Serial connections. ► Provides quick insertion and removal ► Holds the device securely even when operated in high vibration environments. ► Cradle is NOT compatible with devices using the Double Loop Handstrap (ST6025)	➤ RAM Mounting Bracket (MT3326, MT3327, or MT3328) ➤ RAM Mount Arm (MT3324 or MT3325) ➤ RAM Mount Arm (MT3324 or MT3325) ➤ RAM Base (MT3501, MT3502, MT3505, MT3507, MT3509 or MT3510) ➤ Vehicle Cradle Cable (CA3000 or CA3001) ➤ Vehicle Cradle Cable (CA3000 or CA3001) ➤ For gas/propane vehicles (11.5-30V) - No device motion screen blanking - CA1210 Power Extension Cable OR CA3002 Cigarette Lighter Adapter - Device motion screen blanking - 139385-301 Power Extension Cable with Screen Blanking ➤ For electric vehicles (30V and higher) - PS1350 Pre-Regulator Module - No device motion screen blanking - CA1210 Power Extension Cable - Device motion screen blanking - 139385-303 Power Extension Cable with Screen Blanking

EMC Product Line - XT15 TAG Page 3 of 24 Document Update date: 5/28/21

CA3000		Vehicle Cradle Power-Only Cable	►To be discontinued 8/2021 - see PME 10678 ► Allows Powered Vehicle Cradle (ST1002) to charge the device. ► Uses Circular Plastic Connector (CPC) on power end.	
CA3001		Vehicle Cradle Power, USB, Serial Cable	▶ To be discontinued 8/2021 - see PMB 10678 ▶ Allows Powered Vehicle Cradle (ST1002) to charge the device. ▶ Also provides one DE9 RS232 port and two USB-A ports ▶ Serial port provides power on Pin 9 (5VDC, 1A max) and is defaulted to off. Control Panels-Scanners must be modified to enable Power option on COM6. ▶ Uses Circular Plastic Connector (CPC) on power end. ▶ The cable's connector block provides the ultimate in flexibility, allowing it to be mounted in any orientation, anywhere within reach of the vehicle cradle, or even directly to either side or the rear of the MT3327 Bottom Mounting Bracket. ▶ Internal P/N 1005052	
CA1210		Vehicle Cradle CPC Power Extension Cable	ST6500	
13985-301		Vehicle Cradle CPC Power Extension Cable With Motion Detect (for 11.5V - 30V vehicles)	▶ Discontinued 6/2019 ▶ Connects between CA3000 or CA3001 cables and vehicle power source (11.5-30V) and also vehicle motion trigger to provide screen blanking. ▶ The screen blanking feature detects when the vehicle is in motion and turns the XT15 display off. ▶ Waterproof 6' cable includes 10A fuse	
13985-303		Vehicle Cradle CPC Power Cable With Motion Detect (for 30V and higher vehicles)	► Connects between CA3000 or CA3001 cables and PS1350 to provide screen blanking. ► Use this cable with the PS1350 preregulator when screen blanking is desired. ► The screen blanking feature detects when the vehicle is in motion and turns the XT15 display off.	
CA3002	9	Vehicle Cradle Cigarette Lighter Adapter	►To be discontinued 8/2021 - see PME 10678 Connects Powered Vehicle Cradle to vehicle's cigarette lighter plug For 11.5V to 30 VDC power systems	

Document Update date: 5/28/21 EMC Product Line - XT15 TAG Page 4 of 24 Changes?/Updates? - notify pgw786@zebra.com

PS1350		Vehicle Cradle Power Pre- regulator Module	► Required when vehicle provides 20- 72V power ► Also required when screen blanking feature is required with Powered Vehicle Cradle ► Connections from the pre-regulator to the vehicle power source can be via CA1210 Power Extension Cable or 13985-303 CPC Power Cable with Motion Detect.	
MT3326		Vehicle Cradle Rear Mounting Bracket	►To be discontinued 8/2021 - see PME 10678 ►Use when the Vehicle Cradle's RAM mount is anchored to a vertical surface such as a wall, post, or roll cage. ►Includes screws ►Internal P/N 1005070	Typically used along with the following: 1. RAM Round Plate Base (for attachment to cradle bracket) 2. RAM Double Socket Arm 3. RAM Clamp Base, Rail Base or Round Plate Base. Refer to Common Mounting Systems TAG for details.
MT3328		Un-Powered Vehicle Cradle Bottom Mounting Bracket	►Use when the ST1000 Un-Powered Vehicle Cradle's RAM mount is anchored to a horizontal surface such as the vehicle's floorboard or a forklift dashboard. ►L-shape bracket design ►Includes screws	
MT3327		Powered Vehicle Cradle Bottom Mounting Bracket	▶ To be discontinued 8/2021 - see PMB 10678 ▶ Use when the ST1002 Powered Vehicle Cradle's RAM mount is anchored to a horizontal surface such as the vehicle's floorboard or a forklift dashboard. ▶ Includes mounting features for the connector block of the CA3001 cable. Enables tethered peripheral connections to be attached to either side or the rear of the vehicle cradle with the connector block pointed in almost any orientation ▶ Includes screws ▶ Internal P/N 1005072	Typicallly used along with the following: 1. RAM Round Plate Base (for attachment to cradle bracket) 2. RAM Double Socket Arm 3. RAM Clamp Base, Rail Base or Round Plate Base. Refer to Common Mounting Systems TAG for details.
Snap-On Modules and	Communication Cables			
Part Number	Picture	Description	Notes	Required Items
ST4000		Charge-Only Snap-on Module	▶ Provides device charging connection	▶ Power Supply PWR- BGA12V50W0WW for AC charging OR ST3113 Cigarette Lighter Adapter for in-vehicle charging
ST4001	010	USB and Charge Snap-on Module	► Provides Micro USB/B, USB/A and charging connections. ► Connects to USB peripherals and also to ActiveSync connections ► USB/A port provides power for peripherals (5VDC, 500mA max).	▶ Power Supply PWR- BGA12V50W0WW for AC charging OR ST3113 Cigarette Lighter Adapter for in-vehicle charging ▶ PX3058 Micro USB Cable to support ActiveSync connections
ST4005		RS232 Serial and Charge Snap-on Module	▶ To be discontinued 8/2021 - see PME 10678 ▶ Provides RS232 DE9 and charging connections. ▶ Serial port provides power on Pin 9 (5VDC, 1A max) and is defaulted to off. Control Panel>Scanners must be modified to enable Power option on COM6.	►Power Supply PWR- BGA12V50W0WW for AC charging OR ST3113 Cigarette Lighter Adapter for in-vehicle charging

EMC Product Line - XT15TAG Page 5 of 24 Document Update date: 5/28/21

Zebra Confidential

PX3058		Micro USB Cable	► Micro USB Male to Standard USB Type A Male ► Used for ActiveSync connections ► Cable is normally included with Single Slot Cradles ► Cable is required with ST4001 USB Snap-on				
Standard Back Covers	Standard Back Covers (Can't be combined with any Pod Accessories)						
Part Number	Picture	Description	Notes	Required Items			
ST9701		Standard Back Cover with Standard Range 1D Laser	▶ Discontinued 5/2021, see PMB 10526. ▶ Uses SE1224HP engine ▶ Can be used with ST6100 Pistol Grip Kit				
ST9710		Standard Back Cover for Freezer units (XT15f) with Standard Range 1D Laser	► To be discontinued 8/2021 - see PME 10678 ► Uses SE965 engine ► Heated scanner window to prevent frost and condensation ► Can be used with ST6500 Pistol Grip Kit				
ST9703		Standard Back Cover with Extended Range 1D Laser	►To be discontinued 8/2021 - see PME 10678 ►Uses SE1524ER Lorax engine ►Can be used with ST6400 Pistol Grip Kit ► Not compatible with Narrowband radio units				
ST9711		Standard Back Cover for Freezer units (XT15f) with Extended Range 1D Laser	►To be discontinued 8/2021 - see PME 10678 ►Uses SE1524ER Lorax engine ►Heated scanner window to prevent frost and condensation ►Can be used with ST6500 Pistol Grip Kit				
ST9714		Standard Back Cover with Standard Range 2D Imager	►To be discontinued 8/2021 - see PME 10678 ►Uses SE4500 Blockbuster engine ►Can be used with ST6100 Pistol Grip Kit				

EMC Product Line - XT15 TAG Page 6 of 24 Document Update date: 5/28/21

ST9715		Standard Back Cover with Standard Range 2D Imager	▶To be discontinued 8/2021 - see PME 10678 ▶Uses SE4600 Long Range Imager engine ▶Can be used with ST6500 Pistol Grip Kit ▶ Not compatible with Narrowband radio units	
ST6100		Pistol Grip Kit for Standard Long Back Covers with lower profile scan engines	Discontinued 5/2021, see PMB 10526. ➤ Adds pistol grip handle to Standard Long Back Covers with Standard Range 1D Laser (ST9701) or 2D Imager (ST9714) ➤ Grip includes storage for stylus in the base. ➤ Includes Pistol Grip, Stylus (ST6101), and screws	Standard Back Cover with Standard Range 1D Laser (ST9701) or 2D Imager (ST9714)
ST6400		Pistol Grip Kit for Standard Long Back Covers with 1D Extended Range Laser	➤ Discontinued 5/2021, see PMB 10526. ➤ Adds pistol grip handle to Standard Long Back Cover with Extended Range 1D Laser (ST9703) ➤ Grip includes storage for stylus in the base. ➤ Includes Pistol Grip, Stylus (ST6101), and screws	Standard Back Cover with Extended Range 1D Laser (ST9703)
ST6500		Pistol Grip Kit for Standard Long Back Covers with 2D Extended Range Imager OR Freezer units (XT15f)	► Adds pistol grip handle to Standard Long Back Cover with Extended Range 2D Imager (ST9715) or scanners for Freezer (XT15f) units (ST9710, ST9711) ► Grip includes storage for stylus in the base. ► Includes Pistol Grip, Stylus (ST6101), and screws	Standard Back Cover with Extended Range 2D Imager (ST9715) OR scanners for Freezer units (ST9710, ST9711)
ST6104		Replacement Pistol Grip Switch Cover	► This is the black cap that covers the pistol grip switch on the Back Cover.	
Expansion Back Cover	s			
Part Number	Picture	Description	Notes	Required Items
ST9002		Expansion Backcover - Blank	► To be discontinued 8/2021 - see PME 10678 ► Blank backcover (no speaker, no camera included). ► Pod-Scanners can be installed on top of the backcover. ► Includes back cover with screws and installation manual.	1. Pod or Pod Blanking Plate from list below A53(ST91xx or ST92xx)

EMC Product Line - XT15TAG Page 7 of 24 Document Update date: 5/28/21

ST9001	Expansion Backcover - Blank	▶ Blank backcover (no speaker, no camera included). ▶ Pod-Scanners can be installed on top of the backcover. ▶ Includes back cover with screws and installation manual. ▶ Discontinued, now use ST9002	1. Pod or Pod Blanking Plate from list below A53(ST91xx or ST92xx) 2. Endcap from list below (ST93xx, ST94xx, ST95xx, or ST96xx)
ST9000	Expansion Backcover - Blank	► Blank backcover (no speaker, no camera included). ► Pod-Scanners can be installed on top of the backcover. ► Includes back cover with screws and installation manual. ► Discontinued, now use ST9002	1. Pod or Pod Blanking Plate from list below A53(ST91xx or ST92xx) 2. Endcap from list below (ST93xx, ST94xx, ST95xx, or ST96xx)
ST9004	Expansion Backcover - with Speaker	► To be discontinued 8/2021 - see PME 10678 ► Backcover includes speaker (no camera included). ► Pod-Scanners can be installed on top of the backcover. ► Includes back cover with screws and installation manual.	1. Pod or Pod Blanking Plate from list below A53(ST91xx or ST92xx) 2. Endcap from list below (ST93xx, ST94xx, ST95xx, or ST96xx)
ST9003	Expansion Backcover - with Speaker	 ▶ Backcover includes speaker (no camera included). ▶ Pod-Scanners can be installed on top of the backcover. ▶ Includes back cover with screws and installation manual. ▶ Discontinued, now use ST9004 	1. Pod or Pod Blanking Plate from list below A53(ST91xx or ST92xx) 2. Endcap from list below (ST93xx, ST94xx, ST95xx, or ST96xx)
ST9013	Expansion Backcover - with Speaker and Camera	► To be discontinued 8/2021 - see PME 10678 ► Backcover includes speaker and camera. ► Camera specs: 3 MP, autofocus, 4X digital zoom, Dual LED flash, Video capable ► Pod-Scanners can be installed on top of the backcover. ► Includes back cover with screws and installation manual.	1. Pod or Pod Blanking Plate from list below A53(ST91xx or ST92xx) 2. Endcap from list below (ST93xx ST94xx ST95xx or
ST9011	Expansion Backcover - with Speaker and Camera	➤ Backcover includes speaker and camera.	1. Pod or Pod Blanking Plate from list below A53(ST91xx or ST92xx) 2. Endcap from list below (ST93xx, ST94xx, ST95xx, or ST96xx)

COD ACCESSORIES (Only one Pod accessory can be installed on a device. Requires: (1) Expansion Back Plate (2) Pod and (3) Blank End Cap)
(Can't be combined with any Standard Back Covers)

EMC Product Line - XT15 TAG Page 8 of 24 Document Update date: 5/28/21

ST9100		Pod Blanking Plate	►To be discontinued 8/2021 - see PME 10678 ►Used to cover hole in Expansion Backcovers when no pod (i.e. scanner) will be installed.	Expansion Backcover	
ST9101		Standard Size Pod - 1D Standard Range Laser	►To be discontinued 8/2021 - see PME 10678 ►Uses SE1224HP engine ►Mounted at 42° angle ►Can be used with ST6000 Pistol Grip Kit	Expansion Backcover (ST90xx)	
ST9114		Standard Size Pod - 2D Standard Range Imager	▶To be discontinued 8/2021 - see PME 10678 ▶Uses SE4500 Blockbuster engine ▶Can be used with ST6000 Pistol Grip Kit	Expansion Backcover (ST90xx)	
ST9204		Slim Size Pod - 1D Standard Range Laser	▶ Discontinued 2/2019, now use ST9101 (SE1224HP 1D Standard Range Scanner Standard Pod) - see PMB 10057 ▶ Uses SE955 engine ▶ Can be used with ST6000 Pistol Grip Kit	Expansion Backcover (ST90xx)	
ST9214		Slim Size Pod - 2D Standard Range Imager	▶To be discontinued 8/2021 - see PME 10678 ▶Uses SE4500 Blockbuster engine ▶Can be used with ST6000 Pistol Grip Kit	Expansion Backcover (ST90xx)	
ST9210		Slim Size Pod - HF RFID Reader	►To be discontinued 8/2021 - see PME 10678 HF-AM1-OMNII RFID Reader HID Multi ISO, 2 SAM slots, bottom antenna, full Mifare compatible, ISO14443 A/B, ISO 15693. Works with Speaker, Camera, GPS,WWAN radios, Endcap-Scanner, but not incombination with pistol grip.	Expansion Backcover (ST90xx)	
ST6000		Pistol Grip Kit for Pod Scanners	▶ Discontinued 5/2021, see PMB 10526. ▶ Adds pistol grip handle to Pod Scanners ▶ Grip includes storage for stylus in the base. ▶ Includes Pistol Grip, Stylus (ST6101), and screws	Pod Scanner (ST91xx or ST92xx)	
End-Cap Accessories and Scanners					
ST9301		Blank End Cap with no Antennas	▶To be discontinued 8/2021 - see PME 10678 ▶This is the standard end-cap that is included with each device without a Standard Back Cover scanner.	Expansion Backcover (ST90xx)	

EMC Product Line - XT15TAG Page 9 of 24 Document Update date: 5/28/21

ST9401	Blank End Cap with GPS Antenna	▶ Discontinued 12/2014, now use ST9600	Expansion Backcover (ST90xx)
ST9500	Blank End Cap with GPS and EDGE/cellular Antennas	► Discontinued 12/2014, now use ST9600	Expansion Backcover (ST90xx)
ST9600	Blank End Cap with GPS and HSPA+/cellular Antennas	►To be discontinued 8/2021 - see PME 10678	Expansion Backcover (ST90xx)
ST9304	1D Standard Range Laser End Cap with no Antennas	▶ Discontinued 2/2019, now use ST9314 (SE4500 2D Standard Imager End Cap) - see PMB 10057 ▶ Uses SE955 engine	Expansion Backcover (ST90xx)
ST9404	1D Standard Range Laser End Cap with GPS Antenna	➤ Discontinued 12/2014, now use ST9604 ➤ Uses SE955 engine	Expansion Backcover (ST90xx)
ST9504	1D Standard Range Laser End Cap with GPS and EDGE/cellular Antennas	➤ Discontinued 12/2014, now use ST9604 ➤ Uses SE955 engine	Expansion Backcover (ST90xx)
ST9604	1D Standard Range Laser End Cap with GPS and HSPA+/cellular Antennas	▶ Discontinued 2/2019, now use ST9614 (SE4500 2D Standard Imager End Cap) - see PMB 10057 ▶ Uses SE955 engine	Expansion Backcover (ST90xx)
ST9314	2D Standard Range Imager End Cap with no Antennas	►To be discontinued 8/2021 - see PME 10678 ► Uses SE4500 Blockbuster engine	Expansion Backcover (ST90xx)
ST9414	2D Standard Range Imager End Cap with GPS Antenna	► Uses SE4500 Blockbuster engine	Expansion Backcover (ST90xx)
ST9514	2D Standard Range Imager End Cap with GPS and EDGE/cellular Antennas	➤ Discontinued 12/2014, now use ST9614 ➤ Uses SE4500 Blockbuster engine	Expansion Backcover (ST90xx)
ST9614	2D Standard Range Imager End Cap with GPS and HSPA+/cellular Antennas	►To be discontinued 8/2021 - see PME 10678 ► Uses SE4500 Blockbuster engine	Expansion Backcover (ST90xx)

EMC Product Line - XT15 TAG Page 10 of 24 Document Update date: 5/28/21

ST6300		Flush Mount Pistol Grip Kit for End Cap Scanners	➤ Adds pistol grip handle to End Cap Scanners ➤ Grip includes storage for stylus in the base. ➤ Includes Pistol Grip, Stylus (ST6101), and screws	Endcap Scanner (ST93xx, ST94xx, ST95xx, or ST96xx)
Radio Modules				
Part Number	Picture	Description	Notes	Required Items
RA3045-GPS		EDGE and GPS WAN expansion module	Discontinued 6/2014 ▶ 2.5G GSM/GPRS/EDGE radio, Quad-Band GSM: 850, 900, 1800, 1900 MHz ▶ Uses Cinterion MC75i radio ▶ Full GPS functionality - SIRF III GPS Receiver ▶ Connects to 100-pin XMOD Interface connector ▶ Module allows voice and data communication.	
RA3050-GPS		HSPA+ and GPS WAN expansion module	▶ To be discontinued 8/2021 - see PME 10678 ▶ UMTS 3.8G HSPA+ radio, Five Band UMTS: 800/850, 900, 1900, 2100 MHz, Quad-Band GSM: 850, 900, 1800, 1900 MHz ▶ Uses Cinterion PH8-P radio ▶ Full GPS functionality - SIRF III GPS Receiver ▶ Connects to 100-pin XMOD Interface connector ▶ Module allows voice and data communication. ▶ Not compatible with Narrowband radio units	Endcap with HSPA+ Antenna (ST96xx)
RA3061-GPS		Stand alone GPS module	➤ Discontinued 6/2014 ➤ Full GPS functionality - SIRF III GPS Receiver ➤ Connects to 100-pin XMOD Interface connector	Endcap with GPS Antenna (ST94xx)
Misc				
Part Number	Picture	Description	Notes	Required Items
ST6091	Conf	Soft Holster for Belt	➤ Soft Shell Holster and Belt ➤ Includes removable belt clip ➤ NOT compatible with Pistol Grip units ➤ Includes attachment points for optional shoulder strap (CV6021) D84(not included).	

EMC Product Line - XT15 TAG Page 11 of 24 Document Update date: 5/28/21

ST6090		Carry Case for units with Standard Back Cover	▶ Allows full access and functionality of the Omnii unit while it remains in the case. Display, Keypad, Camera, buttons on the sides are accessible. ▶ Device must be removed from case when connecting to a docking station. ▶ Compatible with Pistol Grip units ▶ Can be used as simple protective pouch or as belt-case. ▶ Includes a removable belt clip. ▶ Includes two connections for optional shoulder strap (CV6021) (not included).	
ST6092		Carry Case for units with Expansion Back Cover	➤ Allows full access and functionality of the Omnii unit while it remains in the case. Display, Keypad, Camera, buttons on the sides are accessible. ➤ Device must be removed from case when connecting to a docking station. ➤ Compatible with Pistol Grip units ➤ Can be used as simple protective pouch or as belt-case. ➤ Includes a removable belt clip. ➤ Includes two connections for optional shoulder strap (CV6021) (not included).	
ST6093		Carry Case for units with Expansion Back Cover and End Cap Scanner	► Allows full access and functionality of the Omnii unit while it remains in the case. Display, Keypad, Camera, buttons on the sides are accessible. ► Device must be removed from case when connecting to a docking station. ► Compatible with Pistol Grip units ► Can be used as simple protective pouch or as belt-case. ► Includes a removable belt clip. ► Includes two connections for optional shoulder strap (CV6021) (not included).	
ST6094	CONTROL OF THE PARTY OF THE PAR	Carry Case for Narrowband Radio units	► Allows full access and functionality of the Omnii unit while it remains in the case. Display, Keypad, Camera, buttons on the sides are accessible. ► Device must be removed from case when connecting to a docking station. ► Compatible with Pistol Grip units ► Can be used as simple protective pouch or as belt-case. ► Includes a removable belt clip. ► Includes two connections for optional shoulder strap (CV6021) (not included).	

EMC Product Line - XT15 TAG Page 12 of 24 Document Update date: 5/28/21

ST6050		Soft Shell Holster	 ▶ Includes waist belt and leg strap for attaching holster to body ▶ Holster can be worn on either side of the body, allowing for right or left handed user. ▶ Compatible with Pistol Grip units ▶ Device strap can be used to tether Pistol Grip units to Holster. 	
ST6053		Soft Shell Holster for Narrowband radio units	➤ Discontinued 2/2021, see PMB 10520 ➤ Includes waist belt and leg strap for attaching holster to body ➤ Holster can be worn on either side of the body, allowing for right or left handed user. ➤ Compatible with Pistol Grip units ➤ Device strap can be used to tether Pistol Grip units to Holster.	
ST6055	Omedi Pa	Hard Shell/Form Fit Holster for units with Standard Back Cover	Provides a comfortable and durable carrying case for the Omnii with pistol grip to hang securely from the waist. ► Has separate compartments designed to hold an extra battery and replacement stylus. ► Comes with a waist strap belt and leg strap and a device strap that is looped through the pistol grip handle to tether the Omnii to the holster. With removable belt, this holster provides maximum flexibility and comfort. ► Holster can be worn on either side of the body, allowing for right or left handed user. ► Device strap can be used to tether Pistol Grip units to Holster.	

ST6056	Outsi	Hard Shell/Form Fit Holster for units with Expansion Back Cover and Standard Size Pods	▶ Provides a comfortable and durable carrying case for the Omnii with pistol grip to hang securely from the waist. ▶ Has separate compartments designed to hold an extra battery and replacement stylus. ▶ Comes with a waist strap belt and leg strap and a device strap that is looped through the pistol grip handle to tether the Omnii to the holster. With removable belt, this holster provides maximum flexibility and comfort. ▶ Holster can be worn on either side of the body, allowing for right or left handed user. ▶ Device strap can be used to tether Pistol Grip units to Holster. ▶ Device must be using Standard Size Pod	
ST6057		Hard Shell/Form Fit Holster for units with Narrowband Radio, Expansion Back Cover and Standard Size Pods	▶ Discontinued 2/2021, see PMB 10520 ▶ Provides a comfortable and durable carrying case for the Omnii with pistol grip to hang securely from the waist. ▶ Has separate compartments designed to hold an extra battery and replacement stylus. ▶ Comes with a waist strap belt and leg strap and a device strap that is looped through the pistol grip handle to tether the Omnii to the holster. With removable belt, this holster provides maximum flexibility and comfort. ▶ Holster can be worn on either side of the body, allowing for right or left handed user. ▶ Device strap can be used to tether Pistol Grip units to Holster. ▶ Device must be using Standard Size Pod	
ST6051		Forklift Holster for units without Rubber Boot	► Holster attaches to pole/beam on fork lift ► Compatible with Pistol Grip units	

ST6052	Forklift Holster for units with Rubber Boot	► Holster attaches to pole/beam on fork lift ► Compatible with Pistol Grip units	
ST6054	Forklift Holster for units with Narrowband Radio	►To be discontinued 8/2021 - see PME 10678 ► Holster attaches to pole/beam on fork lift ► Compatible with Pistol Grip units	
3rd party * http://logisterra.com	Additional Holsters from Logisterra		
ST6080	Rubber Boot (Yellow) for units with Standard Back Cover	➤ Rubber boot adds extra drop/fall protection ➤ Scanner, Stylus and battery are still accessible. ➤ Compatible with Pistol Grip units ➤ Device must be removed from boot when connecting to a docking station. ➤ Boot has two connections for attaching optional shoulder strap (CV6021) (not included).	

ST6081	Rubber Boot (Grey) for units with Standard Back Cover	► Rubber boot adds extra drop/fall protection ► Scanner, Stylus and battery are still accessible. ► Compatible with Pistol Grip units ► Device must be removed from boot when connecting to a docking station. ► Boot has two connections for attaching optional shoulder strap (CV6021) (not included).	
ST6086	Rubber Boot (Blue) for Freezer (XT15f) units with Standard Back Cover	► Rubber boot adds extra drop/fall protection ► Scanner, Stylus and battery are still accessible. ► Compatible with Pistol Grip units ► Device must be removed from boot when connecting to a docking station. ► Boot has two connections for attaching optional shoulder strap (CV6021) (not included).	
ST6082	Rubber Boot (Yellow) for units with Expansion Back Cover	► Rubber boot adds extra drop/fall protection ► Scanner, Stylus and battery are still accessible. ► Compatible with Pistol Grip units ► Device must be removed from boot when connecting to a docking station. ► Boot has two connections for attaching optional shoulder strap (CV6021) (not included).	
ST6083	Rubber Boot (Grey) for units with Expansion Back Cover	► Rubber boot adds extra drop/fall protection ► Scanner, Stylus and battery are still accessible. ► Compatible with Pistol Grip units ► Device must be removed from boot when connecting to a docking station. ► Boot has two connections for attaching optional shoulder strap (CV6021) (not included).	
ST6084	Rubber Boot (Yellow) for units with Expansion Back Cover and End Cap Scanner	▶ Rubber boot adds extra drop/fall protection ▶ Scanner, Stylus and battery are still accessible. ▶ Compatible with Pistol Grip units ▶ Device must be removed from boot when connecting to a docking station. ▶ Boot has two connections for attaching optional shoulder strap (CV6021) (not included).	
ST6085	Rubber Boot (Grey) for units with Expansion Back Cover and End Cap Scanner	➤ Rubber boot adds extra drop/fall protection ➤ Scanner, Stylus and battery are still accessible. ➤ Compatible with Pistol Grip units ➤ Device must be removed from boot when connecting to a docking station. ➤ Boot has two connections for attaching optional shoulder strap (CV6021) (not included).	

Document Update date: 5/28/21 EMC Product Line - XT15 TAG Page 16 of 24 Changes?/Updates? - notify pgw786@zebra.com

		,	
ST6087	Rubber Boot (Yellow) for units with Narrowband Radio	 ▶ Rubber boot adds extra drop/fall protection ▶ Scanner, Stylus and battery are still accessible. ▶ Compatible with Pistol Grip units ▶ Device must be removed from boot when connecting to a docking station. ▶ Boot has two connections for attaching optional shoulder strap (CV6021) (not included). 	
ST6088	Rubber Boot (Grey) for units with Narrowband Radio	➤ Rubber boot adds extra drop/fall protection ➤ Scanner, Stylus and battery are still accessible. ➤ Compatible with Pistol Grip units ➤ Device must be removed from boot when connecting to a docking station. ➤ Boot has two connections for attaching optional shoulder strap (CV6021) (not included).	
3rd party * http://logisterra.com	Additional Boot/Case options from Logisterra		
CV6021	Shoulder Strap for Cases/Boots	► Compatible for use with all Carry Cases and Rubber Boots	
ST6030	Shoulder Strap	► Strap connects directly to bottom of the device. ► Uses break-away Velcro on strap for safety	
ST6040	Wrist Strap	► Strap connects directly to bottom of the device. ► Uses Nylon cord with spring latch for adjusting loop size	

	Ī		T	
ST6025		Handstrap - Adjustable	➤ Strap is padded and uses a double loop adjustable elastic. ➤ Includes storage for option stylus (not included) ➤ NOT compatible with Vehicle Cradles	
ST6026		Handstrap	► Strap is elastic and non-adjustable ► Includes storage for option stylus (not included) ► Compatible with Vehicle Cradles	
(3rd party) * http://www.ultimacase.com	Agora Leather website	Additional holsters/cases for Omni series		
ST6101		Short Yellow Stylus (pack of 3)		
ST6102	///	Long Grey Stylus (pack of 3)	►To be discontinued 8/2021 - see PME 10678 ►Not compatible with Pistol Grip	
ST6103		Tethers for Stylus (pack of 3)	►To be discontinued 8/2021 - see PME 10678	
ST6310		Stylus Holder	Discontinued 6/2019 - see PMB 10146 ▶ Provides convenient storage location for ST6101 or ST6102 Stylus ▶ Stylus is not included ▶ Not compatible with Pistol Grip	Stylus (ST6101 or ST6102)
RV6105	(, 6, 6	Screen Protector/Guard	➤ Adds self aligning feature to avoid unintentional activation of the touch panel display. ➤ For use with applications with high touch screen usage, Zebra recommends the use of a screen protector to minimize wear and tear. ➤ Screen protectors enhance the usability and durability of touch screen displays. ➤ Benefits include: - Protection from scratches and gouges - Durable writing and touch surface with tactile feel - Abrasion and chemical resistance - Glare reduction - Keeping the device's screen looking like new	

EMC Product Line - XT15 TAG Page 18 of 24 Document Update date: 5/28/21

Additional Screen Protectors (3rd party) *		Additional Screen Protectors	 NuShield AG™ - works well indoors under bright lights to minimize glare. NuShield AM™ - antimicrobial film is an antiglare film designed for hospitals, public kiosks, restaurants and POS terminals where transmission of disease is a primary concern. NuShield DayVue™ - antireflective film is the best choice for displays that are being used outdoors. 	
20668-001 (403-422 Mhz) To be discontinued 8/2021 - see PMB 10678 1002180-003 (435-470 Mhz)		Spare/Replacement Narrowband Antenna	► For XT15 units with Narrowband radio ► Helical antenna, 1/4 wave whip, SMA male connector ► Order correct antenna SKU based on the narrowband radio in the XT15: -20668-001 - 403-422 Mhz - Green -1002180-003 - 435-470 MHz - Brown	
Power Cords/Power Su	pplies			
Part Number	Picture	Description	Notes	Required Items
CBL-DC-385A1-01	9	DC Power Cord	► Used along with Power Supply PWR-BGA12V50W0WW to connect to Snap-On modules and also power Single Slot Cradles (spare/replacement). ► Cable length is 1.8 meters	
PWR-BGA12V50W0WW	North Steers and District	Power Supply	▶ Used to connect to Snap-On modules and also power Single Slot Cradles (spare/replacement). ▶ 100-240 VAC,12V, 4.16A, 50W ▶ Provides US DOE Level VI compliance for power efficiency. ▶ Replaces ST1050 and ST1050-AR	DC Line Cord (CBL-DC-385A1- 01) and AC Line Cord (23844- 00-00R)
ST1050		Wall Adapter Power Supply (Worldwide except Argentina)	➤ Connects to Snap-On modules ➤ Also powers Single Slot Cradles (spare/replacement) ➤ Includes country specific AC adapters ➤ Discontinued 12/2016, now use PWR BGA12V50W0WW and CBL-DC-385A1- 01 - PMB 2851 and PMB 2899.	
ST1050-AR		Wall Adapter Power Supply (Argentina only)	► Connects to Snap-On modules ► Also powers Single Slot Cradles (spare/replacement) ► Includes country specific AC adapters ► Discontinued 12/2016, now use PWR BGA12V50W0WW and CBL-DC-385A1- 01 - PMB 2851 and PMB 2899.	
PWR-BGA12V72W0WW	Section 1 and 1 an	Power Supply for 4-Slot Ethernet Cradles and 6-Slot Battery Charger	➤ Spare/replacement power supply. This power supply is included with each 4-Slot Ethernet Cradle or 6-Slot Battery Charger. ➤ 100-240 VAC,12V, 6A, 72W ➤ Provides US DOE Level VI compliance for power efficiency. ➤ Replaces PS1055-G1 and PS1057-G1 Power Supply	AC Line Cord (23844-00-00R)
PS1055-G1		Power Supply for 4-Slot Ethernet Cradles	►To be discontinued 8/2021 - see PME 10678 ► Spare/replacement power supply. This power supply is included with each 4-Slot Ethemet Cradle	9008693 (AC Line Cord) (or country specific line cord)

EMC Product Line - XT15 TAG Page 19 of 24 Document Update date: 5/28/21

PS1057-G1		Power Supply for 6-Slot Battery Charger	► Spare/replacement power supply. This power supply is included with each 6-Slot Battery Charger	9008693 (AC Line Cord) (or country specific line cord)
PS1056-G1		Power Supply for 6-Slot Battery Charger	▶ Discontinued 1/2016, now use PS1057-G1 - PMB 2708 ▶ Spare/replacement power supply. This power supply is included with each 6-Slot Battery Charger	9008693 (AC Line Cord) (or country specific line cord)
ST3113		Auto Charge/Cigarette Lighter Adapter Cable	➤ Discontinued 8/2019 - see PMB 10255 ➤ 12 volt DC input ➤ Connects to Snap-On modules	Snap-On module (ST4000, ST4001, or ST4005)
23844-00-00R		AC Line Cord	▶This AC Line Cord is for use in North America. See the AC Line Cords by Country TAG for comparable line cords to use in other countries.	
9008693		AC Line Cord (North America)	➤ Discontinued 2/2021, see PMB 10520 ➤ This AC Line Cord is for use in North America. See the AC Line Cords by Country TAG for comparable line cords to use in other countries.	
Batteries				
Batteries Part Number	Picture	Description	Notes	Required Items
	Picture	Description Spare Battery (5200 mAH)	Notes ► Works with all configurations ► Life time of battery is 3 years/300 charging cycles.	Required Items
Part Number	PAIGE. THE USE IN THE PAIGE OF		► Works with all configurations ► Life time of battery is 3 years/300	Required Items
Part Number ST3004	PAGE TOWN OF THE PAGE TO THE PAGE TOWN OF THE PAGE TOWN O	Spare Battery (5200 mAH)	➤ Works with all configurations ➤ Life time of battery is 3 years/300 charging cycles. ➤ Discontinued 4/2019, now use ST3004 - see PMB 10168. ➤ Works with all configurations ➤ Life time of battery is 3 years/300	

EMC Product Line - XT15TAG Page 20 of 24 Document Update date: 5/28/21

ST3003-NI		Spare Battery for XT15ni - Non-Incendive (5300 mAH)	Discontinued 10/2019, now use ST3004-NI - see PMB 10321. Works with non-incendive XT15 configurations Charging time is 3.5h, working time 10 to 19 hours (depending on usage) and 50 hours suspend time. Life time of battery is 3 years/300 charging cycles.	
ST3001-NI		Spare Battery for XT15ni - Non-Incendive (5000 mAH)	Discontinued 12/2014, now use ST3003-NI - see PMB 2540. ► Works with non-incendive XT15 configurations ► Charging time is 3.5h, working time 10 to 19 hours (depending on usage) and 50 hours suspend time. ► Life time of battery is 3 years/300 charging cycles.	
ST3002	(PSIDE.)	Spare Battery for XT15f Freezer unit - Arctic (5500 mAH)		
Keyboards				
Complete Module (includes Elastomer with hard caps, PCB, flex, bezel,	Wear Item Replacement (includes Elastomer with hard caps)	Picture	Description	Notes
ST5998	8510rs		Keypad Bezel Removal Tool	► Allows easy removal of keyboards ► Internal P/N 1006060
ST5003 ▶To be discontinued 8/2021 - see PMB 10678	ST5103 ►To be discontinued 8/202 - see PMB 10678		66-key Keyboard (QWERTY)	►Telephone style numeric key layout ►Alpha QWERTY layout ►6 Function keys
ST5004 ▶To be discontinued 8/2021 - see PMB 10678	ST5104 ►To be discontinued 8/202 - see PMB 10678	(A 5 6) (A 5 6) (A 10 (A)(A)(A)(A)(A)(A)(A)(A)(A)(A)(A)(A)(A)(55-Key Keyboard (Alpha Numeric)	► Telephone style numeric key layout ► Alpha ABC layout ► Includes telephone control buttons
ST5010	ST5110		59-Key Keyboard (Alpha Numeric)	➤ Discontinued 5/2021, see PMB 10526. ➤ Telephone style numeric key layout ➤ Alpha ABC layout ➤ 6 Function keys (labeled F1-F6)

EMC Product Line - XT15 TAG Page 21 of 24 Document Update date: 5/28/21

ST5017 ►To be discontinued 8/2021 - see PMB 10678	ST5117 ► Discontinued 5/2021, see PMB 10526.		59-Key SAP Keyboard (Alpha Numeric with modified function keys)	► Telephone style numeric key layout ► Alpha ABC layout ► 6 Function keys (labeled F1-F5, F7) ► Period (.) key replaced by Dash (-) ► Includes PgUp and PgDn functionality
ST5011 ▶ Discontinued 5/2021, see PMB 10526.	ST5111 ►To be discontinued 8/2021 - see PMB 10678		36-Key Keyboard	▶Telephone style numeric key layout ▶12 Function keys ▶Use Function key and multiple numeric key presses for alpha keys (telephone style)
ST5012 ▶To be discontinued 8/2021 - see PMB 10678	ST5112 ▶Discontinued 5/2021, see PMB 10526.	7 8 9 0 4 5 6 4 1 2 3 4 7 1 1 1 1 2 3 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	36-Key Keyboard (Modified Alpha)	► Calculator style numeric key layout ► 12 Function keys ► Use Function key and single key press for alpha keys
ST5013	ST5113 ►To be discontinued 8/2021 - see PMB 10678	7	34-Key Keyboard	▶Telephone style numeric key layout ▶12 Function keys ▶Use Function key and multiple numeric key presses for alpha keys (telephone style)
ST5015	ST5115	1 2 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	59-Key Keyboard (Alpha Numeric with ORACLE function keys)	Discontinued 5/2021, see PMB 10526. Telephone style numeric key layout Alpha ABC layout 6 Function keys with ORACLE function labels: - CL (Delete) - F1 - F2 - F3 - F4 - LV (List of Values) - SEL (Select Record) - MM (Main Menu) - PUP (Page Up) - PDN (Page Down) - LPN (Generate) - ERR (Error Message)

ST5016 ►To be discontinued 8/2021 - see PMB 10678	ST5116 ▶Discontinued 5/2021, see PMB 10526.		66-key Keyboard (QWERTY with ORACLE function keys)	► Telephone style numeric key layout ► Alpha QWERTY layout ► 6 Function keys with ORACLE function labels: - CL (Delete) - F1 - F2 - F3 - F4 - LV (List of Values) - SEL (Select Record) - MM (Main Menu) - PUP (Page Up) - PDN (Page Down) - LPN (Generate) - ERR (Error Message)
ST5005	ST5105	1 2 3 6 6 6 7 8 9 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	58-Key Freezer Keyboard (Alpha Numeric)	▶ Designed to resist freezing keys when the device is wet from external condensation and is brought back into the cold area which produces ice build-up. Pressing the key simply breaks up any ice around it. ▶ Telephone style numeric key layout ▶ Alpha ABC layout ▶ 6 Function keys (labeled F1-F6)
ST5014 ▶To be discontinued 8/2021 - see PMB 10678	ST5114 ▶Discontinued 2/2021, see PMB 10520	7 8 3	34-Key Freezer Keyboard	▶ Designed to resist freezing keys when the device is wet from external condensation and is brought back into the cold area which produces ice build-up. Pressing the key simply breaks up any ice around it. ▶ Telephone style numeric key layout ▶ 12 Function keys ▶ Use Function key and multiple numeric key presses for alpha keys (telephone style)
Replacement Displays				
Part Number	Picture	Description	Notes	Required Items
ST2003	D1 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	XT15 High Visibility display module	➤ Discontinued 5/2015, now use ST2004 ➤ Offers superior overall visibility with 165 cd/m^2 brightness ➤ .5 Joule impact resistance rating	
ST2004	morphisms email camen 12:25 m scan maps browner construction	XT15 Extreme Duty display module	Discontinued 5/2021, see PMB 10526. ► Offers improved impact resistance (4 Joule impact) and improved low temperature performance	

ST2008	vicina startification of the startification	XT15F Chiller display module	► Discontinued 12/2015 - PMB 2723 ► -20C temp extreme	
ST2007	geting startist phase vocanal 2:44 issue to consider the consideration of the consideration o	XT15F Arctic Extreme Duty display module	► Discontinued 12/2015 - PMB 2723 ► -30C temp extreme	
Misc Replacement Equ	ipment			
Part Number	Picture	Description	Notes	Required Items
ST2000		Modular Services Kit	▶To be discontinued 8/2021 - see PME 10678 ▶Includes: - ESD safe T6 Torx torque bit - ESD safe T10 Torx torque bit - Phillips #2 torque bit - ESD safe torque driver for bits - ESD mat with wrist strap - Keypad Bezel Removal tool needed to replace modular components such as displays, scanners, radios, keypads, modules, etc.	
ST7100		Heater Control Module (HCL)	▶used in XT15f (freezer) units	
			►To be discontinued 8/2021 - see PME	