

CONDUIT & CHANNEL SYSTEMS




Bendex round or oval conduit, channel and fittings. Manufactured from high impact, self extinguishing PVC-U.

Product information

- Light and heavy gauge options
- 20, 25 and 32mm round conduit in black or white
- A variety of white oval conduit from 13 to 32mm width
- Robust white PVC-U channel to protect electrical wiring routes

Colour code suffix: to indicate the finish you require, add the required colour code to the end of the product code.

Standard finish	
WH	BK
WH: WHITE BK: BLACK	



Light gauge

code	O.D	pack
LG20WH	20mm	30 x 3m
LG25WH	25mm	30 x 3m



Heavy gauge

code	O.D	pack
HG20WH	20mm	30 x 3m
HG25WH	25mm	30 x 3m
HG32WH*	32mm	10 x 3m

* Available in white only



Oval conduit (white only)

code	O.D	pack
OC13WH	13 x 8.6mm	50 x 3m
OC16WH	16 x 10mm	50 x 3m
OC20WH	20 x 11mm	50 x 3m
OC25WH	25 x 11mm	50 x 3m
OC32WH	32 x 12mm	25 x 3m



Channel (white only)

code	O.D	pack
CH13WH	13 x 8mm	50 x 2m
CH25WH	25 x 8mm	50 x 2m
CH38WH	38 x 9mm	50 x 2m

Conduit and channel

Conduit fittings



Expansion coupler

code	size	pack
EX20WH	20mm	20



Straight coupler

code	size	pack
SC20WH	20mm	100
SC25WH	25mm	50
SC32WH*	32mm	25

* Available in white only



Elbow bend

code	size	pack
IE20WH	20mm	20



Inspection bend

code	size	pack
IB20WH	20mm	20
IB25WH	25mm	20



Inspection tee

code	size	pack
IT20WH	20mm	20
IT25WH	25mm	20



Normal bend

code	size	pack
NB20WH	20mm	25
NB25WH	25mm	10



Female adapter

code	size	pack
A20MBWH	20mm	100
A25MBWH	25mm	50
A32MBWH *	32mm	25

* Available in white only



Male adapter

code	size	pack
A20LRWH	20mm	100
A25LRWH	25mm	50



Male bush threaded

code	size	pack
MB20WH	20mm	100
MB25WH	25mm	100



Lock ring

code	size	pack
LR20WH	20mm	100
LR25WH	25mm	100



Spring clip saddle

code	size	pack
SCS20WH	20mm	100
SCS25WH	25mm	50



Oval spring clip

code	size	pack
OSC20WH	20mm	100
OSC25WH	25mm	100

Conduit fittings



Spacer bar saddle

code	size	pack
SBS20WH	20mm	100
SBS25WH	25mm	50
SBS32WH*	32mm	50

* Available in white only



Bending spring

code	size	pack
BS20L	20mm light	1
BS20H	20mm heavy	1
BS25L	25mm light	1
BS25H	25mm heavy	1

Marshall-Tufflex conduit fire clips can also be used with Bendex conduit. Please see page 55.

Circular boxes



Loop-in box (4 knockouts)

code	size	pack
LIB20KOWH	20mm	20



1 way terminal box

code	size	pack
CJB201WTWH	20mm	20
CJB251WTWH	25mm	20



2 way through box

code	size	pack
CJB202WTWH	20mm	20
CJB252WTWH	25mm	20



2 way angle box

code	size	pack
CJB202WAWH	20mm	20
CJB252WAWH	25mm	20



3 way angle box

code	size	pack
CJB203WTWH	20mm	20
CJB253WTWH	25mm	20



4 way intersection box

code	size	pack
CJB204WTWH	20mm	20
CJB254WTWH	25mm	20

Accessories



Extension ring

code	size	pack
ER20WH	20mm	20
ER25WH	25mm	20

* Available in white only



Circular lid

code	size	pack
LID1WH	65mm	100



Overlapping lid

code	size	pack
LID2WH	85mm	50

* Available in white only



Adhesive

code	size	pack
MSC	250ml	1

Dry lining boxes



1 gang box

code	depth	pack
BDL1WH	34mm	20

6-14mm adjustment



2 gang box

code	depth	pack
BDL2WH	34mm	10

6-14mm adjustment



Conduit fire clips



Fire clip 20mm round conduit

code	pack
FCCR20	100



Fire clip 25mm round conduit

code	pack
FCCR25	100

Regulations

Regulations state that Wiring Systems shall be supported such that they will not be liable to premature collapse in the event of fire. This applies to all access or egress routes not just escape routes. Firefly clips meet the requirements of BS 7671:2018 section 521.10.202 Wiring Regulations to secure all surface cables and to avoid the risk of entanglement in the event of a fire.

Conduit fire straps



Fire clip 20mm conduit strap

code	colour	pack
FCCRC20WH	white	50
FCCRC20BK	black	50



Fire clip 25mm conduit strap

code	colour	pack
FCCRC25WH	white	50
FCCRC25BK	black	50



Fire clip 32mm conduit strap

code	colour	pack
FCCRC32WH	white	50
FCCRC32BK	black	50

Fire clip fixings



Masonry screws & washers

code	pack
FCMS	100



Cavity fixings & screws

code	pack
FCCS	50

We recommend using the masonry or cavity screws and washers for all installations