



# Delock USB Type-C™ Docking Station for 4 x SATA HDD / SSD

## Description

This HDD / SSD Docking Station in by Delock enables an external connection of up to **four 2.5" or 3.5" SATA HDDs / SSDs** through the USB-C™ interface, as well as the simple exchange of the drives by Hot Swap.

### Four bays for HDD / SSD

Up to four HDDs or SSDs can be inserted and accessed simultaneously.

### USB Type-C™ connection and separate power supply

Due to the **USB Type-C™** port and the included USB-C™ cable, the docking station can easily be connected to laptops, netbooks and ultrabooks. In addition, the power supply included in the delivery content ensures a **sufficient power supply** for the storage devices used.



## Specification

- Connectors:  
4 x SATA 6 Gb/s 22 pin receptacle  
1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ female  
1 x DC jack
- Chipset: Genesys Logic GL3523, JMicron JMS578
- Function key:  
1 x On / Off switch
- For 2.5" and 3.5" SATA HDD / SSD
- Suitable for all SATA HDDs / SSDs up to SATA 6 Gb/s
- Data transfer rate up to:  
SuperSpeed 5 Gbps,  
Hi-Speed 480 Mbps,  
Full-Speed 12 Mbps,  
Low-Speed 1.5 Mbps
- 10 x LED indicator
- Bootable
- Dimensions (LxWxH): ca. 166 x 127 x 65 mm
- Hot Swap, Plug & Play

## Power supply specification

- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 2 A
- Output: 12 V / 6.5 A
- Ground outside, plus inside
- Dimensions:  
inside: ø ca. 2.1 mm  
outside: ø ca. 5.5 mm  
length: ca. 10 mm

## System requirements

- Chrome OS
- Linux Kernel 3.19 or above
- Mac OS 10.14.2 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ port

## Package content

- Docking station
- 1 x Cable USB-C™ male to USB-C™ male, length ca. 80 cm
- External power supply
- User manual

## Item no. 63930

EAN: 4043619639304

Country of origin: China

Package: Retail Box





Images





## General

|                             |                            |
|-----------------------------|----------------------------|
| Function:                   | Hot Swap                   |
|                             | Plug & Play                |
|                             | bootable                   |
| Suitable for data medium:   | 2.5"                       |
|                             | 3.5"                       |
|                             | SSD or HDD                 |
| Supported operating system: | Chrome OS                  |
|                             | Windows 7 32-bit           |
|                             | Windows 7 64-bit           |
|                             | Windows 8.1 32-bit         |
|                             | Windows 8.1 64-bit         |
|                             | Windows 10 32-bit          |
|                             | Windows 10 64-bit          |
|                             | Linux Kernel 3.17 or above |
|                             | Mac OS 10.14.2 or above    |

## Interface

|           |                                                       |
|-----------|-------------------------------------------------------|
| External: | 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ female |
|           | 1 x DC 12 V power connector                           |
| Internal: | 4 x SATA 6 Gb/s 22 pin receptacle                     |

## Technical characteristics

|                     |                      |
|---------------------|----------------------|
| Chipset:            | Genesys Logic GL3523 |
|                     | JMicron JMS578       |
| Data transfer rate: | 5 Gbps               |

## Physical characteristics

|                   |         |
|-------------------|---------|
| Housing material: | Plastic |
| Length:           | 166 mm  |
| Width:            | 127 mm  |
| Height:           | 65 mm   |
| Colour:           | black   |