

Universal docking for legacy and current notebooks

Get to work fast with one cable from your USB-A- and USB-C™-enabled notebooks¹ to your displays, devices, and wired network with the flexible, compact HP USB-C/A Universal Dock G2. The dock is driven by DisplayLink and compatible with notebooks from HP, Apple®, Dell, Lenovo, and more.²



Future-proof your fleet

Designed with universal compatibility in mind, this dock works with both HP and non-HP USB-A-, USB-C™-, and Thunderbolt™-enabled notebooks.

Single-cable solution

Add your accessories and up to three 4K displays³ to the dock. Then simply connect it to your notebook¹ through a single USB-C™ cable to access your devices and charge your PC.

Backward compatibility

Use the included USB-A Adapter to connect your USB notebook to the dock and access your accessories and up to two 4K displays.⁴ Use the optional HP 4.5 mm and USB-C Dock Adapter G2⁵ for legacy device barrel charging.

Easily manage your commercial HP fleet

Help IT secure and remotely manage your deployed commercial HP notebooks ¹ and the dock with advanced network manageability features that include PXE Boot, LAN/WLAN switching, and WoL and MAC Address Pass-Through in all power states.

We test so you can rest
Rigorous testing² helps assure dock compatibility across HP notebooks and Apple®, Dell, and Lenovo notebooks with USB-C™ charging ports.²







Product number	STW13AA
Supported platforms	Compatible with HP ProBook 450 G7 Notebook PC; HP ProBook 440 G7 Notebook PC; HP ProBook 430 G6 Notebook PC; HP ZHAN 66 Pro 14 G3 Notebook PC; HP ZHAN 66 Pro 15 G3 Notebook PC; HP ProBook 430 G6 Notebook PC; HP ProBook 630 G4 Hex Core Notebook PC; HP ProBook 630 G4 Notebook PC; HP ProBook 630 G4 Notebook PC; HP ProBook 630 G4 Hex Core Notebook PC; HP ProBook 650 G4 Notebook PC; HP EliteBook 830 G6 Notebook PC; HP EliteBook
UPC number	(ABB) 193905208715; (ABU) 193905208760
Port and connectors	1 USB Type-C® (front, data/power-out) 2 USB 3.0 (ldide, charging SS) 2 USB 3.0 (back, charging) 2 DisplayPort™ 1 HDMI 2.0 1 headphone/microphone combo (side) 1 RJ-45 (back)
Security management	1 Lock slot (side, lock is sold separately)
Product color	Black
Supported operating systems	Windows 7; Windows 10; Chrome™ OS; MacOS; Ubuntu Linux v18.04
Warranty	One-year limited warranty.
What's in the box	HP USB-C/A Universal Dock G2 Documentation
Dimensions (W x D x H)	122 x 122 x 45 mm
Weight	695 g

Messaging Footnotes

1 For USB-C™ functionality, host PC must support the DisplayPort™ Alt mode protocol through its USB-C™ port. Thunderbolt™-enabled notebooks will function at USB-C™ speeds. Charging and port replication is supported on notebooks that have implemented USB-C™ industry specifications. Power button to turn on or wake the system, Wake-on LAN from warm and cold dock, Wake-on LAN from \$4/55, and MAC Address Pass-Through \$0, \$3, \$4, \$5 warm and cold dock features only function on HP or HP-supported notebooks. HP does not provide Ethernet and audio drivers on Mac PCs.

Based on HP internal testing on select non-HP notebook models compatible with USB-C™ industry standards. Certain Alt mode features are not supported, such as power button, MAC Address Pass-Through, Wake-on LAN, and 00B Wake on LAN. Visit the HP Support page to determine your HP notebook's wattage and port specifications. Visit the support page of your non-HP notebook to determine its wattage and port specifications.

There are displays supported only on Thunderbolt™- or USB-C™-with-video-enabled notebooks. Supports three displays including the notebook screen.



⁴ Support for two displays includes one notebook screen and one external display or two external displays.

 ⁶ WMI installation required. Requires Windows 7 or 10.
 7 Internet connection required and sold separately. Managed PC must be running Windows 10.