

# HPE ETHERNET 1GB 4-PORT BASE-T I350-T4 OCP3 ADAPTER (P08449-B21)

## **Adapters**



## **OVERVIEW**

Is your data center constantly challenged to deliver increased security and reliability in a cost-effective and scalable solution for your network bandwidth?

The HPE Gen10 Plus Ethernet Adapters are 1Gb, 10Gb and 10/25Gb Ethernet solutions that are scalable and compatible with HPE Gen10 Plus servers for hybrid cloud services, mobile data and streaming video applications.

**Data sheet** Page 2

Your server is the foundation of your data center, but it doesn't work alone. When one link in your component chain slows down, so does the rest of your operation. Keep your network and data flowing with a seamless ecosystem of HPE servers, networking adapters, transceivers, cables, and switches.

## **FEATURES**

#### **Better Performance**

HPE Gen10 Plus Ethernet Adapters are engineered for an assortment of bandwidths and latency sensitive applications.

Reduces CPU utilization with support for a variety of I/O offloads including RDMA and Tunneling.

## **Reliability and Security**

HPE Gen10 Plus Ethernet Adapters authenticate updates for NICs that signed firmware is correct and trusted to reduce rogue firmware installation.

Protect applications, data, and server infrastructure by authenticating digitally-signed firmware via a root of trust architecture.

## **Technical specifications**

## HPE Ethernet 1Gb 4-port BASE-T I350-T4 OCP3 Adapter

Product Number (SKU)	P08449-B21
Data rate	1 Gb
Bus type	PCle Gen2x4
Form factor	OCP3.0
Minimum dimensions ( H x W x D)	21.49 x 24.97 x 6.17 cm
Weight	0.26 kg

For additional technical information, available models and options, please reference the QuickSpecs

> Make the right purchase decision. Contact our presales specialists.

> > Call for availability







## **HPE POINTNEXT SERVICES**

<u>HPE Pointnext Services</u> leverages our breadth and depth of technical expertise and innovation to help to accelerate digital transformation. A comprehensive portfolio that includes – Advisory, Professional, and Operational Services is designed to help you evolve and grow today and into the future.

#### **Operational Services**

- HPE Datacenter Care offers a tailored operational support solution built
  on core deliverables. It includes hardware and software support, a team of
  experts to help personalise deliverables and share best practices, as well
  as optional building blocks to address specific IT and business needs.
- HPE Proactive Care is an integrated set of hardware and software support including an enhanced call experience with start to finish case management helping resolve incidents quickly and keeping IT reliable and stable.
- HPE Foundation Care helps when there is a hardware or software problem offering several response levels dependent on IT and business requirements.

**Advisory Services** includes design, strategy, road map, and other services to help enable the digital transformation journey, tuned to IT and business needs. Advisory Services helps customers on their journey to Hybrid IT, Big Data, and the Intelligent Edge.

**Professional Services** helps integrate the new solution with project management, installation and startup, relocation services, and more. We help mitigate risk to the business so there is no interruption when new technology is being integrated in the existing IT environment.

## **HPE GREENLAKE**

<u>HPE Greenlake</u> is an as-a-service offering that delivers on-demand capacity and planning, combining the agility and economics of public cloud with the security and performance of on-premises IT.

© Copyright 2020 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.