



Delock USB Type-C™ to SATA Converter with 2.5" Protection Cover

Description

This Delock converter can be connected via **USB-C™** interface to a PC or laptop. Thus a 2.5" SATA HDD or SSD with a 22 pin SATA interface can be used.

Protection cover for 2.5" SSD / HDD

The included protection cover can be used to insert an SSD or HDD up to a height of **9.5 mm** and to continue using the converter.



Specification

- Connectors:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male
 - 1 x SATA 6 Gb/s 22 pin receptacle
- Chipset: VIA VL715
- Suitable for 2.5" SATA HDD / SSD:
 - support 3.3 V / 5 V HDD / SSD
 - HDD height up to 9.5 mm
- Supports SATA 1.5 Gb/s, SATA 3 Gb/s and SATA 6 Gb/s
- Data transfer rate:
 - USB 3.0 up to 5 Gb/s
 - SATA up to 6 Gb/s
- LED indicator
- USB bus powered
- Colour:
 - cable: black
 - protection cover: white
- Cable length without connectors: ca. 15 cm
- Dimensions protection cover (LxWxH): ca. 129 x 75 x 16 mm

System requirements

- Android 9.0 or above
- Chrome OS 75.0 or above
- Linux Kernel 3.3 or above
- Mac OS 10.14.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ port

Package content

- Converter
- Protection cover
- User manual

Item no. 64084

EAN: 4043619640843

Country of origin: China

Package: Retail Box





Images



**General**

Suitable for data medium:	3.3 V and 5 V
	2.5"
	SSD or HDD
	height up to 9.5 mm
Supported operating system:	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	Linux Kernel 3.3 or above
	Mac OS 10.14.5 or above
	Android 9.0 or above
	Chrome OS 75.0 or above

Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x SATA 6 Gb/s 22 pin plug

Technical characteristics

Chipset:	VIA VL715
Data transfer rate:	USB 3.0 up to 5 Gb/s
	SATA up to 6 Gb/s
Voltage:	USB Bus powered (no additional power supply required)

Physical characteristics

Cable length:	15 cm
Length:	129 mm
Width:	75 mm
Height:	16 mm
Colour:	grey
	transparent