

MPN: V-UTP602R-SLIM

# CAT6 U/UTP SLIM Network Cable 2m, Red

CAT6 slim cables are perfect for installations where you need to save space in IT Racks and Cabinets. These cables are thinner and very flexible which provides the installer a better accessibility and quick and easy switching. Furthermore, it improves the Air-Flow, and thereby reducing the risk of down-time. These cables are tested up to 250MHz (CAT6 standard) and are backwards compatible with CAT5e and CAT5 cables. Each cable is manufactured with a snagless boot which prevents the connector from being damaged when you install the cable through an installation with very little space.



- To order a full box, please select the following quantity: 150 pcs.
- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT6 tested up to 250 MHz
- with snagless
- with gold-plated pins
- low cable diameter: 3,6mm
- very flexible, very easy to move to save space behind baseboards
- support PoE++

## Specifications

Features	Specifications
AWG wire size	30/7
Cable length	2 m
Cable shape	Round
Cable shielding	U/UTP (UTP)
Cable standard	Cat6
Cabling technology	10/100/1000Base-T(X)
Conductor material	Copper
Conductor type	Stranded
Connector 1	RJ45
Connector 1 gender	Male
Connector 2	RJ45
Connector 2 gender	Male
Connector contacts plating	Gold
Data transfer rate	10000 Mbit/s
Ethernet interface type	Gigabit Ethernet
Frequency	250 MHz
Jacket material	Polyvinyl chloride (PVC)
Plug and Play	Yes
Product colour	Red
RoHS compliance	Yes
Snagless cable boot	Yes
Other features	Product series: Slim Cable

<b>Other features</b>	<b>Technical features</b>	Short connector type with Latch Protection
<b>Packaging data</b>	<b>Quantity per pack</b>	1 pc(s)
<b>Vendor information</b>	<b>Brand Name</b>	MicroConnect
	<b>Warranty</b>	25 Year(s)
<b>Weight &amp; dimensions</b>	<b>Outer diameter</b>	3.6 mm

## Other products in this series

Cable length	Black	Green	Grey	Red
0.15	V-UTP60015S-SLIM-B ULK	V-UTP60015G-SLIM	V-UTP60015-SLIM	
0.25	V-UTP60025S-SLIM		V-UTP60025-SLIM	
0.5	V-UTP6005S-SLIM		V-UTP6005-SLIM	
1	V-UTP601S-SLIM		V-UTP601-SLIM	V-UTP601R-SLIM
1.5	V-UTP6015S-SLIM		V-UTP6015-SLIM	
2	V-UTP602S-SLIM		V-UTP602-SLIM	V-UTP602R-SLIM
3	V-UTP603S-SLIM		V-UTP603-SLIM	
5	V-UTP605S-SLIM		V-UTP605-SLIM	V-UTP605R-SLIM
7.5	V-UTP6075S-SLIM		V-UTP6075-SLIM	
10	V-UTP610S-SLIM		V-UTP610-SLIM	
15	V-UTP615S-SLIM		V-UTP615-SLIM	
20	V-UTP620S-SLIM		V-UTP620-SLIM	

Cable length	White	Yellow
0.15	V-UTP60015W-SLIM	V-UTP60015Y-SLIM
0.25	V-UTP60025W-SLIM	
0.5	V-UTP6005W-SLIM	
1	V-UTP601W-SLIM	
1.5	V-UTP6015W-SLIM	
2	V-UTP602W-SLIM	
3	V-UTP603W-SLIM	
5	V-UTP605W-SLIM	
7.5	V-UTP6075W-SLIM	
10	V-UTP610W-SLIM	
15	V-UTP615W-SLIM	
20	V-UTP620W-SLIM	