

Delock Adapter for Apple power supply with PD and QC 3.0

Description

This adapter by Delock can be plugged onto an Apple power supply, e.g. the MacBook Pro, and expands the power supply to **four charging ports**. This allows several USB devices to be charged at the same time.

Firm hold on power supply

Due to the USB Type-C™ plug and the retainer on the sides, the adapter has a **firm hold on the power supply**.

PD and QC 3.0

After plugged into the power supply, four USB charging ports are available, one USB-C™ female with PD function, one **Quick Charge 3.0** USB Type-A female and two USB Type-A BC1.2 female.

Note

When using the PD and the QC port simultaneously, only 5 V are available at the QC port.



Item no. 64079

EAN: 4043619640799

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x USB Type-C™ male
 - 1 x USB Type-C™ Power Delivery female
 - 1 x USB Type-A female QC 3.0
 - 2 x USB Type-A female - Battery Charging specification BC1.2
- USB Power Delivery (PD) 3.0
- Output:
 - USB Type-C™ Power Delivery (PD):
 - 5 V / 3 A, 9 V / 3 A, / 12 V / 3 A, 15 V / 3 A, 20 V / 2.25 A
 - USB Type-A Qualcomm Quick Charge 3.0:
 - 3.6 ~ 6.5 V / 3 A, 6.5 ~ 9 V / 2 A, 9 V ~ 12 V / 1.5 A
 - USB Type-A female with BC1.2 5 V / 2.4 A
- Overload protection

- Over current protection
- Overheating protection
- Short circuit protection
- 1 x LED indicator
- Colour: white
- Dimensions (LxWxH): ca. 74 x 59 x 34 mm

System requirements

- Apple 61, 87 or 96 watt power supply with USB-CTM female

Package content

- Adapter
- User manual

Images



General

LED indicator:	1 x
----------------	-----

Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x USB Type-A female QC 3.0
connector 3:	1 x USB Type-C™ Power Delivery female
connector 4:	2 x USB Type-A female - Battery Charging specification BC1.2

Physical characteristics

Colour:	white
---------	-------