



Hewlett Packard
Enterprise

HPE PROLIANT DL325 GEN10 7282 1P 16GB-R P408I-A 8SFF 1X500W RPS SERVER (P27087- B21)

ProLiant DL300 Servers



WHAT'S NEW

- Next generation AMD® EPYC® 7xx2 Series Processor Family with the 7nm processor doubling [2] the core density from the previous generation.
- Faster application performance with increased memory speeds up to 2933

OVERVIEW

Do you need a platform purpose-built to address your High Performance Computing, virtualized, and memory-centric workloads?

Building on HPE ProLiant as the intelligent foundation for hybrid cloud, The HPE ProLiant DL325 Gen10 server offers

MT/s.

- With up to 64 cores and 128 threads per server, customers can take advantage of increased parallelism to run multithreaded simulations faster and run more single-threaded workloads simultaneously.
- Support for S100i Smart Array Controller provides software RAID capabilities.
- HPE InfoSight provides a cloud-based analytics tool that predicts and prevents problems before your business is impacted.
- Up to ten low latency NVMe drives can deliver software-defined storage (SDS) and high performance storage applications.

the 2nd generation AMD EPYC™ 7000 Series processor delivering up to 2X [1] the performance of the prior generation. The HPE ProLiant DL325 delivers increased value to clients through intelligent automation, security and optimization. With more cores and increased memory bandwidth, the HPE ProLiant DL325 offers two-socket performance in a one-socket 1U rack profile.

The HPE ProLiant DL325 Gen10 server with the AMD EPYC™ single socket architecture, enables businesses to acquire enterprise class processor, memory and I/O performance and security without having to purchase a dual processor.

FEATURES

Delivering 2P Performance at 1P Economics

HPE ProLiant DL325 Gen10 server supports industry standard technology utilizing the AMD EPYC 7000 series processor family with up to 64 cores, 12Gb SAS and HPE SmartMemory up to 2933 MT/s DDR4 memory

HPE ProLiant DL325 Gen10 server has a dense chassis that accommodates up to 10 SFF, up to 4 LFF, or up to 10 NVMe drive options as well as up to 3 PCIe 3.0 slots.

The embedded SATA HPE Smart Array S100i Controller is standard while the redesigned HPE Smart Array Essentials and Performance Controllers allow you the flexibility to choose the 12 Gbps controller to optimize your environment.

Options for HPE FlexibleLOM or PCIe standup adapters offer a choice of networking bandwidth (1GbE to 4x10GbE) and fabric enabling you to scale to the changing needs of your business.

Automation

HPE iLO 5 monitors servers for ongoing management, service alerting, reporting and remote management to resolve issues quickly and keep your business running from anywhere in the world.

HPE OneView is an automation engine that transforms compute, storage, and networking into software-defined infrastructure to automate tasks and speed business process implementations.

HPE InfoSight provides built-in AI predicts problems before they happen, proactively resolves issues, and continually learns as it analyzes data—making every system smarter and more reliable.

HPE iLO RESTful API feature provides iLO RESTful API extensions to Redfish allowing you to take full advantage of the wide range of value-added API features, and integrate easily with leading orchestration tools.

Security

Silicon Root of Trust is an immutable fingerprint in the iLO silicon. The silicon root of trust validates the lowest level firmware to BIOS and software to ensure a known good state.



Tied into the silicon root of trust is the AMD Secure Processor, a dedicated security processor embedded in the AMD EPYC system on a chip (SoC). The security processor manages secure boot, memory encryption and secure virtualization.

Run Time Firmware Validation validates the iLO and UEFI/BIOS firmware at runtime. Notification and automated recovery is executed on detection of compromised firmware.

If system corruption has been detected Server System Restore will automatically alert iLO Amplifier Pack to initiate and manage the system recovery process, avoiding lasting damage to your business by quickly restoring firmware to the factory settings or the last known authenticated safe setting.

Optimization

HPE Right Mix Advisor provides data-driven guidance drives the ideal hybrid cloud mix for workloads allowing for intelligent planning speeding migrations from months to weeks and controlling the cost of migration.

HPE GreenLake Flex Capacity provides pay-per-use IT consumption on-premises, with real-time tracking and metering of resource usage, so you have the capacity you need to deploy quickly, pay for the exact resources you consume, and avoid overprovisioning.

HPE Foundation Care helps when there is a hardware or software problem offering several response levels dependent on IT and business requirements.

HPE Proactive Care is an integrated set of hardware and software support including an enhanced call experience with start to finish case management helping resolve incidents quickly and keeping IT reliable and stable.

HPE Financial Services helps you transform to a digital business with financing option and trade-in opportunities that align to your business goals.



Technical specifications**HPE ProLiant DL325 Gen10 7282 1P 16GB-R P408i-a 8SFF 1x500W RPS Server**

Product Number (SKU)	P27087-B21
Processor Name	AMD EPYC™ 7282 (16 core, 2.8 Ghz, 64 MB, 120W)
Processor core available	16 core
Processor cache	64.00 MB L3
Processor speed	2.8 GHz
Power supply type	1 HPE 500W Flexible Slot Power Supply
Expansion slots	2 PCIe 3.0, for detailed descriptions reference the QuickSpecs
Memory, standard	16 GB (1x 16 GB) RDIMM
Memory type	HPE DDR4 SmartMemory
Included hard drives	None ship standard, 8 SFF drives supported
Optical drive type	Optional DVD-ROM
System fan features	5 Dual Rotor Hot Swappable fans
Network controller	HPE 1Gb Ethernet 4-Port 336FLR Adapter
Storage controller	HPE Smart Array P408i-a controller
Minimum dimensions (H x W x D)	4.29 x 43.46 x 61.49 cm
Weight	10.70 kg minimum
Infrastructure management	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download) HPE iLO Advanced, HPE OneView Advanced (require license)
Warranty	3/3/3 - Server Warranty includes three years of parts, three years of labor, three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hp.com/hpsc/wc/public/home . Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hp.com/support .



For additional technical information, available models and options, please reference the [QuickSpecs](#)

HPE POINTNEXT

Access expertise at every step of your IT journey with [HPE Pointnext Services](#). [Advisory Services](#) focuses on your business outcomes and goals, to design your transformation and build a roadmap tuned to your unique challenges. Our [Professional](#) and [Operational Services](#) help speed up time-to-production and keep your IT stable and reliable.

Operational Services from HPE Pointnext Services

- [HPE Datacenter Care](#) helps modernize and simplify IT operations. Partner with an assigned account team, access technical expertise, an enhanced call experience gives you priority access, choose hardware and software support, implement proactive monitoring to help stay ahead of issues, and access HPE IT best practices and IP.
- [HPE Proactive Care](#) offers an enhanced call experience and helps reduce problems with personalized proactive reports and advice. This also includes collaborative software support for Independent Software Vendors (ISVs), (Red Hat, VMWare, Microsoft, etc.). [Read more](#)
- [HPE Foundation Care](#) helps when there is a problem and has a choice of response levels. Collaborative software support is included and provides troubleshooting help for ISVs running on your server. [Read more.](#)

Other related services

[Defective Media Retention](#) is optional and applies only to Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

[HPE Service Credits](#) offers a menu of technical services, access additional resources, and specialist skills.

[HPE Education Services](#) provides comprehensive training designed to expand the skills of your IT staff and keep them up to speed with the latest technologies.

Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.



HPE GREENLAKE

[HPE Greenlake](#) is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please [explore them here](#).

Make the right purchase decision.
Contact our presales specialists.

[Chat online](#)



[1] Comparing the HPE ProLiant DL385 Gen10 with AMD EPYC™ 7702 processor versus the AMD EPYC™ 7601 processor, and based on SPECrate2017_base_int score results. SPEC and the names SPEC CPU and SPECrate are registered trademarks of the Standard Performance Evaluation Corporation (SPEC); see [spec.org](#)

[2] The first generation AMD EPYC processor offered up to 32 cores while the second generation AMD EPYC processor offers up to 64 cores.

© Copyright 2020 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

EPYC™ is a trademark of Advanced Micro Devices, Inc. in the United States and other countries.

Image may differ from the actual product
[PSN1012902453UKEN](#), June 30, 2020.