



Power Delivery Mini Car Charger - 30 W

USB-C Power Delivery Port up to 30 W, Black

Part No.: [102421](#)

EAN-13: 0766623102421 | UPC: 766623102421

A portable, powerful Power-Delivery-capable charger for your car

Take real charging power on the road with the Manhattan Power Delivery Mini Car Charger - 30 W. The USB-C port's Power Delivery (PD) technology determines the power needs of your connected MacBook[®], smartphone, tablet, handheld game console or other device and delivers it at the fastest, safest rate. Its compact and ultra-modern design fits most vehicles' 12 - 24 V auxiliary power socket, making it the perfect tool to have on hand for when your device's battery is running low and you're away from a wall outlet. And, the Manhattan Power Delivery Mini Car Charger - 30 W also intelligently protects itself and your devices from short-circuits, overvoltage, overcurrent and overheating.

Features:

- Fast-charges a mobile device on the road
- USB-C Power Delivery (PD) port delivering up to 30 W
- USB-C Power Delivery (PD) port delivering up to 30 W to charge a smartphone, notebook, tablet, GPS, handheld game console and more
- Foldable ring for easy setup and removal
- Overload, overcurrent and overheat protection
- Ultra-compact, portable and lightweight design for easy travel
- Fits most vehicles' 12 - 24 V auxiliary power socket
- Three-year warranty

Specifications:

Standards and Certifications

- PD 3.0
- CE
- RoHS
- FCC

Electrical

- DC input: 12 - 24 V; 50 - 60 Hz
- Voltage/current settings (maximum):
 - USB-C PD 30 W output:
 - 5 V / 3 A
 - 9 V / 3 A
 - 12 V / 2.5 A
 - 15 V / 2 A
 - 20 V / 1.5 A

Protection Characteristics

- Short-circuit (SCP) with auto-recovery mode
- Overvoltage (OVP) with auto-recovery mode
- Overcurrent (OCP) — current limit: 150% (max)
- Over-temperature (OTP)

Physical

- Dimensions: 39 x 21 x 21 mm (1.54 x 0.83 x 0.83 in.)
- Weight: 20 g (0.71 oz.)
- Housing: plastic

Operating Environment

- Operation temperature: -20 - 55°C (-4 - 131°F)
- Storage temperature: -40 - 70°C (-40 - 158°F)
- Humidity (noncondensing): 5 – 75% RH

Package Contents

- Power Delivery Mini Car Charger - 30 W
- Quick Instruction Guide

