

# Delock USB Type-C™ Card Reader for CFast and SD memory cards + USB Hub with Type-A and USB Type-C™ port

## Description

The card reader by Delock can be used for reading and writing of **CFast and SD** memory cards. The card reader can be connected to a PC or laptop via the USB interface.

### Integrated Hub

In addition, the card reader with integrated hub expands a PC or laptop by a USB Type-A and USB-C™ port.

### Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock card reader is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



## Specification

- Connectors:
  - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ female >
  - 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
  - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ female
  - 1 x SD slot
  - 1 x CFast slot
- Chipset: JMicron JMS578, Genesys Logic GL3523, GL3227
- Data transfer rate up to:
  - SuperSpeed USB 5 Gbps,
  - Hi-Speed 480 Mbps,
  - Full-Speed 12 Mbps,
  - Low-Speed 1.5 Mbps
- The Card Reader supports following memory cards:
  1. Slot Secure Digital
    - SD, SD3.0 UHS-I, SD4.0 UHS-II, SD High Capacity (SDHC), SD Ultra, SDHC Ultra, SDXC, MMC-I, MMC-II, MMC 4.0, Mini SD, Mini SDHC, MMCmobile, RS-MMC, RS-MMC 4.0
  2. Slot CFast
    - CFast Typ I, CFast Typ II
- It can be used two memory cards at the same time
- Data can be exchanged directly between two connected memory cards
- Bootable
- 1 x LED indicator
- Dimensions (LxWxH): ca. 105 x 44 x 14 mm
- Plug & Play

## System requirements

- iPad Pro (2018)
- Mac OS 10.15.2 or above
- Windows 8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ or Thunderbolt™ 3 port or
- PC or laptop with a free USB Type-A port

## Package content

- USB Card Reader + Hub
- Cable USB-C™ male to USB-C™ male, length ca. 30 cm
- Cable USB-C™ male to USB Type-A male, length ca. 30 cm
- User manual

## Item no. 91754

EAN: 4043619917549

Country of origin: China

Package: • Retail Box

Images



| General                     |  |
|-----------------------------|--|
| Function:                   | bootable   |
| Supported operating system: | Windows 8.1 32-bit<br>Windows 8.1 64-bit<br>Windows 10 32-bit<br>Windows 10 64-bit<br>iPad Pro (2018)<br>Mac OS 10.15.2 or above   |
| LED indicator:              | 1 x  |
| Supported memory card:      | CFast type I / II<br>SD<br>SDHC<br>SDXC<br>SD UHS-I<br>SD UHS-II<br>MMC<br>RS-MMC<br>MMC-I<br>MMC-II<br>MMC 4.0<br>MMCmobile<br>RS-MMC 4.0<br>SD 3.0 UHS-I<br>SD Ultra<br>SDHC Ultra<br>SDHC UHS-I<br>SDHC UHS-II<br>SDXC UHS-I<br>SDXC UHS-II |
| Interface                   |  |
| Output:                     | 1 x SD slot<br>1 x CFast 2.0 slot<br>1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ female<br>1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female   |
| Input:                      | 1 x USB type-C™ female   |
| Physical characteristics    |  |
| Housing material:           | metal  |
| Length:                     | 105 mm   |
| Width:                      | 44 mm  |
| Height:                     | 14 mm  |
| Colour:                     | grey   |