

Technical Specifications

HP E24mv G4 FHD Conferencing Monitor




Front

- | | |
|--------------------|-----------------------------|
| 1. Microphones (2) | 5. Audio Buttons |
| 2. Camera Light | 6. OSD Buttons |
| 3. RGB Lens | 7. Power Button |
| 4. IR Lights | 8. Headphone out Combo Jack |

Technical Specifications

HP E24mv G4 FHD Conferencing Monitor



- 1. Security Cable Slot
- 2. Power Connector
- 3. DisplayPort™
- 4. HDMI Port

Back

- 5. VGA Port
- 6. USB-B Port
- 7. USB-A Ports (2)
- 8. USB-A Ports (2)

Technical Specifications

Panel Specifications	Display Size (Diagonal)	23.8"
	Panel Technology	IPS
	Max Refresh Rate	60 Hz
	Native Resolution	1920x1080
	Panel Bit Depth	8 bit (6bit + FRC)
	Aspect Ratio	16:9
	Brightness (Typical)	250 nits
	Contrast Ratio (Static)	1000:1
	Dynamic Contrast Ratio	5M:1
	Flicker Free	Yes
	Pixel Pitch	0.2745 x 0.2745mm
	Pixels Per Inch (PPI)	93 PPI
	Backlight Lamp Life Minimum (To Half Brightness - In Hours)	30k
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	3H
	Haze	25%
	Response Time (Typical)	5ms GtG (with overdrive)
	Horizontal Viewing Angle (Typical Cr>10)	178°
	Vertical Viewing Angle (Typical Cr>10)	178°
	Panel Active Area Metric (W X H)	52.70 x 29.65 cm
	Panel Active Area Imperial (W X H)	20.75 x 11.67 in
	NOTE: Performance Specifications Represent The Typical Specifications Provided By HP's Component Manufacturers; Actual Performance May Vary Either Higher Or Lower.	
Color Management	Color Space/ Subsampling Support	NTSC 72% / RGB 4:4:4
	RGB Channel Adjust	Yes, Gain
	Default Color Temperature	Neutral(6500K)
	Factory Color Calibrated	Yes (Color Temperature)
	Factory Color Presets	Warm - 5000K, Neutral - 6500K, Cool - 9300K
Monitor Specifications	Bezel Type	3-sided Micro Edge
	Color Of Stand	Sliver Stand, Black Head
	Color Of Head	Black
	Tilt	-5 to +23°
	Swivel	±45°
	Pivot	±90
	Height Adjust Range	150mm
	Vesa Mounting	100 mm x 100 mm
	Security Lock	Standard Security Lock Slot
	Detachable Stand	Yes
	Warranty	3 years
	Low Blue Light	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
	Webcam	5 MP
	Webcam Feature	Independent tilt -20° to 5°, Windows Hello support (IR sensor), Pop-up privacy, Auto Focus
	Windows Hello Compatible	Yes
	Microphone	Yes (noise cancelling)
	Speaker Output Power	2 x 2W

Technical Specifications

	Conferencing Hot Keys Compatible Collaboration Software Display Software On Screen Display Native Resolution Maximum Resolution Preset Graphic Modes/Supported Resolutions	Mic mute, Speaker Mute, Volume Up/Down Zoom HP Display Center Button Full HD (1920 x 1080) 1920x1080 @ 60HZ 640 x 480 @ 60Hz 720 x 400 @ 70 Hz 800 x 600 @ 60 Hz 1024 x 768 @ 60 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz 1440 x 900 @ 60 Hz 1600 x 900 @ 60 Hz 1680 x 1050 @ 60 Hz 1920 x 1080 @ 60 Hz
	Minimum Vertical Scan Rate Maximum Vertical Scan Rate Minimum Horizontal Scan Rate Maximum Horizontal Scan Rate Maximum Pixel Clock User Programmable Modes Languages	50 Hz 60 Hz 30.0 kHz 80.0 kHz 170.0 MHz Yes, 10 10 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese and S-Chinese)
Connector Types	DisplayPort™ HDMI HDCP USB- A USB-B (Hub enablement) VGA Audio Port	1 DisplayPort™ 1.2 1 HDMI 1.4 Yes, DisplayPort™ and HDMI 4 USB-A 3.1 Gen 1 1 USB-B 1 VGA 1 Headphone Out Combo Jack
Special Features	Remote Manageability User Updateable Firmware	HP Client Management Script Library (CMSL)* *HP CMSL is only supported on 64-bit PowerShell 5.1 and higher. CMSL Support Windows 10 version 1809 and higher, and Windows 11. Some limitations may apply to legacy displays. Visit support.hp.com to download HP CMSL. Yes
Power & Operating Specs	Power Supply Power Source Power Consumption- MAX Energy Saving/Stand By Mode Power Consumption- Typical	Internal 100 – 240 VAC 50/60 Hz 50 W 0.5 W 28 W
ENERGY STAR Data	Operational Mode at 100 VAC Operational Mode at 115 VAC Operational Mode at 230 VAC	13.2 W 13 W 13.2 W
EU Energy Efficiency Class (ERP lot-5)	On-mode Power Consumption Energy Efficiency Class	16 W E

Technical Specifications

Operating Conditions	Operating Temperature - Celsius	5° – 35°C	
	Operating Temperature - Fahrenheit	41° – 95°F	
	Non-operating Temperature - Celsius	–34° – 60°C	
	Non-operating Temperature - Fahrenheit	29° – 140°F	
	Operating Humidity	20 – 80% Relative Humidity (non-condensing)	
	Non-operating Humidity	5 – 95 %	
	Operating Altitude	0 – 5,000 m (16,400 ft.)	
	Non-operating Altitude	0 – 12.192 m (40,000 ft.)	
Environmental Features and Certifications	Mercury-free LED display backlighting	Yes, Mercury-free LED backlights	
	Arsenic-Free Display Glass	Yes	
	Low Halogen	Yes	
	Agency Approvals And Certifications	WW application	
		CE,CB,KC/KCC/NOM/PSB/EAC/GS/TUV-S/ISO 9241-307/	
		Low Blue Light/ BIS/ctUVus/CCC/CEL/CECP/SEPA/Energy	
		Star/TCO/TCO Certified Edge/VCCI/FCC/BSMI/Vietnam	
	Microsoft WHQL Certification	MEPS/Australian-New Zealand MEPS/WEEE/UAE/Ukraine	
		Win 11	
		Yes	
		Yes	
	China Energy Label	CEL, Grade 2*	
		*Monitors produced from June 2024 comply with China regulation GB 21520-2023.	
	TCO Certified Edge	Yes	
	TCO Certified	Yes	
	SmartWay Transport Partnership - NA only	Yes (NA sku)	
Contains Recycled Plastics	Contains Recycled Plastics	ABS 85%	
	Recyclable Packaging (Box, packing materials)	100% fiber packaging, cardboard	
Unit Product/Package Specifications	Product Dimensions (Unpacked with stand) (W x D x H)	53.94 x 21.6 x 53.07 cm	21.23 x 8.5 x 20.9 in
	Product Dimensions (Packed) (W x D x H)	59.6 x 41.1 x 22.5 cm	23.46 x 16.18 x 8.86 in
	Display Head Dimensions (Unpacked without stand) (W x D x H)	53.94 x 4.7x 35.56 cm	21.23 x 1.85 x 17.78 in
	Base Area Footprint (w x d mm)	288 x 216 mm	11.38 x 8.5 in
	Bezel Measurements - Metric	Bottom: 52 mm	Bottom: 2.04 in
	Product Weight (Unpacked with stand)	6.5 kg	14.3 lb
	Product Weight (Packed)	10.4kg	22.9 lb
	Product Weight (Head Only)	3.9 kg	8.6 lb

Technical Specifications

What's in the box?	AC power cord (1.83m) 5.9 ft	
	HDMI Cable (1.8m) 5.9 ft	
User Guide and Warranty Languages	DP Cable (1.8m) 5.9 ft	
	USB A-B cable (1.8m) 5.9 ft	
	QS	
	Doc Kit	
User Guide and Warranty Languages	User Guide Languages	English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.
	Warranty Languages	English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.

Technical Specifications

ENVIRONMENTAL DATA

Eco-Label Certifications & declarations	<p>This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:</p> <ul style="list-style-type: none"> • IT ECO declaration • US ENERGY STAR® • US Federal Energy Management Program (FEMP) • EPEAT® Gold registered in the United States. See http://www.epeat.net for registration status in your country. • TCO Certified Edge • China Energy Conservation Program (CECP) • China State Environmental Protection Administration (SEPA) • Taiwan Green Mark • Korea Eco-label • Japan PC Green label* 		
Sustainable Impact Specifications	<ul style="list-style-type: none"> • 85% post-consumer recycled plastic • External Power Supply 90% Efficiency • Low halogen • Outside Box and corrugated cushions are 100% sustainably sourced and recyclable 		
System Configuration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a “Typically Configured Notebook”.		
Energy Consumption (in accordance with US ENERGY STAR® test method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Sort idle)	13.45 W	13.63 W	13.34 W
Normal Operation (Long idle)	N/A	N/A	N/A
Sleep	0.44 W	0.54 W	0.22 W
Off	0.14 W	0.24 W	0.13 W
	<p>NOTE: Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system.</p>		
Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	46 BTU/hr	46.61 BTU/hr	45.62 BTU/hr
Normal Operation (Long idle)	N/A	N/A	N/A
Sleep	1.50 BTU/hr	1.84 BTU/hr	0.75 BTU/hr
Off	0.47 BTU/hr	0.82 BTU/hr	0.44 BTU/hr
	<p>*NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.</p>		

Technical Specifications

Declared Noise Emissions (in accordance with ISO 7779 and ISO 9296)	Sound Power (L _{WAd} , bels)	Sound Pressure (L _{pAm} , decibels)	
Typically Configured – Idle	N/A	N/A	
Fixed Disk – Random writes	N/A	N/A	
Optical Drive – Sequential reads	N/A	N/A	
Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the spare parts are available throughout the warranty period and or for up to “5” years after the end of production.		
Additional Information	<ul style="list-style-type: none">• This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC.• This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC.• This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986).• This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see http://www.epeat.net• Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043.• This product is 98% recycle-able when properly disposed of at end of life.		
Packaging Materials	External:	PAPER/Corrugated	3472 g
	Internal:	PAPER/paperboard	54 g
		PLASTIC/Polyethylene high density	50 g
		PLASTIC/other	1
	The plastic packaging material contains at least 0% recycled content.		
The corrugated paper packaging materials contains at least 90.2% recycled content.			
RoHS Compliance	<p>HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.</p> <p>We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.</p> <p>We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.</p> <p>To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.</p>		
Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html): <ul style="list-style-type: none">• Asbestos• Certain Azo Colorants• Certain Brominated Flame Retardants – may not be used as flame retardants in plastics		

Technical Specifications

	<ul style="list-style-type: none"> • Cadmium • Chlorinated Hydrocarbons • Chlorinated Paraffins • Bis(2-Ethylhexyl) phthalate (DEHP) • Benzyl butyl phthalate (BBP) • Dibutyl phthalate (DBP) • Diisobutyl phthalate (DIBP) • Formaldehyde • Halogenated Diphenyl Methanes • Lead carbonates and sulfates • Lead and Lead compounds • Mercuric Oxide Batteries • Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. • Ozone Depleting Substances • Polybrominated Biphenyls (PBBs) • Polybrominated Biphenyl Ethers (PBBEs) • Polybrominated Biphenyl Oxides (PBBOs) • Polychlorinated Biphenyl (PCB) • Polychlorinated Terphenyls (PCT) • Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. • Radioactive Substances • Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	<p>HP follows these guidelines to decrease the environmental impact of product packaging:</p> <ul style="list-style-type: none"> • Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. • Eliminate the use of ozone-depleting substances (ODS) in packaging materials. • Design packaging materials for ease of disassembly. • Maximize the use of post-consumer recycled content materials in packaging materials. • Use readily recyclable packaging materials such as paper and corrugated materials. • Reduce size and weight of packages to improve transportation fuel efficiency. • Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management and Recycling	<p>HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.</p> <p>The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.</p>

Technical Specifications

HP, Inc. Corporate Environmental Information	<p>For more information about HP's commitment to the environment:</p> <p>Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html</p> <p>Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html</p> <p>ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf</p>
footnotes	<ul style="list-style-type: none">• Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.• External power supplies, WWAN modules, power cords, cables and peripherals excluded.• 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.

Technical Specifications

Copyright © 2024 HP Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.

Change Log

July 21, 2021	V1 to V2	Updated	Overview section
July 28, 2021	V2 to V3	Added	Environmental Data
October 14, 2021	V3 to V4	Added	Webcam Features and updated Microphone spec
December 10, 2021	V4 to V5	Added	HDCP in Connector Types section
April 13, 2023	V5 to V6	Updated	Color Management section
December 21, 2023	V6 to V7	Added	Windows 11
April 29, 2024	V7 to V8	Updated	China Energy Label
December 19, 2024	V8 to V9	Updated	HP Client Management Script Library (CMSL)* and Footnote