

# Delock HDMI Audio Extractor 4K 60 Hz compact

## Description

This adapter by Delock can be used to **extract the audio signal** from an HDMI transmission. While the video signal is displayed on a TV or monitor, the audio signal can be sent **digital (S/PDIF) or analogue (stereo)** to other devices, such as **headphones or a surround receiver**.



## Small and practical

The device can be connected directly to the monitor or the TV, the short cable fits easily into side or recessed HDMI ports. The source, e.g. a **TV streaming stick**, can be connected to the **input port**.

**Item no. 63333**

EAN: 4043619633333

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - Input:
    - 1 x HDMI-A female
    - 1 x USB Type Micro-B female (5 V power supply)
  - Output:
    - 1 x HDMI-A male
    - 1 x 3.5 mm 3 pin stereo jack female (audio)
    - 1 x TOSLINK female S/PDIF
- High Speed HDMI, 3D and HDCP 1.4 / HDCP 2.2
- Supports HDR (High Dynamic Range)
- Automatic switching to stereo (2.0) when using the stereo jack and automatic muting of the digital output
- Resolution up to 3840 x 2160 @ 60 Hz
- Video bandwidth up to 600 MHz / 6 Gbps, max. 18 Gbps
- Supports all common 2.0 and 5.1 audio formats: LPCM, Dolby Digital, DTS Audio
- Supported sample rates: 16 / 20 / 24 bit, 32 / 44.1 / 48 / 88.2 / 96 kHz (depending on the system and the connected devices)
- CEC and HDMI audio routed to the output (pass-through)
- Power supply via USB (power supply not included)
- Power consumption: max. 2 W

- Colour: black
- Cable length without connectors: ca. 12.5 cm
- Dimensions without cable (LxWxH): ca. 58 x 58 x 16 mm

---

## System requirements

- A free HDMI-A female
- Power source with a free USB Type-A female port


---

## Package content

- HDMI Audio Extractor
- USB Type-A to Type Micro-B cable, length ca. 30 cm
- User manual

---

## Images



## General

|                |                                                                                      |
|----------------|--------------------------------------------------------------------------------------|
| Specification: | DTS Audio<br>High Speed HDMI<br>Dolby Digital<br>HDCP 1.4<br>HDCP 2.2<br>LPCM<br>HDR |
|----------------|--------------------------------------------------------------------------------------|

## Interface

|         |                                                                              |
|---------|------------------------------------------------------------------------------|
| Output: | 1 x HDMI-A male<br>1 x 3.5 mm 3 pin stereo jack female<br>1 x TOSLINK female |
| Input:  | 1 x HDMI-A female<br>1 x USB 2.0 Type Micro-B female                         |

## Technical characteristics

|                            |                     |
|----------------------------|---------------------|
| Maximum screen resolution: | 3840 x 2160 @ 60 Hz |
| Video bandwidth:           | 600 MHz / 6 Gbps    |

## Physical characteristics

|                   |         |
|-------------------|---------|
| Housing colour:   | black   |
| Housing material: | Plastic |