

# Delock Ultra High Speed HDMI Cable 48 Gbps 8K 60 Hz grey 0.5 m certified

## Description

This high-quality Ultra High Speed HDMI cable by Delock can be used to connect devices with an HDMI interface, such as televisions, Blu-ray players, monitors or projectors. By supporting a maximum bandwidth of 48 Gbps, content can be displayed in **8K Ultra HD** (7680 x 4320 @ 60 Hz) resolution.



**Item no. 83994**

EAN: 4043619839940

Country of origin: China

Package: Retail Box

## Dynamic HDR and Dolby® Vision support

Supporting Dynamic HDR and Dolby® Vision, the cable is ideal for home cinema and gaming applications. Colours are realistically displayed with impressive depth, brightness and contrast are optimally reproduced.

## Perfect sound with eARC support

The Delock HDMI cable supports **Enhanced ARC** (eARC). This allows HDMI devices such as Blu-ray players to be connected directly to the TV. The uncompressed audio signals are then transmitted directly and lossless to the connected sound system via the audio return channel.

## Technical details

- Connectors:
  - 1 x HDMI male >
  - 1 x HDMI male
- Certified Ultra High Speed HDMI cable
- Cable gauge: 29 AWG
- Cable diameter: ca. 6.1 mm
- Copper conductor
- Triple shielded cable
- Contacts gold-plated
- Transmission of audio and video signals
- Data transfer rate up to 48 Gbps
- Resolution up to:
  - 7680 x 4320 @ 60 Hz
  - 5120 x 2880 @ 120 Hz
  - 3840 x 2160 @ 240 Hz(depending on the system and the connected hardware)
- 3D support: up to 3840 x 2160 @ 120 Hz  
(depending on the system and the connected hardware)
- Supports the 21:9 cinema aspect ratio
- Supports 1080p HFR (High Frame Rate) 3D
- Supports colour sampling in 4:4:4, 4:2:2 and 4:2:0 format
- Supports Display Stream Compression 1.2 (DSC)
- Supports Dolby® Vision
- Supports Dynamic HDR
- Supports HDCP 1.4 and 2.2
- Supports Game Mode VRR
- Supports eARC
- Up to 32 audio channels for speakers
- Up to 1536 kHz audio sampling rate
- Supports Dolby® TrueHD and DTS-HD Master Audio™
- Supports dynamic adjustment of lip synchronicity for audio / video delays
- Supports CEC 2.0 control commands
- Colour: grey
- Length incl. connectors: ca. 0.5 m

---

## System requirements

- A free HDMI interface

---

## Package content

- Ultra High Speed HDMI cable

---

## Images



## General

|                |                                                                         |
|----------------|-------------------------------------------------------------------------|
| Specification: | HDCP 1.4<br>HDCP 2.2<br>HDR10<br>Ultra High Speed HDMI<br>Dolby® Vision |
|----------------|-------------------------------------------------------------------------|

## Interface

|              |                 |
|--------------|-----------------|
| Connector 1: | 1 x HDMI-A male |
| Connector 2: | 1 x HDMI-A male |

## Technical characteristics

|                            |                     |
|----------------------------|---------------------|
| Data transfer rate:        | 48 Gb/s             |
| Maximum screen resolution: | 7680 x 4320 @ 60 Hz |

## Physical characteristics

|                      |              |
|----------------------|--------------|
| Connector finishing: | gold-plated  |
| Pin finishing:       | gold-plated  |
| Conductor material:  | copper       |
| Conductor gauge:     | 29 AWG       |
| Shielding:           | triple       |
| Length:              | 50 cm        |
| Colour:              | grey / black |