

Applications

- Creating multiple exact replicas of a source drive onto a new drive for large deployment of identical computer systems
- Law enforcement and forensic technicians who need one or more exact copies of the original hard drive for testing or investigation
- SMB, OEM, System Integrators, IT and service technicians requiring quick access to bare external hard drive contents, or the ability to clone data for data / disk recovery.

Features

- **DUPLICATE, ERASE AND DOCK:** This 4-bay external cloner and drive eraser/ wiper performs standalone cloning or erasing of 2.5/3.5" SATA drives; Hard disk docking station for quick access to your 2.5/3.5" SATA drives over USB or eSATA
- **DRIVE COMPATIBILITY:** Works with 2.5/3.5" SATA and IDE SSDs/HDDs of any capacity; Included IDE cable adapters support 40-pin/3.5in and 44-pin/2.5in drives; OS Independent; Hardware includes eSATA and USB-A cables and Universal Power Adapter
- **DUPLICATION AND ERASE MODES:** Up to 4.2 GB/min Standalone sector-by-sector cloning; Target disk must be equal/larger than the source disk; Supports Quick Erase & Secure Erase (NIST SP 800-88 Rev 1 Purge); Disk mount / File transfer / Backup / Recovery tool
- **LCD MENU DISPLAY:** Use push button menu navigation to select duplication and erase modes, and check drive info; USB 3.2 Gen 1 (5 Gbps) or eSATA (3 Gbps) Host Device Connection (optional); Top-Loading w/ Drive Doors & Eject Buttons; Multi-function LEDs
- **THE IT PRO'S CHOICE:** Designed and built for IT Professionals, this hard drive copier and wiper tool is backed for 2 years, including free lifetime 24/5 multilingual technical assistance

Hardware

Warranty	2 Years
Fans	2 - 60 mm
Number of Drives	4
Drive Size	2.5in & 3.5in
Compatible Drive Types	SATA
Chipset ID	JMicron - JMB394 JMicron - JMS539

Performance

Maximum Data Transfer Rate	3Gbps
Type and Rate	USB 3.0 - 5 Gbit/s SATA II (3 Gbps)
Port Multiplier	Yes
Duplication Modes	Sector by Sector (Whole Drive)
Duplication Speed	4.2GBpm
Erase Modes	Quick Erase Secure Erase (NIST SP 800-88 Rev 1 - Purge)
Max Drive Capacity	Currently tested with up to 4TB 5400 RPM 3.5" hard drives per bay (16TB total) and 1TB 5400 RPM 2.5" hard drives (4TB total)
Insertion Rating	15,000 cycles per bay

Connector(s)

Drive Connectors	4 - SATA Data & Power Combo (7+15 pin)
Host Connectors	1 - eSATA (7 pin, Data) 1 - USB 3.2 Type-B (9 pin, Gen 1, 5Gbps)

Software

OS Compatibility	OS independent; No software or drivers required
------------------	---

Indicators

LED Indicators	4 - Drive Power/Activity
----------------	--------------------------

Power

Power Source	AC Adapter Included
Input Voltage	100 - 240 AC
Input Current	2.0 A
Output Voltage	12V DC
Output Current	6.5 A
Power Consumption (In Watts)	78

Environmental

Operating Temperature	5C to 80C (41F to 176F)
Storage Temperature	-40C to 70C (-40F to 158F)
Humidity	8%~90% RH

Physical Characteristics

Color	Black
Material	Plastic
Product Length	11.2 in [28.4 cm]
Product Width	6.8 in [17.2 cm]
Product Height	3.8 in [9.6 cm]
Weight of Product	2.4 lb [1.1 kg]

Packaging Information

Package Quantity	1
Package Length	13.5 in [34.4 cm]
Package Width	8.8 in [22.3 cm]
Package Height	7.1 in [18.1 cm]
Shipping (Package) Weight	6.1 lb [2.8 kg]

What's in the Box

Included in Package	1 - SATA Duplicator Dock
	1 - SATA to IDE Adapter
	1 - USB 3.0 Cable
	1 - eSATA Cable
	1 - SP4 to LP4 Power Cable
	1 - 40-pin IDE Cable
	1 - Package of Mounting Screws

1 - 44-Pin to 40-Pin IDE Cable

1 - Universal Power Adapter (NA/JP, UK, EU, ANZ)

1 - Instruction Manual

**Warranty
Information**

Warranty

2 Years

****Product appearance and specifications are subject to change without notice.***