

Delock USB Charger 2 x USB Type-C™ PD 3.0 + 1 x USB Type-A with 60 W

Description

This USB Power Delivery (PD) charger by Delock can be used to charge laptops with USB Type-C™ connector. It provides two ports with various voltages from 5 V to 20 V and power up to 60 watt. In addition, one USB Type-A connector with voltages from 5 V, 9 V or 12 V and max. 18 watt power for other mobile devices are available.

Safe fast charging

Common fast charging technologies, such as Power Delivery (PD) 3.0, are supported. This makes the charging process as safe and fast as possible.



Item no. 41453

EAN: 4043619414536

Country of origin: China

Package: Box

Technical details

- Connectors:
 - 2 x USB Type-C™ female (PD 3.0)
 - 1 x USB Type-A female
 - 1 x IEC-60320-C8 connector
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1.5 A
- Output:
 - USB-C™ 5.0 V / 9.0 V / 15.0 V / 20.0 V 3.0 A (max. 60.0 W)
 - USB-A 5.0 V 3.0 A / 9.0 V 2.0 A / 12.0 V 1.5 A (max. 18.0 W)
- Output power: max. 60.0 W total
- Average active efficiency 80.56 %
- Efficiency at low load (10 %) 75.49 %
- No-load power consumption 0.13 W
- Overload protection
- Over current protection
- Overheating protection
- Short circuit protection
- Colour: black
- Dimensions (LxWxH): ca. 109 x 66 x 17 mm

Package content

- USB charging station
 - Cable USB-C™ male to USB-C™ male, length ca. 1 m
 - Power cord, length ca. 1.5 m
 - User manual
-

Images



Physical characteristics

Housing colour:	black
Length:	109 mm
Width:	66 mm
Height:	17 mm

Power supply

Type:	Power supply with IEC connector
Input:	AC 100 - 240 V / 50 - 60 Hz / 1,5 A
Output:	5.0 V / 3.0 A 9.0 V / 3.0 A 15.0 V / 3.0 A 20.0 V / 3.0 A 9,0 V / 2,0 A 12,0 V / 1,5 A
Connector:	1 x USB Type-A female 2 x USB Type-C™ female