



# **HPE PROLIANT DL360 GEN10 PLUS 4309Y 2.8GHZ 8-CORE 1P 32GB-R MR416I-A NC 8SFF 800W PS EU SERVER (P55273- 421)**

## **ProLiant DL300 Servers**



### **WHAT'S NEW**

- Supports 3rd Generation Intel® Xeon® Scalable Processors for enhanced compute performance.
- 64 PCIe Gen4 lanes, resulting in more

### **OVERVIEW**

Do you need to efficiently expand or refresh your IT infrastructure to propel the business?

Adaptable for diverse workloads and environments, the compact 1U HPE ProLiant DL360 Gen10 Plus server delivers



devices, improved bandwidth and augmented balanced I/O capabilities.

- Support for industry-standard OCP 3.0 Network Adapters, enhancing customer choice.
- Enhanced storage capabilities with Tri-mode controllers supporting NVMe/SAS/SATA drives, allowing customers to select the ideal media type and mix for their exact application.
- Choice of storage backplanes and cages, offering diverse bay counts, protocols, and bandwidth that enable customers to design their server storage for their precise needs.
- Slot-less HW RAID protected M.2 boot solution, providing peace-of-mind O/S deployment while saving invaluable slots and storage bays.

enhanced performance with the right balance of expandability and density. Designed for supreme versatility and resiliency while backed by a comprehensive warranty, the HPE ProLiant DL360 Gen10 Plus server is ideal for IT infrastructure, either physical, virtual, or containerized.

Powered by 3rd Generation Intel® Xeon® Scalable Processors, delivering up to 40 cores, 3200 MT/s memory, and introducing PCIe Gen4 and Intel Software Guard Extension (SGX) support to the dual-socket segment, the HPE ProLiant DL360 Gen10 Plus server delivers premium compute, memory, I/O, and security capabilities for customers focused on performance at any cost.

## FEATURES

### Built for Some of the Most Demanding Workloads

The HPE ProLiant DL360 Gen10 Plus server is powered by 3rd Generation Intel® Xeon® processors and built with foundational intelligence to transform IT with insights that enhance workload performance, placement, and efficiency, delivering better outcomes faster.

HPE ProLiant servers provide real-time operational feedback on server performance plus recommendations for fine-tuning BIOS settings to adjust to better serve changing business needs.

### 360-degree Holistic Security

The HPE ProLiant DL360 Gen10 Plus server provides an enhanced holistic, 360-degree view to security that begins in the manufacturing supply chain and concludes with a safeguarded, end-of-life decommissioning.

HPE ProLiant security begins with the corruption-free manufacture of the server and auditing the integrity of every component – hardware and firmware – to provide verification that the server begins its lifecycle uncompromised through the supply chain.

HPE ProLiant servers provide rapid detection of a security-compromised server, even to the point of not allowing it to boot, identify and contain malicious code, and protect healthy servers.

HPE ProLiant servers provide automated recovery from a security event, including restoration of validated firmware, and facilitating recovery of operating system, application, and data connections, providing a fast path to bring a server back online and into normal operations.

When it's time to retire or repurpose an HPE ProLiant server, one button secure erase speeds and simplifies the complete removal of passwords, configuration settings, and data, preventing inadvertent access to previously secured information.



**Intelligent Management Automation**

The HPE ProLiant DL360 Gen10 Plus server simplifies and automates management tasks, establishing a solid foundation for a standards-based, hybrid cloud platform enabled by automation.

Embedded in Hewlett Packard Enterprise servers, HPE Integrated Lights-Out(iLO) is an exclusive core intelligence that monitors server status, providing the means for reporting, ongoing management, service alerting, and local or remote management to quickly identify and resolve issues.

Automation and software-defined control reduces time spent on provisioning and maintenance, and reduces deployment times.

HPE InfoSight for Servers continually analyzes server infrastructure and applies real-world examples of hundreds of thousands of servers to predict and prevent problems before they can adversely affect business operations.

**Delivered As-a-Service**

The HPE ProLiant DL360 Gen10 Plus server is supported by HPE GreenLake to simplify IT. With 24x7 monitoring and management, our experts do the heavy lifting to manage your environment with services built into consumption-based solutions.

Hewlett Packard Enterprise provides customers choice in how they acquire and consume IT. Beyond traditional financing and leasing, HPE offers options that free trapped capital, accelerate infrastructure updates and provide for on-premises pay-per-use consumption with HPE GreenLake.

Rapidly deploy a broad portfolio of cloud services such as, containers, compute, virtual machines (VMs), accelerated storage, data protection, and more. Workload-optimized, preconfigured solutions can be quickly on-boarded, accelerating your agility



Technical specifications

HPE ProLiant DL360 Gen10 Plus 4309Y 2.8GHz 8-core 1P 32GB-R MR416i-a NC 8SFF 800W PS EU Server

|                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Number              | P55273-421                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Processor Name              | Intel® Xeon® Silver 4309Y (8 core, 2.8 GHz, 105W)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Processor core available    | 8 cores                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Processor cache             | 12 MB L3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Processor speed             | 2.8 GHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Power supply type           | 1 HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Expansion slots             | 2 PCIe Gen4: 1 x16 FH, 1 x16 LP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Memory, standard            | 32 GB (1x 32GB) RDIMM and 31 DIMM blanks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Memory type                 | HPE DDR4 SmartMemory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Included hard drives        | None ship standard, 8 SFF SAS/SATA/NVMe drives supported                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Optical drive type          | Optional DVD via Universal Media Bay or USB connectivity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| System fan features         | 5 High Performance fans                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Network controller          | Broadcom BCM57416 Ethernet 10Gb 2-port BASE-T OCP3 Adapter for HPE                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Storage controller          | Broadcom MegaRAID MR416i-a x16 Lanes 4GB Cache NVMe/SAS 12G Controller for HPE Gen10 Plus and HPE 96W Smart Storage Lithium-ion Battery with 145mm Cable                                                                                                                                                                                                                                                                                                                                                                                |
| Product Dimensions (metric) | SFF: 4.29 x 43.46 x 76.96 cm<br>LFF: 4.29 x 43.46 x 80.01 cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Weight                      | SFF: 13.04 kg to 16.27 kg<br>LFF: 13.77 kg to 16.78 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Infrastructure management   | Included - HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download)<br>Optional - HPE iLO Advanced, and HPE OneView Advanced                                                                                                                                                                                                                                                                                                                                                                 |
| Warranty                    | 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: <a href="http://h20564.www2.hpe.com/hpsc/wc/public/home">http://h20564.www2.hpe.com/hpsc/wc/public/home</a> . Additional HPE support and service coverage, to supplement the product warranty, is available. For more information, visit <a href="http://www.hpe.com/support">http://www.hpe.com/support</a> |



For additional technical information, available models and options, please reference the [QuickSpecs](#)

Make the right purchase decision.  
Contact our presales specialists.

[Chat online](#)



**Chat now (sales)**



**Call now**



**Buy now**



**Share now**



**Get updates**

**Hewlett Packard  
Enterprise**

## HPE POINTNEXT SERVICES

[HPE Pointnext Services](#) brings together technology and expertise to help you drive your business forward and prepare for whatever is next.

### Operational Services from HPE Pointnext Services

[HPE Pointnext Tech Care](#) provides fast access to product-specific experts, an AI-driven digital experience, and general technical guidance to help enable constant innovation. We have reimagined IT support from the ground up to deliver faster answers and greater value. By continuously searching for better ways to do things—as opposed to just fixing things that break—HPE Pointnext Tech Care helps you focus on achieving your business goals.

[HPE Pointnext Complete Care](#) is a modular, edge-to-cloud IT environment service that provides a holistic approach to optimizing your entire IT environment, and achieving agreed upon IT outcomes and business goals through a personalized and customer-centric experience. All delivered by an assigned team of HPE Pointnext Services experts.

**HPE Integration and Performance Services** help you customize your experience at any stage of your product lifecycle with a menu of services based on individual needs, workloads, and technologies.

- Advise, design, and transform
- Deploy
- Integrate and migrate
- Operate and improve
- Financial Services
- Greenlake Management Services
- Retire and sanitize
- IT Training and personal development

### Other related services

[HPE Education Services](#) delivers a comprehensive range of services to support your people as they expand their skills required for a digital transformation. Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.

**Defective Media Retention** is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

## HPE GREENLAKE

[HPE GreenLake](#) is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please [explore them here](#).

© Copyright 2022 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Intel, Intel Xeon, and Intel Optane are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. All third-party marks are property of their respective owners.

Image may differ from the actual product  
[PSN1014656529UKEN](#), October, 2022.