

# Delock USB 3.2 Gen 1 Type-A to PCB built-in connector with protective dust cap

## Description

This USB built-in connector by Delock can be used in a switch cabinet or distribution box for connecting single wires with open cable heads at the PCB solder connections.

### Dust cover

The dust protection cap protects the female port from dirt or damage when not in use. The built-in socket thus remains ready for use in the long term, especially in dusty environments and in industrial sector.



**Item no. 87821**

EAN: 4043619878215

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
  - 8 x PCB solder connection
- Built-in hole Ø: 22.5 mm
- Housing material: plastic
- Colour: black
- Data transfer rate up to 5 Gbps
- With protective dust cap
- Dimensions (LxD): ca. 32 x 22.5 mm

## Package content

- Built-in connector

## Images



## Interface

|              |                           |
|--------------|---------------------------|
| Connector 1: | 1 x USB Type-A female     |
| Connector 2: | 8 x PCB solder connection |

## Technical characteristics

|                     |              |
|---------------------|--------------|
| Data transfer rate: | up to 5 Gbps |
|---------------------|--------------|

## Physical characteristics

|                   |         |
|-------------------|---------|
| Housing material: | Plastic |
| Diameter:         | 22.5 mm |
| Length:           | 32 mm   |
| Colour:           | black   |