



## TP-Link JetStream TL-SG3428X netværksswitch Administreret L2+/L3 Gigabit Ethernet (10/100/1000) 1U Sort

Mærke : TP-Link

Produktserie: JetStream

Produktkode: TL-SG3428X

Produkt navn : TL-SG3428X



TP-Link JetStream TL-SG3428X. Switch-type: Administreret, Switch lag: L2+/L3. Basis omskiftning RJ-45 Ethernet porttype: Gigabit Ethernet (10/100/1000), Basis omskiftning RJ-45 Ethernet porte, antal: 24, Port til konsol: RJ-45/micro-USB. MAC adresselabel: 16000 entries, Switch kapacitet: 128 Gbit/sek.. Netværksstandarder: IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z. Strømtik: AC-in jack. Stativ-montering, Formfaktor: 1U



Administrationsfunktioner		Sikkerhed	
Switch-type *	Administreret	SSH/SSL support	✓
Switch lag	L2+/L3	Loop beskyttelse	✓
Servicekvalitet support (QoS)	✓	BPDU filtrering/beskyttelse	✓
Webbaseret administration	✓	IP-MAC-portbinding	✓
Cloud-administreret	✓	Godkendelse	Gæste VLAN, MAC-baseret godkendelse, Portbaseret godkendelse
ARP inspektion	✓	Godkendelsestype	AAA, RADIUS, TACACS+
Konfigurerer lokationsindstillinger (CLI)	✓	<b>Multicast funktioner</b>	
System hændelseslog	✓	Multicast-understøttelse	✓
MIB support	Yes	Multicast Listener Discovery (MLD) snooping	✓
Porte & Grænseflader		Protokoller	
Basis omskiftning RJ-45 Ethernet porte, antal *	24	Administrationsprotokoller	SNMPv1/v2c/v3, SNMP
Basis omskiftning RJ-45 Ethernet porttype *	Gigabit Ethernet (10/100/1000)	GARP VLAN registreringsprotokol (GVRP)	✓
Gigabit Ethernet (kobber) porte, antal	24	IPv4 & IPv6 funktioner	IPv4/IPv6 access-control list (ACL), IPv6 Telnet, IPv6 ping, IPv6 tracer
Antal SFP + modulslots	4	<b>Design</b>	
Port til konsol	RJ-45/micro-USB	Stativ-montering *	✓
Strømtik	AC-in jack	Formfaktor	1U
Netværk		Produktfarve	Sort
Netværksstandarder *	IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z	LED-indikatorer	✓
10G understøttelse *	✓	Antal blæsere	0 blæser(e)
Port-spejlning	✓	<b>Præstation</b>	
Politikbaseret routing	✓	Ventilatorfri	✓
Flowkontrol support	✓		
Link aggregering	✓		

Netværk		Strømstyring	
Broadcast stormkontrol	✓	Strømkilde *	Vekselstrøm
Begrænsning af hastighed	✓	Strømforsyning inkluderet *	✓
Spanning tree protokol	✓	Vekselstrømsindgangsspænding	100 - 240 V
Head-of-line (HOL) blokering	✓	Vekselstrømsindgangsfrekvens	50/60 Hz
Ethernet LAN-datahastigheder	10,100,1000 Mbit/s	Strømforbrug (maks.)	23,6 W
Aktiv link opdagelse	✓	<b>Power over Ethernet (PoE)</b>	
IPv4-ruter	48	Strøm over Ethernet (PoE) *	✗
IPv6-ruter	48	<b>Driftsbetingelser</b>	
VLAN understøttelse	✓	Driftstemperatur (T-T)	0 - 45 °C
Vituelle LAN funktioner	Private VLAN, Protocol-based VLAN, Tagged VLAN, Voice VLAN	Opbevaringstemperatur (T-T)	-40 - 70 °C
Antal VLAN'er	4000	Relativ luftfugtighed ved drift (H-H)	10 - 90%
<b>Dataoverførsel</b>		Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%
Switch kapacitet *	128 Gbit/sek.	Varmeafgivelse	80,353 BUT/t
Hastighed for videresendelse	95,23 Mpps	<b>Vægt &amp; størrelser</b>	
MAC adresselabel *	16000 entries	Bredde	440 mm
Opbevar-og-frem	✓	Dybde	180 mm
Statisk rute	✓	Højde	44 mm
Statiske routere	48	<b>Emballage indhold</b>	
Jumbo Frames support	✓	Kabler inkluderet	LAN (RJ-45)
Jumbo rammer	9000	Hurtig start guide	✓
Pakke bufferlager	12 MB	<b>Emballeringsdata</b>	
<b>Sikkerhed</b>		Pakkebredde	528 mm
DHCP funktioner	DHCP client, DHCP relay, DHCP server, DHCP snooping, DHCPv6 client, DHCPv6 snooping	Pakkedybde	250 mm
Adgangskontrolliste (ACL)	✓	Pakkehøjde	80 mm
IGMP snooping	✓	Pakkevægt	2,69 kg
		<b>Logistik data</b>	
		Harmoniseret systemkode (HS)	85176990



6935364010539



5055309628597

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.