



## TP-Link JetStream TL-SG2428P mrežni prekidač Upravljanje L2/L2+ Gigabit Ethernet (10/100/1000) Podrška za napajanje putem Ethernet (PoE) 1U Crno

Brend : TP-Link

Obitelj proizvoda: JetStream

Kod proizvoda: TL-SG2428P

Ime proizvoda : TL-SG2428P



TP-Link JetStream TL-SG2428P. Tip preklopnika: Upravljanje, Sloj preklopnika: L2/L2+. Tip RJ-45 Ethernet priključaka za osnovno preklapanje: Gigabit Ethernet (10/100/1000), Količina RJ-45 Ethernet priključaka za osnovno preklapanje: 24. MAC adresna tablica: 8000 unosi, Kapacitet razdjelnika: 56 Gbit/s. Mrežni standard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE.... Podrška za napajanje putem Ethernet (PoE). Montaža u poslužiteljski ormar, Veličina: 1U



Značajke za upravljanje		Protokoli	
Tip preklopnika *	Upravljanje	Protokoli za upravljanje	SNMPv1/v2c/v3, SNMP
Sloj preklopnika	L2/L2+	<b>Dizajn</b>	
Podrška za QoS (Quality of Service)	✓	Montaža u poslužiteljski ormar *	✓
Upravljanje putem interneta	✓	Veličina	1U
ARP inspekcija	✓	Boja proizvoda	Crno
Bilješke o sistemskim događajima	✓	Broj ventilatora	2 ventilatori
MIB podrška	✓	<b>Učinak</b>	
<b>Priključci i sučelja</b>		Mogućnost nadogradnje firmwarea	✓
Količina RJ-45 Ethernet priključaka za osnovno preklapanje *	24	<b>Napajanje</b>	
Tip RJ-45 Ethernet priključaka za osnovno preklapanje *	Gigabit Ethernet (10/100/1000)	Izvor napajanja *	AC
Broj gigabitnih Ethernet (bakrenih) priključaka	24	Uključeno napajanje *	✓
Broj utora SFP modula	4	Ulazni napon izmjenične struje	100 - 240 V
<b>Mreža</b>		Ulazna frekvencija izmjenične struje	50/60 Hz
Mrežni standard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Potrošnja električne energije (maks)	306,9 W
10G podrška *	✗	<b>Napajanje putem Ethernet (PoE)</b>	
Tehnologija bakrenih ethernet kabela	10BASE-T, 1000BASE-T	Podrška za napajanje putem Ethernet (PoE) *	✓
Podržava vrste kabela	Cat3, Cat4, Cat5, Cat5e	Broj priključaka napajanja preko Ethernet (PoE+)	24
Zrcaljenje priključaka	✓	Power over Ethernet (PoE) snaga po priključku	30 W
Podrška za kontrolu protoka	✓	Ukupan budžet napajanja preko Ethernet (PoE+)	250 W
		<b>Radni uvjeti</b>	
		Raspon radne temperature (T-T)	0 - 50 °C
		Dozvoljeni raspon temperatura za skladištenje (T-T)	-40 - 70 °C

<b>Mreža</b>		<b>Radni uvjeti</b>	
Agregacija linkova	✓	Opseg relativne vlažnosti pri radu (H-H)	10 - 90%
Kontrola broadcast storm-a	✓	Raspon relativne vlažnosti pri skladištenju	5 - 90%
Ograničenje	✓	Disipacija topline	1047,3 BTU/h
Protokol grananja raspona	✓	<b>Težina i dimenzije</b>	
VLAN podrška	✓	Širina	440 mm
Značajke virtualnog LAN-a	MAC address-based VLAN, Protocol-based VLAN, Voice VLAN	Dubina	220 mm
Broj VLANova	4000	Visina	44 mm
<b>Optičko vlakno</b>		<b>Sadržaj ambalaže</b>	
Tehnologija kabela optičkog kanala preko Ethernet-a	1000BASE-X	Priloženi kabeli	AC
<b>Prijenos podataka</b>		Korisnički vodič	✓
Kapacitet razdjelnika *	56 Gbit/s	Komplet za postavljanje stalka	✓
Brzina prosljeđivanja	41,7 Mpps	<b>Podaci o ambalaži</b>	
MAC adresna tablica *	8000 unosi	Širina ambalaže	336 mm
Broj redova	8	Dubina ambalaže	528 mm
Podrška za Jumbo pakete	✓	Visina ambalaže	100 mm
Jumbo okviri	9000	Težina paketa	3,98 kg
Međusprenik za pakete	4,1 MB	<b>Certifikati</b>	
<b>Sigurnost</b>		Certifikacija	CE, FCC, RoHS
Značajke DHCP-a	DHCP client, DHCP relay, DHCP server, DHCP snooping, DHCPv6 client	<b>Logistički podaci</b>	
Popisi za kontrolu pristupa (ACL)	✓	Šifra harmoniziranog sustava (HS)	85176990
IGMP praćenje	✓		
Podržani sigurnosni algoritmi	HTTPS, SNMP, SNMPv2, SNMPv3, SSH, SSH-2, SSL/TLS		
SSH/SSL podrška	✓		
BPDU filtriranje/zaštita	✓		
Vezivanje IP-MAC priključka	✓		
Vrsta provjere	RADIUS		
Algoritmi za raspored čekanja	SP, WRR+SP, Weighted Round Robin (WRR)		
<b>Multicast značajke</b>			
Multicast podrška	✓		



6935364030667



0845973088682



845973088682

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.