



# TP-Link JetStream TL-SX3206HPP netværksswitch Administreret L2+ 10G Ethernet (100/1000/10000) Strøm over Ethernet (PoE) Sort

Mærke : TP-Link

Produktserie: JetStream

Produktkode: TL-SX3206HPP

Produkt navn : TL-SX3206HPP



TP-Link JetStream TL-SX3206HPP. Switch-type: Administreret, Switch lag: L2+. Basis omskiftning RJ-45 Ethernet porttype: 10G Ethernet (100/1000/10000), Basis omskiftning RJ-45 Ethernet porte, antal: 4, Port til konsol: RJ-45/Micro-USB. MAC adresselabel: 32000 entries, Switch kapacitet: 120 Gbit/sek.. Netværksstandarder: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3af, IEEE.... Strømsstik: AC-in jack. Strøm over Ethernet (PoE). Stativ-montering



Administrationsfunktioner		Multicast funktioner	
Switch-type *	Administreret	Multicast-understøttelse	✓
Switch lag	L2+	Multicast Listener Discovery (MLD) snooping	MLD v1/v2
Servicekvalitet support (QoS)	✓	<b>Protokoller</b>	
Webbaseret administration	✓	Administrationsprotokoller	SNMP v1/v2c/v3
Cloud-administreret	✓	<b>Design</b>	
ARP inspektion	✓	Stativ-montering *	✓
Konfigurerer lokationsindstillinger (CLI)	✓	Produktfarve	Sort
System hændelseslog	✓	LED-indikatorer	✓
MIB support	Yes	Antal blæsere	2 blæser(e)
<b>Porte &amp; Grænseflader</b>		<b>Præstation</b>	
Basis omskiftning RJ-45 Ethernet porte, antal *	4	Minimum systemkrav	Microsoft® Windows® 98SE, NT, 2000, XP, Vista™ / Windows 7/8/10/11, MAC® OS, NetWare®, UNIX® /Linux.
Basis omskiftning RJ-45 Ethernet porttype *	10G Ethernet (100/1000/10000)	<b>Strømstyring</b>	
Antal SFP + modulslots	2	Strømkilde *	Vekselstrøm
Port til konsol	RJ-45/Micro-USB	Strømforsyning inkluderet *	✓
Strømsstik	AC-in jack	Vekselstrømsindgangsspænding	100 - 240 V
<b>Netværk</b>		Vekselstrømsindgangsfrekvens	50/60 Hz
Netværksstandarder *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3x	Strømforbrug (maks.)	244,9 W
10G understøttelse *	✓	<b>Power over Ethernet (PoE)</b>	
Port-spejlning	✓	Strøm over Ethernet (PoE) *	✓
IP-routing	✓	Power over Ethernet plus (PoE+) porte, antal	4
Routing indtastninger	512	Power over Ethernet (PoE) effekt pr. port	60 W
Flowkontrol support	✓		


Netværk		Power over Ethernet (PoE)	
Link aggregering	✓	Total Power over Ethernet (PoE)	200 W
Broadcast stormkontrol	✓	<b>Driftsbetingelser</b>	
Begrænsning af hastighed	✓	Driftstemperatur (T-T)	0 - 50 °C
Spanning tree protokol	✓	Opbevaringstemperatur (T-T)	-40 - 70 °C
Head-of-line (HOL) blokering	✓	Relativ luftfugtighed ved drift (H-H)	10 - 90%
VLAN understøttelse	✓	Relativ luftfugtighed ved opbevaring (H-H)	5 - 95%
Vituelle LAN funktioner	Private VLAN, Tagged VLAN, VLAN-kortlægning, Voice VLAN	Varmeafgivelse	835,67 BUT/t
Antal VLAN'er	4000	<b>Vægt &amp; størrelser</b>	
<b>Dataoverførsel</b>		Bredde	294 mm
Switch kapacitet *	120 Gbit/sek.	Dybde	180 mm
Hastighed for videresendelse	89,28 Mpps	Højde	44 mm
MAC adresselabel *	32000 entries	<b>Emballage indhold</b>	
Statisk rute	✓	Kabler inkluderet	Vekselstrøm
Statiske routere	48	Hurtig start guide	✓
Jumbo Frames support	✓	Rack monteringskit	✓
Jumbo rammer	9000	<b>Emballeringsdata</b>	
<b>Sikkerhed</b>		Pakkebredde	400 mm
DHCP funktioner	DHCP client, DHCP relay, DHCP server, DHCP snooping, DHCPv6 client	Pakkedybde	250 mm
Adgangskontrolliste (ACL)	✓	Pakkehøjde	80 mm
IGMP snooping	✓	Pakkevægt	2,62 kg
Sikkerhedsalgoritmer	HTTPS, SSL/TLS	<b>Godkendelser</b>	
SSH/SSL support	✓	Certificering	CE, FCC, RoHS
Loop beskyttelse	✓	<b>Logistik data</b>	
BPDU filtrering/beskyttelse	✓	Harmoniseret systemkode (HS)	85176990
Godkendelse	Gæste VLAN		
Godkendelsestype	AAA, RADIUS, TACACS+		



0840030702570



840030702570



6935364006624

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.