

HP EliteOne 870 G9 Intel® Core™ i5 i5-13500 68.6 cm (27") 2560 x 1440 pixels Touchscreen All-in-One PC 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Pro Wi-Fi 6E (802.11ax) Silver

Brand : HP Product family: EliteOne Product code: 999W5ET#ABH

Product name: 870 G9

HP EliteOne 870 G9. Product type: All-in-One PC. Display diagonal: 68.6 cm (27"), HD type: Quad HD, Display resolution: 2560 x 1440 pixels, Touchscreen, Panel type: IPS. Processor family: Intel® Core™ i5, Processor frequency: 2.5 GHz. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 512 GB, Storage media: SSD. Built-in camera. Operating system installed: Windows 11 Pro. Product colour: Silver



Display		Network	
Display Display diagonal * Display resolution * Touchscreen * HD type * Native aspect ratio Display brightness Panel type RGB colour space	68.6 cm (27") 2560 x 1440 pixels ✓ Quad HD 16:9 250 cd/m² IPS NTSC	Wi-Fi standards WLAN controller manufacturer WLAN controller model Antenna type Ethernet LAN * Ethernet LAN data rates Bluetooth * Bluetooth version	Wi-Fi 6E (802.11ax) Intel Intel Wi-Fi 6E AX211 2x2 10,1000,100 Mbit/s 5.3
Anti-glare screen	✓	Ports & interfaces	3.3
Colour gamut	72%		1
Processor Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads Processor boost frequency Processor frequency * Performance cores Efficient cores	Intel Intel® Core™ i5 13th gen Intel® Core™ i5 i5-13500 14 20 4.8 GHz 2.5 GHz 6	Ethernet LAN (RJ-45) ports USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * USB 4 Gen 3x2 ports quantity * USB 3.2 Gen 2x2 Type-C ports quantity HDMI ports quantity * HDMI version DisplayPorts quantity	1 2 3 1 1 1 1 1.4
Performance-core Max Turbo	4.8 GHz	Combo headphone/mic port	✓
Frequency Efficient-core Max Turbo Frequency Performance-core base frequency		Design Product colour *	Silver
Efficient-core base frequency	1.8 GHz	Introduction year	2023
Processor cache Processor cache type Processor base power Maximum turbo power	24 MB L3 65 W 154 W	Performance Product type * Market positioning Motherboard chipset Trusted Platform Module (TPM)	All-in-One PC Business Intel Q670 ✓

Memory I 6 68 Trusted Platform Module (TPM) version 2.0 Internal memory** 6 68 Software Maximum internal memory* 64 08 Software Memory slots ype SO-DIMM Parading system installed *** Windows 11 Pro Memory slots xpeed 4800 MHz Parading system installed *** Windows 11 Pro Memory layout (slots x size) 1 x 16 GB HP seport Assistant */* Memory layout (slots x size) 1 x 16 GB HP Support Assistant */* Memory Infector 1 x 16 GB HP Support Assistant */* Memory Infector 512 GB HP Support Assistant */* Storage Power ** Storage media ** Number of SSDs formation AC adapter power 40 W Total SDS capacity 512 GB AC adapter prequency 50 -60 Hz Number of SSDs installed 1 AC adapter input voltage 100 -20 Hz NVMe Y Elemental Value (with stand) 614 mm NVMe Y Elemental Value (with stand) 69 Final Market <th></th> <th></th> <th></th> <th></th>				
Internal memory type	•			
Memory slots 2 Operating system installed ** Windows 11 Pro Memory slots type 50-DIMM Barnad-specific features Memory layout (slots xsize) 1 x16 GB HP speaker type HP Dual Speakers Memory layout (slots xsize) 1 x16 GB HP Support Assistant Storage DIMM/SO-DIMM HP Support Assistant Total storage capacity* 512 GB HP segment HP Webcam Storage media ** SSD Power Number of storage drives installed 1 AC adapter power 240 W Total SSDs capacity 512 GB AC adapter input voltage 100 - 240 V SSD capacity 512 GB AC adapter input voltage 100 - 240 V SSD so spacity 512 GB AC adapter input voltage 100 - 240 V SSD form factor 4 AC adapter input voltage 100 - 240 V SSD form factor 4 Package with stand) 614 mm Operating temptation 4 Package with stand) 59 sp. mm Discrete graphics card Not available Package wight	Internal memory type Maximum internal memory * Memory slots	DDR5-SDRAM 64 GB 2		2.0
Memory slots type SO-DIMM Brand-specific features William (Incompose) William (Incompose) William (Incompose) HP Dual Speakers Memory Joycut (slots x size) 1 x 16 GB HP speaker type HP Dual Speakers Memory Joycut (slots x size) 1 x 16 GB HP support Assistant HP Webarn Storage 512 GB HP front camera HP Webarn Storage media* 55D AC adapter power 240 W Total SSDs capacity 512 GB AC adapter frequency 50 - 60 Hz Number of SSDs installed 1 AC adapter frequency 50 - 60 Hz SSD capacity 512 GB AC adapter frequency 50 - 60 Hz SSD capacity 512 GB AC adapter frequency 50 - 60 Hz SSD capacity 512 GB AC adapter frequency 50 - 60 Hz SSD capacity 512 GB AC adapter frequency 50 - 60 Hz SSD capacity 4 4 dimensions 40 Tm SSD capacity 4 VER (Mistand) 614 mm SSD capacity 4 VER (Mistand) 619 ms SSD			Software	
Memory Jayout (slots xiped) 4800 MHz Brand-specific features HP Dual Speakers Memory Jayout (slots xiped) 1x 16 GB HP Support Assistant V Storage HP front camera HP Webcam Total storage capacity* 512 GB Power Storage media* SSD Power Number of storage drives installed 1 AC adapter power 200 WI Number of storage drives installed 1 AC adapter input voitage 100 -240 V SSD capacity 512 GB AC adapter input voitage 100 -240 V SSD interface PCIE Express Width (with stand) 614 mm SSD form factor M.2 Height (with stand) 10 -3 kg SSD form factor M.2 Height (with stand) 10 -9 kg Optical drive type* X Package width 742 mm Discrete graphics card* X Package width 742 mm Discrete graphics card model* Not available Package wight 640 mm On-board graphics card family Intel® UHD Graphics Operating relative humdiry (HH)			Operating system installed *	Windows 11 Pro
Memory layout (slots x size) 1 x 16 GB HP speaker type HP Dual Speakers Memory form factor DIMINSO-DIMM HP Support Assistant Y Storage HP Segment HP Webcam Total storage capacity* 512 GB HP segment Business Storage media* SSD Power 240 W Number of storage drives installed 1 Ac adapter power 240 W Number of SSDs installed 1 Ac adapter input voltage 100 - 240 V SSD capacity 512 GB Ac adapter input voltage 100 - 240 V SSD form factor PCI Express Width (with stand) 247 mm SSD form factor M.2 Depth (with stand) 599.5 mm Optical drive type* X Weight (with stand) 599.5 mm Discrete graphics card* X Package width 742 mm Discrete graphics card model* X Package depth 264 mm On-board graphics card family Intel UHD Graphics Operating temperature (T-T) 10 - 35 °C On-board graphics card model* Intel UHD Graph	· · · · · · · · · · · · · · · · · · ·		Brand-specific features	
Memory form factor DIMM/SO-DIMM HP Support Assistant Y Storage HP front camera HP Webcam Total storage capacity* 512 GB Business Number of storage drives installed 1 AC adapter power 240 W Total SSDs capacity 512 GB AC adapter frequency 50- 60 Mz Number of SSDs installed 1 AC adapter input voltage 100 - 240 V SSD interface PCI Express Width (with stand) 614 mm NVMe Y Depth (with stand) 599,5 mm NSD form factor M2 Height (with stand) 599,5 mm Optical drive type* X Depth (with stand) 599,5 mm Optical drive type* X Weight (with stand) 599,5 mm Discrete graphics card model* NC available APackage weight 742 mm Discrete graphics card model* NC available APackage height 640 mm On-board graphics card family Intel UHD Graphics Operating temperature (**T) 10 - 35 °C On-board graphics card model* Intel UHD Graphics			HP speaker type	HP Dual Speakers
Storage HP front camera HP vebcament HP vebcament Total storage capacity* 512 GB HP segment Business Number of storage drives installed 1 AC adapter prower 240 W Total SSDs capacity 512 GB AC adapter frequency 50 - 60 Hz Number of SSDs installed 1 AC adapter input voltage 100 - 240 V SSD storaged 512 GB Weight & dimensor V SSD formation PCI Express Width (with stand) 614 mm NVMe ✓ Depth (with stand) 247 mm SSD form factor M.2 Height (with stand) 59.5 m Optical drive type * X Height (with stand) 59.5 m SSD form factor M.2 Height (with stand) 59.9 kg Orbitical drive type * X Height (with stand) 39.9 kg Orbitical drive type * X Height (with stand) 39.9 kg Orbitical drive type * X Height (with stand) 39.7 kg Discrete graphics card for graphics card modit Not available			HP Support Assistant	✓
Total storage capacity S12 GB Storage media SSD SSD SOSD Power SSD Capacity S12 GB AC adapter power 240 W			HP front camera	HP Webcam
Storage media* SSD Power Number of storage drives installed 1 AC adapter power 240 W Total SDS capacity 512 GB AC adapter frequency 50 - 60 Hz Number of SSDs installed 1 AC adapter input voltage 100 - 240 V SSD capacity 512 GB Weight & dimensions SSD interface PCIE Express Width (with stand) 247 mm NVMe - Depth (with stand) 247 mm SSD form factor M.2 Height (with stand) 599.5 mm Optical drive type* M.2 Height (with stand) 297 mm Optical drive type* M.2 Height (with stand) 10.9 kg Optical drive type* X Weight 39.9 kg Optical drive type* X Weight 20.0 kg 40.0 kg Discrete graphics card* X Package weight 237 mm 40.0 kg On-board graphics card model* Intel UHD Graphics Operating relative tumidity (HH) 10 - 9.0 % 60.0 mm Built-in speaker(s)* X Sustain	9	512 GB	HP segment	Business
Total SSDs capacity 512 GB AC adapter input voltage 50 - 60 Hz Number of SSDs installed 1 AC adapter input voltage 100 - 240 V SSD capacity 512 GB Weight & dimensions SSD interface PCI Express Width (with stand) 614 mm NVMe ✓ Depth (with stand) 247 mm SSD form factor M.2 Height (with stand) 59.9 5 mm Optical drive type * X Weight (with stand) 10.9 kg Optical drive type * X Weight (with stand) 10.9 kg Optical drive type * X Weight (with stand) 10.9 kg Optical drive type * X Weight (with stand) 10.9 kg Optical drive type * X Weight (with stand) 10.9 kg Optical drive type * X Weight (with stand) 10.9 kg Optical drive type * X Weight (with stand) 10.9 kg Optical drive type * X Package depth 237 mm Obscrete graphics card * Intel UHD Graphics Operating relative humidity (H-H)			Power	
Number of SDS installed 1 AC adapter input voltage 100 - 240 V SSD capacity 512 GB Weight & dimensions SSD interface PCI Express Width (with stand) 614 mm NVMe ✓ Depth (with stand) 247 mm SSD form factor M.2 Height (with stand) 599.5 mm Optical drive type * X Weight (with stand) 10.9 kg Graphics Y Package width 742 mm Discrete graphics card model * Not available Package depth 237 mm Discrete graphics card model * Not available Package weight 640 mm On-board graphics card family Intel UHD Graphics Operational conditions 15.1 kg On-board graphics card family Intel UHD Graphics Operating temperature (T-T) 10 - 35 °C On-board graphics card family Intel UHD Graphics 770 Operating temperature (T-T) 10 - 35 °C On-board graphics card family ✓ Sustainability compliance ✓ Built-in speaker(s) * ✓ Sustainability compliance ✓	Number of storage drives installed	1	AC adapter power	240 W
SSD capacity 512 GB Weight & dimensions SSD interface PCI Express Width (with stand) 614 mm NVMe ✓ Depth (with stand) 247 mm SSD form factor M.2 Height (with stand) 599.5 mm Optical drive type * X Weight (with stand) 10.9 kg Graphics X Weight 742 mm Discrete graphics card * X Package width 742 mm Discrete graphics card model * Not available Package depth 237 mm On-board graphics card formid Intel Package height 640 mm On-board graphics card family Intel UHD Graphics Operating temperature (T-T) 10.1 \$5 °C On-board graphics card model * Intel UHD Graphics 70 Operating relative humidity (H-H) 10.99% Built-in speaker(s) * ✓ Sustainability V Sull-in speakers 2 Sustainability corrulation Package yeight V Speakers manufacturer Bang & Olursen Package onectivity Wired Built-in comera *	Total SSDs capacity	512 GB		50 - 60 Hz
SSD interface PCI Express Width (with stand) 614 mm NVMe			AC adapter input voltage	100 - 240 V
NVMe	• •		Weight & dimensions	
SSD form factor M.2 Height (with stand) 599.5 mm Optical drive type * X Weight (with stand) 10.9 kg Graphics Weight (with stand) 10.9 kg By Regard (with stand) 10.9 kg Regard (with tand) 10.9 kg Regard (with tation) 10.9 kg Regard (·	Width (with stand)	614 mm
Optical drive type * X Weight (with stand) 10.9 kg Graphics Weight (with stand) 10.9 kg By kg Discrete graphics card * X Discrete graphics card * Not available Package width 742 mm Discrete graphics card * Y Discrete graphics card * Y Discrete graphics card * Y On-board GPU manufacturer Intel On-board graphics card family Intel® UHD Graphics Package height 15.1 kg On-board graphics card family Intel® UHD Graphics Operating temperature (T-T) 10 - 35 °C Operating relative humidity (H-H) 10 - 90% Audio Built-in speaker(s) * Y Number of speakers 2 Sustainability compliance Y Speakers manufacturer Bang & Olufsen Sustainability certificates ENERGY STAR, TCO Speakers manufacturer Mouse connectivity Wired Built-in microphone Y Camera				
Weight 8.9 kg Discrete graphics card * X Package width 742 mm Discrete graphics card model * Not available Package depth 237 mm On-board graphics card * ✓ Package height 640 mm On-board graphics card family Intel UHD Graphics 15.1 kg On-board graphics card family Intel UHD Graphics 770 Operating temperature (T-T) 10 - 35 °C On-board graphics card model * ✓ Operating relative humidity (H-H) 10 - 90% Audio Sustainability 10 - 90% Number of speakers 2 Sustainability compliance ✓ Number of speakers 10 W Sustainability certificates ENERGY STAR, TCO Speakers manufacturer Bang & Olufsen Packaging content Built-in microphone ✓ Mouse connectivity Wired Camera Keyboard included ✓ Wired Wired Wired Ceyboard layout Wired Network Wiref 6E (802.11ax) Other features All-in-One Wired Keyboard type G8.6 cm G8.6 cm				
Discrete graphics card * X Not available Not available Package depth 9ackage depth 9ac		^		
Discrete graphics card *				•
Discrete graphics card model * On-board graphics card *	5 .		-	
On-board GPU manufacturer On-board graphics card family On-board graphics card model* Intel UHD Graphics On-board graphics card model* Intel UHD Graphics 770 Audio Built-in speaker(s)* Number of speakers 2 RMS rated power 10 W Speakers manufacturer Built-in microphone V Camera Built-in camera* V Total megapixels Network Wi-Fi * Top Wi-Fi standard * Wi-Fi 6E (802.11ax) Packaging contex Packaging contex Wi-Fi again and a conditions Operating temperature (T-T) 10 - 35 °C Operating temperature (T-T) 10 - 90% Sustainability Sustainability Sustainability certificates Sustainability certificates ENERGY STAR, TCO Packaging content Wiose connectivity Wired Mouse connectivity Wired Keyboard included V Keyboard connectivity Wired Keyboard layout QWERTY Other features Chassis type Display diagonal (metric) Display included V Keyboard type USB Infrared (IR) camera V Infrared (- '			640 mm
On-board graphics card family On-board graphics card model * Intel UHD Graphics 770 Operating temperature (T-T) 10 - 35 °C Operating relative humidity (H-H) 10 - 90% Audio Sustainability Built-in speaker(s) * Voumber of speakers 2 Papeakers 2 Papeakers 3 Papeakers 3 Papeakers 4 Papeakers 5 Papeakers 6 Papeakers 7 Papea	.		Package weight	15.1 kg
One-board graphics card model * Intel UHD Graphics 770 Operating temperature (T-T) (10 - 35 °C) Audio Built-in speaker(s) * ✓ Sustainability Number of speakers 2 Sustainability compliance ✓ RMS rated power 10 W Sustainability certificates ENERGY STAR, TCO Speakers manufacturer Bang & Olufsen Packaging content Built-in microphone ✓ Mouse connectivity Wired Camera ✓ Built-in camera * ✓ Keyboard included ✓ Total megapixels 5 MP Keyboard layout Wired Network Wi-Fi * ✓ Other features Wi-Fi standard * Wi-Fi 6E (802.11ax) Chassis type All-in-One Display diagonal (metric) 68.6 cm Display included ✓ Keyboard type USB Infrared (IR) camera ✓			Operational conditions	
Audio Operating relative humidity (H-H) 10 - 90% Built-in speaker(s) * ✓ Number of speakers 2 Sustainability compliance ✓ RMS rated power 10 W Sustainability certificates ENERGY STAR, TCO Speakers manufacturer Bang & Olufsen Packaging content Built-in microphone ✓ Mouse included ✓ Camera Mouse connectivity Wired Built-in camera * ✓ Keyboard included ✓ Total megapixels 5 MP Keyboard connectivity Wired Keyboard layout QWERTY Network Wi-Fi * Other features Top Wi-Fi standard * Wi-Fi 6E (802.11ax) Chassis type All-in-One Display diagonal (metric) 68.6 cm Display included ✓ Keyboard type USB Infrared (IR) camera ✓			Operating temperature (T-T)	10 - 35 °C
Built-in speaker(s) * Number of speakers Number of speakers RMS rated power 10 W Speakers manufacturer Built-in microphone Camera Built-in camera * Total megapixels Wi-Fi * Top Wi-Fi standard * Wi-Fi standa		med on B drupmes 770		10 - 90%
Number of speakers 2 Sustainability compliance ✓ RMS rated power 10 W Sustainability certificates ENERGY STAR, TCO Speakers manufacturer Bang & Olufsen Packaging content Built-in microphone ✓ Mouse included ✓ Camera Mouse connectivity Wired Built-in camera * ✓ Keyboard included ✓ Total megapixels 5 MP Keyboard connectivity Wired Network Keyboard layout QWERTY Wi-Fi * ✓ Other features Top Wi-Fi standard * Wi-Fi 6E (802.11ax) Chassis type Display diagonal (metric) All-in-One Display included ✓ Keyboard type USB Infrared (IR) camera ✓			Sustainability	
RMS rated power 10 W Sustainability certificates ENERGY STAR, TCO Speakers manufacturer Bang & Olufsen Packaging content Built-in microphone	,		Sustainability compliance	✓
Speakers manufacturer Bang & Olufsen Packaging content Built-in microphone ✓ Mouse included ✓ Camera Mouse connectivity Wired Built-in camera * ✓ Keyboard included ✓ Total megapixels 5 MP Keyboard connectivity Wired Network Keyboard layout QWERTY Wi-Fi * ✓ Other features Top Wi-Fi standard * Wi-Fi 6E (802.11ax) Chassis type All-in-One Display diagonal (metric) 68.6 cm Display included ✓ Keyboard type USB Infrared (IR) camera ✓	•			ENERGY STAR, TCO
Built-in microphone Camera Mouse included Mouse connectivity Wired Keyboard included Keyboard connectivity Wired Mouse included Keyboard included Keyboard connectivity Wired Keyboard layout Other features Top Wi-Fi standard * Wi-Fi 6E (802.11ax)	'		Packaging content	
CameraMouse connectivityWiredBuilt-in camera *✓Keyboard included✓Total megapixels5 MPKeyboard connectivityWiredNetworkKeyboard layoutQWERTYWi-Fi *Other featuresTop Wi-Fi standard *Wi-Fi 6E (802.11ax)Chassis typeAll-in-OneDisplay diagonal (metric)68.6 cmDisplay included✓Keyboard typeUSBInfrared (IR) camera✓	Built-in microphone	✓		,
Built-in camera * Total megapixels 5 MP Keyboard connectivity Keyboard layout Wired Wired Wiret Wi-Fi * Top Wi-Fi standard * Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) Keyboard layout Chassis type Display diagonal (metric) Display included Keyboard type USB Infrared (IR) camera ✓	Camera			
Total megapixels Network Wi-Fi * Top Wi-Fi standard * Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) Keyboard layout Other features Chassis type Display diagonal (metric) Display included Keyboard type Infrared (IR) camera ✓ Wired Wired Wired All-in-One 68.6 cm Display included ✓ Keyboard type USB	Built-in camera *	1	·	
Network Wi-Fi * Top Wi-Fi standard * Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) Keyboard layout Other features Chassis type Display diagonal (metric) Display included Keyboard type USB Infrared (IR) camera ✓			Keyboard connectivity	Wired
Wi-Fi * Top Wi-Fi standard * Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) Chassis type Display diagonal (metric) Display included Keyboard type USB Infrared (IR) camera ✓			Keyboard layout	QWERTY
Top Wi-Fi standard * Wi-Fi 6E (802.11ax) Chassis type All-in-One Display diagonal (metric) 68.6 cm Display included ✓ Keyboard type USB Infrared (IR) camera ✓			Other features	
Display diagonal (metric) 68.6 cm Display included Keyboard type USB Infrared (IR) camera ✓			Chassis type	All-in-One
Keyboard type USB Infrared (IR) camera ✓	TOP WITH Standard	**: 11 OE (OOZ.IIUA)	Display diagonal (metric)	68.6 cm
Infrared (IR) camera			Display included	✓
			Keyboard type	USB
Windows Hello ✓			Infrared (IR) camera	✓
			Windows Hello	✓





197961805062

0197961805062

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.