


## HP ZBook Studio G10 Intel® Core™ i7 i7-13800H Mobile workstation 40.6 cm (16") WUXGA 32 GB DDR5-SDRAM 1 TB SSD NVIDIA GeForce RTX 4080 Wi-Fi 6E (802.11ax) Windows 11 Pro Grey

Brand: HP Product family: ZBook Studio Product code: 98J70ET#ABH

**Product name:** G10







Design		Audio	
Product type *	Mobile workstation	Number of microphones	2
Product colour *	Grey	Camera	
Form factor *	Clamshell	Front camera	<b>✓</b>
Market positioning	Performance	Front camera HD type	HD
Introduction year	2023	Infrared (IR) camera	<b>√</b>
Original brand name	HP	. ,	•
Display		Network	
Display diagonal *	40.6 cm (16")	Wi-Fi	✓
Display resolution *	1920 x 1200 pixels	Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)
Touchscreen *	×	Wi-Fi standards	Wi-Fi 6E (802.11ax)
HD type	WUXGA	Mobile network connection *	×
Panel type	IPS	Antenna type	2x2
Native aspect ratio	16:10	WLAN controller model	Intel Wi-Fi 6E AX211
Anti-glare screen	✓	WLAN controller manufacturer	Intel
Display bezel technology	Micro-Edge	Bluetooth	✓
Display brightness	400 cd/m <sup>2</sup>	Bluetooth version	5.3
Display diagonal (metric)	40.6 cm	Ports & interfaces	
RGB colour space Colour gamut	sRGB 100%	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Processor		USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1
Processor manufacturer *	Intel	ports quantity	2
Processor family *	Intel® Core™ i7	Thunderbolt 4 ports quantity	2
Processor generation	13th gen Intel® Core™ i7	Intel® Thunderbolt 4	<b>✓</b>
Processor model *	i7-13800H	Combo headphone/mic port	✓
Processor cores	14	USB Type-C DisplayPort Alternate Mode	✓
Processor threads	20	USB Sleep-and-Charge	✓
Processor boost frequency	5.2 GHz	USB Sleep-and-Charge ports	2
Processor frequency * Performance cores	2.5 GHz 6	Keyboard	
Efficient cores	8	•	Marrahantandin
Performance-core Max Turbo	-	Keyboard special features	Morsbestendig
Frequency	5.2 GHz	Pointing device	Clickpad
Efficient-core Max Turbo Frequency	4 GHz	Numeric keypad *	X
Processor cache	24 MB	Keyboard backlit	<b>✓</b>
Processor cache type	L3	Spill-resistant keyboard	✓

Processor		Keyboard	
Processor base power	45 W	Full-size keyboard	✓
Maximum turbo power	115 W	Keyboard layout	QWERTY
Memory		Software	
Internal memory *	32 GB	Operating system installed *	Windows 11 Pro
Internal memory type	DDR5-SDRAM	. 5 ,	Willdows 11 FIO
Memory clock speed	5600 MHz	Brand-specific features	
Memory layout (slots x size)	2 x 16 GB	HP speaker type	HP Quad Speakers
Memory slots	2x SO-DIMM	HP Connection Optimizer	✓
Maximum internal memory *	64 GB	HP Support Assistant	✓
Memory channels	Dual-channel	HP front camera	HP Webcam HD IR
ECC	×	HP segment	Business
Non-ECC	✓	Battery	
Storage		Battery technology	Lithium Polymer (LiPo)
Total storage capacity *	1 TB	Number of battery cells	6
Storage media *	SSD	Battery capacity *	86 Wh
Total SSDs capacity	1 TB	Fast charging	✓
Number of SSDs installed	1	Fast charging time (50%)	30 min
SSD capacity	1 TB	Power	
SSD memory type	TLC	AC adapter power	200 W
SSD interface	PCI Express 4.0	AC adapter frequency	50 - 60 Hz
NVMe	<b>✓</b>	AC adapter input voltage	100 - 240 V
Optical drive type *	×	USB Power Delivery (USB PD)	✓
Card reader integrated	✓	Security	
Graphics		•	
o. upo		Cable lock slot	✓
Discrete GPII manufacturer	MVIDIA		
Discrete GPU manufacturer  Discrete graphics card model *	NVIDIA	Fingerprint reader	✓
Discrete graphics card model *	NVIDIA GeForce RTX 4080	Trusted Platform Module (TPM)	✓ ✓
Discrete graphics card model * Discrete graphics card memory		Trusted Platform Module (TPM) Trusted Platform Module (TPM)	
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type	NVIDIA GeForce RTX 4080 12 GB	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version	2.0
Discrete graphics card model * Discrete graphics card memory	NVIDIA GeForce RTX 4080 12 GB GDDR6X	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection	<ul><li>✓</li><li>2.0</li><li>✓</li></ul>
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer	NVIDIA GeForce RTX 4080 12 GB GDDR6X ✓	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type	2.0
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card *	NVIDIA GeForce RTX 4080 12 GB GDDR6X  Intel	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates	✓ 2.0 ✓ BIOS, Power on, User
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card *	NVIDIA GeForce RTX 4080 12 GB GDDR6X  Intel	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type	<ul><li>✓</li><li>2.0</li><li>✓</li></ul>
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family	NVIDIA GeForce RTX 4080 12 GB GDDR6X  Intel  Intel Iris Xe Graphics	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates	✓ 2.0 ✓ BIOS, Power on, User
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model *	NVIDIA GeForce RTX 4080 12 GB GDDR6X  Intel Intel Iris Xe Graphics Intel Iris Xe Graphics	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen	✓ 2.0 ✓ BIOS, Power on, User
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * Number of discrete graphics cards	NVIDIA GeForce RTX 4080 12 GB GDDR6X  Intel Intel Iris Xe Graphics Intel Iris Xe Graphics	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability	2.0  BIOS, Power on, User
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * Number of discrete graphics cards Audio	NVIDIA GeForce RTX 4080 12 GB GDDR6X  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics 1	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance	2.0  BIOS, Power on, User
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio system	NVIDIA GeForce RTX 4080 12 GB GDDR6X  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics 1  B&O PLAY	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates	2.0  BIOS, Power on, User
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio Built-in speaker(s)	NVIDIA GeForce RTX 4080 12 GB GDDR6X  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics 1  B&O PLAY	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width	2.0  BIOS, Power on, User  TCO
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio system Built-in speaker(s) Number of built-in speakers	NVIDIA GeForce RTX 4080  12 GB GDDR6X  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  1  B&O PLAY  4	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Weight & dimensions	2.0  BIOS, Power on, User  TCO  356 mm
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio Audio system Built-in speaker(s) Number of built-in speakers Speakers manufacturer	NVIDIA GeForce RTX 4080  12 GB GDDR6X  Intel  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  1  B&O PLAY  4  Bang & Olufsen	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth	2.0  BIOS, Power on, User  TCO  356 mm 242 mm
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio Audio system Built-in speaker(s) Number of built-in speakers Speakers manufacturer	NVIDIA GeForce RTX 4080  12 GB GDDR6X  Intel  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  1  B&O PLAY  4  Bang & Olufsen	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Weight & dimensions  Width Depth Height	2.0  BIOS, Power on, User  TCO  356 mm 242 mm 19 mm
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio Audio system Built-in speaker(s) Number of built-in speakers Speakers manufacturer	NVIDIA GeForce RTX 4080  12 GB GDDR6X  Intel  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  1  B&O PLAY  4  Bang & Olufsen	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Weight & dimensions  Width Depth Height Weight *  Packaging data	2.0  BIOS, Power on, User  TCO  356 mm 242 mm 19 mm
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio Audio system Built-in speaker(s) Number of built-in speakers Speakers manufacturer	NVIDIA GeForce RTX 4080  12 GB GDDR6X  Intel  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  1  B&O PLAY  4  Bang & Olufsen	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Weight & dimensions  Width Depth Height Height Weight *  Packaging data Package width	2.0  BIOS, Power on, User  TCO  356 mm 242 mm 19 mm 1.73 kg
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio Audio system Built-in speaker(s) Number of built-in speakers Speakers manufacturer	NVIDIA GeForce RTX 4080  12 GB GDDR6X  Intel  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  1  B&O PLAY  4  Bang & Olufsen	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Weight & dimensions  Width Depth Height Weight *  Packaging data	2.0  BIOS, Power on, User  TCO  356 mm 242 mm 19 mm 1.73 kg
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio Audio system Built-in speaker(s) Number of built-in speakers Speakers manufacturer	NVIDIA GeForce RTX 4080  12 GB GDDR6X  Intel  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  1  B&O PLAY  4  Bang & Olufsen	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Weight & dimensions  Width Depth Height Weight *  Packaging data  Package width Package depth	2.0  BIOS, Power on, User  TCO  356 mm 242 mm 19 mm 1.73 kg  552 mm 69 mm
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio Audio system Built-in speaker(s) Number of built-in speakers Speakers manufacturer	NVIDIA GeForce RTX 4080  12 GB GDDR6X  Intel  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  1  B&O PLAY  4  Bang & Olufsen	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Weight & dimensions  Width Depth Height Weight *  Packaging data  Package width Package height	2.0  BIOS, Power on, User  TCO  356 mm 242 mm 19 mm 1.73 kg  552 mm 69 mm
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio Audio system Built-in speaker(s) Number of built-in speakers Speakers manufacturer	NVIDIA GeForce RTX 4080  12 GB GDDR6X  Intel  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  1  B&O PLAY  4  Bang & Olufsen	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Weight & dimensions  Width Depth Height Weight *  Packaging data Package width Package height  Packaging content  Keyboard included	2.0  BIOS, Power on, User  TCO  356 mm 242 mm 19 mm 1.73 kg  552 mm 69 mm 345 mm
Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model * Number of discrete graphics cards  Audio Audio Audio system Built-in speaker(s) Number of built-in speakers Speakers manufacturer	NVIDIA GeForce RTX 4080  12 GB GDDR6X  Intel  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  1  B&O PLAY  4  Bang & Olufsen	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Weight & dimensions  Width Depth Height Weight *  Packaging data  Package width Package depth Package height  Packaging content	2.0  BIOS, Power on, User  TCO  356 mm 242 mm 19 mm 1.73 kg  552 mm 69 mm 345 mm





197961910063

0197961910063

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.