



TP-Link Festa FS352G L2/L2+ Gigabit Ethernet (10/100/1000) Strøm over Ethernet (PoE) Hvid

Mærke : TP-Link

Produktkode: FESTA FS352GP

Produktnavn : Festa FS352G



TP-Link Festa FS352G. Switch lag: L2/L2+. Basis omskiftning RJ-45 Ethernet porttype: Gigabit Ethernet (10/100/1000), Basis omskiftning RJ-45 Ethernet porte, antal: 48. MAC adresselabel: 16000 entries, Switch kapacitet: 104 Gbit/sek.. Netværksstandarder: IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z. Strøm over Ethernet (PoE). Stativ-montering



Administrationsfunktioner		Præstation	
Switch lag	L2/L2+	Flashhukommelse	32 MB
Porte & Grænseflader		Firmware kan opgraderes	✓
Basis omskiftning RJ-45 Ethernet porte, antal *	48	Ventilatorfri	✗
Basis omskiftning RJ-45 Ethernet porttype *	Gigabit Ethernet (10/100/1000)	Strømstyring	
Antal SFP modulslots	4	Strømkilde *	Vekselstrøm
Netværk		Vekselstrømsindgangsspænding	100 - 240 V
Netværksstandarder *	IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z	Vekselstrømsindgangsfrekvens	50/60 Hz
10G understøttelse *	✗	Power over Ethernet (PoE)	
Flowkontrol support	✓	Strøm over Ethernet (PoE) *	✓
Link aggregering	✓	Power over Ethernet plus (PoE+) porte, antal	48
Broadcast stormkontrol	✓	Power over Ethernet (PoE) effekt pr. port	30 W
Auto MDI/MDI-X	✓	Total Power over Ethernet (PoE)	384 W
VLAN understøttelse	✓	Driftsbetingelser	
Dataoverførsel		Driftstemperatur (T-T)	0 - 50 °C
Switch kapacitet *	104 Gbit/sek.	Opbevaringstemperatur (T-T)	-40 - 70 °C
Hastighed for videresendelse	77,38 Mpps	Relativ luftfugtighed ved drift (H-H)	10 - 90%
MAC adresselabel *	16000 entries	Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%
Jumbo Frames support	✓	Vægt & størrelser	
Pakke bufferlager	12 MB	Bredde	440 mm
Sikkerhed		Dybde	330 mm
DHCP funktioner	DHCP relay, DHCP server, DHCP snooping	Højde	44 mm
Adgangskontrol (ACL)	✓	Emballage indhold	
IGMP snooping	✓	Kabler inkluderet	Vekselstrøm
		Brugervejledning	✓

Design		Emballage indhold	
Stativ-montering *	✓	Rack monteringskit	✓
Produktfarve	Hvid	Godkendelser	
LED-indikatorer	✓	Compliance-certifikater	CE, Federal Communications Commission (FCC)
Antal blæsere	3 blæser(e)		
Præstation			
Intern hukommelse	256 MB		



8885020622393

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.