



TP-Link TL-SG1218MPE Administreret L2 Gigabit Ethernet (10/100/1000) Strøm over Ethernet (PoE) 1U Sort

Mærke : TP-Link

Produktkode: TL-SG1218MPE V1

Produktnavn : TL-SG1218MPE



TP-Link TL-SG1218MPE. Switch-type: Administreret, Switch lag: L2. Basis omskiftning RJ-45 Ethernet porttype: Gigabit Ethernet (10/100/1000), Basis omskiftning RJ-45 Ethernet porte, antal: 16. MAC adresselabel: 8000 entries, Switch kapacitet: 36 Gbit/sek.. Netværksstandarder: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE.... Strøm over Ethernet (PoE). Stativ-montering, Formfaktor: 1U



Administrationsfunktioner		Sikkerhed	
Switch-type *	Administreret	Sikkerhedsalgoritmer	SNMP, SNMPv2, SNMPv3
Switch lag	L2	Loop beskyttelse	✓
Servicekvalitet support (QoS)	✓	Design	
Webbaseret administration	✓	Stativ-montering *	✓
Porte & Grænseflader		Formfaktor	1U
Basis omskiftning RJ-45 Ethernet porte, antal *	16	Produktfarve	Sort
Basis omskiftning RJ-45 Ethernet porttype *	Gigabit Ethernet (10/100/1000)	Antal blæsere	2 blæser(e)
Gigabit Ethernet (kobber) porte, antal	16	Strømstyring	
Antal SFP modulslots	2	Strømkilde *	Vekselstrøm
Netværk		Strømforsyning inkluderet *	✓
Netværksstandarder *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x	Vekselstrømsindgangsspænding	100 - 240 V
10G understøttelse *	✗	Vekselstrømsindgangsfrekvens	50 - 60 Hz
Kobber ethernet kabelteknologi	10BASE-T, 100BASE-TX, 1000BASE-T	Strømforbrug (maks.)	217,22 W
Understøttede kabeltyper	Cat3, Cat4, Cat5, Cat5e, Cat6	Power over Ethernet (PoE)	
Port-spejlning	✓	Strøm over Ethernet (PoE) *	✓
Flowkontrol support	✓	Power over Ethernet plus (PoE+) porte, antal	16
Link aggregering	✓	Total Power over Ethernet (PoE)	192 W
Broadcast stormkontrol	✓	Driftsbetingelser	
Begrænsning af hastighed	✓	Driftstemperatur (T-T)	0 - 50 °C
Auto MDI/MDI-X	✓	Opbevaringstemperatur (T-T)	-40 - 70 °C
Auto-forhandling	✓	Relativ luftfugtighed ved drift (H-H)	10 - 90%
		Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%
		Varmeafgivelse	741,15 BUT/t
		Vægt & størrelser	

Netværk		Vægt & størrelser	
VLAN understøttelse	✓	Bredde	440 mm
Vituelle LAN funktioner	Port-based VLAN	Dybde	180 mm
Antal VLAN'er	32	Højde	44 mm
Optisk fiber		Emballage indhold	
Fiber ethernet kabelteknologi	1000BASE-X	Kabler inkluderet	Vekselstrøm
Dataoverførsel		Brugervejledning	✓
Switch kapacitet *	36 Gbit/sek.	Rack monteringskit	✓
Hastighed for videresendelse	23,8 Mpps	Emballeringsdata	
MAC adresselabel *	8000 entries	Pakkebredde	250 mm
Opbevar-og-frem	✓	Pakkedybde	528 mm
Antal køer	4	Pakkehøjde	80 mm
Jumbo Frames support	✓	Pakkevægt	2,91 kg
Jumbo rammer	9000	Godkendelser	
Pakke bufferlager	4,1 MB	Certificering	CE, FCC, RoHS
Sikkerhed		Logistik data	
IGMP snooping	✓	Harmoniseret systemkode (HS)	85176990



6935364086930



6935364086923



0845973086923



845973086923



1210002617116

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.