



TP-Link TL-SG105 netværksswitch Ikke administreret L2 Gigabit Ethernet (10/100/1000) Sort

Mærke : TP-Link

Produktkode: TL-SG105


Produktnavn : TL-SG105

TP-Link TL-SG105. Switch-type: Ikke administreret, Switch lag: L2. Basis omskiftning RJ-45 Ethernet porttype: Gigabit Ethernet (10/100/1000), Basis omskiftning RJ-45 Ethernet porte, antal: 5. Fuld duplex. MAC adresselabel: 2048 entries, Switch kapacitet: 10 Gbit/sek.. Netværksstandarder: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Strømsstik: DC-in-stik. Kan monteres på væggen



Administrationsfunktioner		Multicast funktioner	
Switch-type *	Ikke administreret	Multicast-understøttelse	✓
Switch lag	L2	Design	
Servicekvalitet support (QoS)	✓	Stativ-montering *	✗
Porte & Grænseflader		Produktfarve	Sort
Basis omskiftning RJ-45 Ethernet porte, antal *	5	Husmateriale	Stål
Basis omskiftning RJ-45 Ethernet porttype *	Gigabit Ethernet (10/100/1000)	LED-indikatorer	✓
Gigabit Ethernet (kobber) porte, antal	5	Kan monteres på væggen	✓
Strømsstik	DC-in-stik	Strømstyring	
Netværk		Strømforsyning inkluderet *	✓
Netværksstandarder *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Vekselstrømsindgangsspænding	220 V
10G understøttelse *	✗	Vekselstrømsindgangsfrekvens	50 Hz
Kobber ethernet kabelteknologi	10BASE-T, 100BASE-TX, 1000BASE-T	Indgangsstrøm	0.6 A
Understøttede kabeltyper	Cat3, Cat4, Cat5, Cat5e	Strømforsbrug (maks.)	2,3 W
Fuld duplex	✓	Power over Ethernet (PoE)	
Flowkontrol support	✓	Strøm over Ethernet (PoE) *	✗
Auto MDI/MDI-X	✓	Driftsbetingelser	
Auto-forhandling	✓	Driftstemperatur (T-T)	0 - 40 °C
MAC-adresse auto-indlæring understøttet	✓	Opbevaringstemperatur (T-T)	-40 - 70 °C
MAC-adresse auto-forældelse understøttet	✓	Relativ luftfugtighed ved drift (H-H)	10 - 90%
Dataoverførsel		Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%
Switch kapacitet *	10 Gbit/sek.	Varmeafgivelse	7,83 BUT/t
		Vægt & størrelser	
		Bredde	100 mm
		Dybde	98 mm
		Højde	25 mm

Dataoverførsel		Emballage indhold	
Hastighed for videresendelse	7,4 Mpps	Kabler inkluderet	Vekselstrøm
MAC adresselabel *	2048 entries	Brugervejledning	✓
Opbevar-og-frem	✓	Emballeringsdata	
Jumbo Frames support	✓	Pakke type	Kasse
Jumbo rammer	16000	Godkendelser	
Pakke bufferlager	1 MB	Certificering	CE, FCC, RoHS
Sikkerhed		Logistik data	
IGMP snooping	✓	Harmoniseret systemkode (HS)	85176990



0172304263228



172304263228



1210002613248

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.