



TP-Link TL-SG105PE netværksswitch Administreret L2 Gigabit Ethernet (10/100/1000) Strøm over Ethernet (PoE) Sort

Mærke : TP-Link

Produktkode: TL-SG105PE

Produkt navn : TL-SG105PE



TP-Link TL-SG105PE. Switch-type: Administreret, Switch lag: L2. Basis omskiftning RJ-45 Ethernet porttype: Gigabit Ethernet (10/100/1000), Basis omskiftning RJ-45 Ethernet porte, antal: 5. MAC adresselabel: 2000 entries, Switch kapacitet: 10 Gbit/sek.. Netværksstandarder: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE.... Strøm over Ethernet (PoE)



Administrationsfunktioner		Design	
Switch-type *	Administreret	Stativ-montering *	✗
Switch lag	L2	Produktfarve	Sort
Servicekvalitet support (QoS)	✓	LED-indikatorer	Aktivitet, Link, PoE, Strøm, Hastighed, Status
Webbaseret administration	✓		
Porte & Grænseflader		Præstation	
Basis omskiftning RJ-45 Ethernet porte, antal *	5	Ventilatorfri	✓
Basis omskiftning RJ-45 Ethernet porttype *	Gigabit Ethernet (10/100/1000)	Strømstyring	
Gigabit Ethernet (kobber) porte, antal	5	Strømkilde *	DC
Netværk		Strømforsyning inkluderet *	✓
Netværksstandarder *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Indgangsstrøm	1.31 A
10G understøttelse *	✗	Indgangsspænding	53.5 V
Kobber ethernet kabelteknologi	10BASE-T, 100BASE-FX, 100BASE-TX, 1000BASE-T	Strømforsbrug (maks.)	75,16 W
Understøttede kabeltyper	Cat3, Cat4, Cat5, Cat5e, Cat6	Power over Ethernet (PoE)	
Port-spejlning	✓	Strøm over Ethernet (PoE) *	✓
Flowkontrol support	✓	Power over Ethernet plus (PoE+) porte, antal	4
Link aggregering	✓	Power over Ethernet (PoE) effekt pr. port	30 W
Broadcast stormkontrol	✓	Total Power over Ethernet (PoE)	65 W
Begrænsning af hastighed	✓	Driftsbetingelser	
Auto MDI/MDI-X	✓	Driftstemperatur (T-T)	0 - 40 °C
Auto-forhandling	✓	Opbevaringstemperatur (T-T)	-40 - 70 °C
VLAN understøttelse	✓	Relativ luftfugtighed ved drift (H-H)	10 - 90%
		Relativ luftfugtighed ved opbevaring (H-H)	5 - 95%
		Varmeafgivelse	256,3 BUT/t

Netværk		Vægt & størrelser	
Vituelle LAN funktioner	Port-based VLAN, Tagged VLAN	Bredde	99,8 mm
Antal VLAN'er	4000	Dybde	98 mm
Dataoverførsel		Højde	25 mm
Switch kapacitet *	10 Gbit/sek.	Emballage indhold	
Hastighed for videresendelse	7,44 Mpps	Brugervejledning	✓
MAC adresselabel *	2000 entries	Emballeringsdata	
Opbevar-og-frem	✓	Pakkebredde	131 mm
Antal køer	4	Pakkedybde	196 mm
Jumbo Frames support	✓	Pakkehøjde	121 mm
Jumbo rammer	16000	Pakkevægt	770 g
Pakke bufferlager	1 MB	Godkendelser	
Sikkerhed		Certificering	FCC, CE, RoHS
IGMP snooping	✓	Logistik data	
Loop beskyttelse	✓	Harmoniseret systemkode (HS)	85176990



6935364052744



6935364052751



0845973089986



845973089986



1210002616867



1210002616850



0840460604055



840460604055

Catalog Object Cloud



Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web) pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.