



<b>Display</b>		<b>Vægt &amp; størrelser</b>	
Standard for farveskala	sRGB	Bredde (med stativ)	611,6 mm
Farveområde	99%	Dybde (med stativ)	185 mm
<b>Præstation</b>		Højde (med stativ)	535,2 mm
NVIDIA G-SYNC *	✗	Vægt (med stativ)	6,87 kg
AMD FreeSync *	✗	Bredde (uden stativ)	611,6 mm
Lav Blue Light teknologi	✓	Dybde (uden stativ)	52,1 mm
<b>Multimedie</b>		Højde (uden stativ)	360,7 mm
Indbyggede højttaler(e) *	✗	Vægt (uden stativ)	5,05 kg
Indbygget kamera *	✗	Facet bredde (side)	7,4 mm
<b>Design</b>		Facet bredde (øverste)	7,4 mm
Markedspositionering *	Forretning	Facet bredde (bund)	1,77 cm
Produktfarve *	Sort	<b>Emballeringsdata</b>	
Frontkantfarve	Sort	Pakkevægt	9,68 kg
Aftageligt stativ	✓	<b>Emballage indhold</b>	
Farve	Sølv	Stativ inkluderet	✓
<b>Porte &amp; Grænseflader</b>		Kabler inkluderet	Vekselstrøm, DisplayPort, USB Type-A til USB Type-C, USB Type-C til USB Type-C
Indbygget USB-hub *	✓	Hurtig start guide	✓
USB-hub-version	3.2 Gen 1 (3.1 Gen 1)	DisplayPort kabellængde	1,8 m
USB upstream port type	USB Type-C	<b>Bæredygtighed</b>	
Antal USB Type-C opstrømsporte	1	Bæredygtighedscertifikater	ENERGY STAR, TCO
Antal USB type-A downstream-porte	4	Indeholder ikke	PVC/BFR
HDMI *	✓	<b>CO2-aftryk</b>	
Antal HDMI-porte	1	Samlet CO2-fodaftrek (kg of CO2e)	727
HDMI-version	2.0	Samlet kulstofudledning, standardafvigelse (kg CO2e)	172
Antal DisplayPorts	1	Kulstofudledning, produktion (kg CO2e)	380,95
DisplayPort-version	1.4	Kulstofudledning, logistik (kg CO2e)	86,51
Udgang til hovedtelefoner *	✗	Kulstofudledning, energiforbrug (kg CO2e)	253,72
HDCP	✓	Udledning af kulstof i slutningen af levetiden (kg CO2e)	5,82
<b>Netværk</b>		PAIA-version	PAIA 1.3.0, 2021
Wi-Fi	✗	<b>Andre funktioner</b>	
<b>Ergonomisk</b>		Ingen tungmetaller	Hg (kviksølv)
VESA montering *	✓	Compliance-certifikater	RoHS
Panel montering grænseflade	100 x 100 mm	Ethernet LAN-porte (RJ-45)	1
Slot til kabellås *	✓	<b>Logistik data</b>	
Højdejustering *	✓	Harmoniseret systemkode (HS)	85285210
Justerbar højde (maks.)	15 cm		
Akse	✓		
Pivot vinkel	90 - 90°		
Drejelig	✓		
Drejevinkel område	-45 - 45°		



5397184656808




5704174839477



5704174839484



5704174839460



0884116417927



884116417927

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.