

## ASUS ProArt OLED PA32DC computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black

**Brand :** ASUS

**Product family:** ProArt OLED

**Product code:** 90LM06N0-B01I70

**Product name :** PA32DC



- 31.5-inch 4K (3840 x 2160) HDR OLED panel with RGB stripes and 99% DCI-P3 color gamut
  - Built-in colorimeter and ASUS Auto Calibration complement ASUS ProArt Calibration software as well as Calman and Light Illusion ColourSpace CMS professional hardware calibration software
  - True 10-bit color depth and 1,000,000:1 contrast ratio provide the deepest blacks and accurate highlights
  - Supports multiple HDR formats, including HDR10 and HLG
  - Includes two versatile stand options to suit any scenario or setup, along with an elegant metal handle for portability
  - Monitor hood helps reduce reflections, and bundled clips allow for easy cable management
- ProArt Display OLED PA32DC Professional Monitor - 31.5-inch, OLED, 4K UHD (3840 x 2160), 99% DCI-P3, Built-in Motorized Colorimeter, Auto Calibration, HDR-10, HLG,  $\Delta E < 1$ , USB-C, HDMI, Hardware Calibration, Calman Ready, ColourSpace Integration

5 YIL GARANTİ UZATMA ÜRÜN KAYIT SAYFASI



\*Ürününüzü kaydetmek için QR kodu okutunuz.

| Display                             |                                                                     | Ports & interfaces                        |              |
|-------------------------------------|---------------------------------------------------------------------|-------------------------------------------|--------------|
| Display diagonal *                  | 80 cm (31.5")                                                       | HDMI version                              | 2.0          |
| Display resolution *                | 3840 x 2160 pixels                                                  | DisplayPorts quantity                     | 1            |
| HD type *                           | 4K Ultra HD                                                         | DisplayPort version                       | 1.4          |
| Native aspect ratio *               | 16:9                                                                | Headphone out *                           | ✓            |
| Display technology *                | OLED                                                                | PC Audio in                               | ✓            |
| Panel type *                        | OLED                                                                | HDCP                                      | ✓            |
| Touchscreen *                       | ✗                                                                   | HDCP version                              | 2.2          |
| Display brightness (peak)           | 500 cd/m <sup>2</sup>                                               | <b>Ergonomics</b>                         |              |
| Display brightness (typical)        | 250 cd/m <sup>2</sup>                                               | VESA mounting *                           | ✓            |
| Response time *                     | 0.1 ms                                                              | Panel mounting interface                  | 100 x 100 mm |
| Display surface                     | Matt                                                                | Cable lock slot *                         | ✓            |
| Anti-glare screen                   | ✓                                                                   | Cable lock slot type                      | Kensington   |
| Screen shape *                      | Flat                                                                | Height adjustment *                       | ✓            |
| Contrast ratio (typical) *          | 1000000:1                                                           | Adjustable height (max)                   | 13 cm        |
| Maximum refresh rate *              | 60 Hz                                                               | Pivot                                     | ✓            |
| Viewing angle, horizontal           | 178°                                                                | Pivot angle                               | -90 - 90°    |
| Viewing angle, vertical             | 178°                                                                | Swivelling                                | ✓            |
| Display number of colours *         | 1.073 billion colours                                               | Swivel angle range                        | -30 - 30°    |
| Pixel pitch                         | 0.182 x 0.182 mm                                                    | Tilt adjustment                           | ✓            |
| Viewable size, horizontal           | 69.8 cm                                                             | Tilt angle range                          | -5 - 23°     |
| Viewable size, vertical             | 39.3 cm                                                             | <b>Power</b>                              |              |
| Digital horizontal frequency        | 31 - 135 kHz                                                        | Energy efficiency class (SDR) *           | G            |
| Digital vertical frequency          | 24 - 75 Hz                                                          | Energy efficiency class (HDR) *           | G            |
| High Dynamic Range (HDR) supported  | ✓                                                                   | Energy consumption (SDR) per 1000 hours * | 46 kWh       |
| High Dynamic Range (HDR) technology | Dolby Vision, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG) | Energy consumption (HDR) per 1000 hours * | 75 kWh       |
| Colour depth                        | 10 bit                                                              |                                           |              |
| Colour gamut standard               | DCI-P3                                                              |                                           |              |

| Display                                      |                       | Power                         |                                                                                             |
|----------------------------------------------|-----------------------|-------------------------------|---------------------------------------------------------------------------------------------|
| Colour gamut                                 | 99%                   | Power consumption (typical) * | 38 W                                                                                        |
| Adobe RGB coverage                           | 99%                   | Power consumption (off)       | 0 W                                                                                         |
| Performance                                  |                       | Power consumption (PowerSave) | 0.5 W                                                                                       |
| NVIDIA G-SYNC *                              | ✗                     | AC input voltage              | 100 - 240 V                                                                                 |
| AMD FreeSync *                               | ✗                     | AC input frequency            | 50 - 60 Hz                                                                                  |
| Flicker-free technology                      | ✓                     | Energy efficiency scale       | A to G                                                                                      |
| Low Blue Light technology                    | ✓                     | Weight & dimensions           |                                                                                             |
| Multimedia                                   |                       | Width (with stand)            | 735.4 mm                                                                                    |
| Number of speakers                           | 2                     | Depth (with stand)            | 245 mm                                                                                      |
| RMS rated power                              | 6 W                   | Height (with stand)           | 626.9 mm                                                                                    |
| Built-in speaker(s) *                        | ✓                     | Weight (with stand)           | 12.1 kg                                                                                     |
| Built-in camera *                            | ✗                     | Width (without stand)         | 735.4 mm                                                                                    |
| Design                                       |                       | Depth (without stand)         | 54.4 mm                                                                                     |
| Market positioning *                         | Graphics design       | Height (without stand)        | 466.9 mm                                                                                    |
| Product colour *                             | Black                 | Weight (without stand)        | 7.6 kg                                                                                      |
| Detachable stand                             | ✓                     | Packaging data                |                                                                                             |
| Feet colour                                  | Black                 | Package width                 | 878 mm                                                                                      |
| Ports & interfaces                           |                       | Package depth                 | 298 mm                                                                                      |
| Built-in USB hub *                           | ✓                     | Package height                | 616 mm                                                                                      |
| USB hub version                              | 3.2 Gen 2 (3.1 Gen 2) | Package weight                | 19.9 kg                                                                                     |
| USB upstream port type                       | USB Type-C            | Package type                  | Box                                                                                         |
| Number of upstream ports                     | 1                     | Packaging content             |                                                                                             |
| Number of USB Type-C upstream ports quantity | 1                     | Stand included                | ✓                                                                                           |
| USB Type-A downstream ports quantity         | 4                     | Cables included               | AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A                                 |
| USB Power Delivery (USB PD)                  | ✓                     | Sun hood included             | ✓                                                                                           |
| USB Power Delivery up to                     | 65 W                  | Quick start guide             | ✓                                                                                           |
| HDMI *                                       | ✓                     | Other features                |                                                                                             |
| HDMI ports quantity                          | 3                     | Certification                 | Energy Star TÜV Flicker-free TÜV Low Blue Light VESA DisplayHDR 400 True Black Calman Ready |



4711081560883



0195553560931



195553560931

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.