



Lenovo ThinkVision P24q-30 computer monitor 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LED Black



Brand : Lenovo

Product family: ThinkVision

Product code: 63B4GAR6US

Product name : P24q-30

- 60.5cm (23.8") Quad HD 2560 x 1440 W-LED IPS
- 6ms, 16:9, 300cd/m², 1000:1
- USB, HDMI, DisplayPort


60.5cm (23.8") Quad HD 2560 x 1440 W-LED IPS, 16:9, 300cd/m², 16.7M, 6ms, 178°/178°, 1000:1
Lenovo ThinkVision P24q-30. Display diagonal: 60.5 cm (23.8"), Display resolution: 2560 x 1440 pixels,
HD type: Quad HD, Display technology: LED, Response time: 6 ms, Native aspect ratio: 16:9, Viewing
angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height
adjustment. Product colour: Black

| Display | | Ergonomics | |
|-------------------------------------|-------------------------------|---|--------------|
| Display diagonal * | 60.5 cm (23.8") | Panel mounting interface | 100 x 100 mm |
| Display resolution * | 2560 x 1440 pixels | Cable management | ✓ |
| HD type * | Quad HD | Cable lock slot * | ✓ |
| Native aspect ratio * | 16:9 | Cable lock slot type | Kensington |
| Display technology * | LED | Height adjustment * | ✓ |
| Panel type * | IPS | Adjustable height (max) | 15.5 cm |
| Backlight type | W-LED | Pivot | ✓ |
| Touchscreen * | ✗ | Pivot angle | -90 - 90° |
| Display brightness (typical) | 300 cd/m ² | Swivelling | ✓ |
| Response time * | 6 ms | Swivel angle range | -45 - 45° |
| Anti-glare screen | ✓ | Tilt adjustment | ✓ |
| Screen shape * | Flat | Tilt angle range | -5 - 23.5° |
| Contrast ratio (typical) * | 1000:1 | On Screen Display (OSD) | ✓ |
| Contrast ratio (dynamic) | 3000000:1 | Power | |
| Maximum refresh rate * | 60 Hz | Energy efficiency class (SDR) * | E |
| Viewing angle, horizontal | 178° | Energy consumption (SDR) per 1000 hours * | 16 kWh |
| Viewing angle, vertical | 178° | Power consumption (typical) * | 25 W |
| Display number of colours * | 16.7 million colours | Power consumption (max) | 65 W |
| Response time (fast) | 4 ms | Power consumption (off) | 0.5 W |
| Pixel pitch | 0.205 x 0.205 mm | AC input voltage | 100 - 240 V |
| Pixel density | 123 ppi | AC input frequency | 50 - 60 Hz |
| Viewable size, horizontal | 52.7 cm | Power supply type | Internal |
| Viewable size, vertical | 29.6 cm | Energy efficiency scale | A to G |
| High Dynamic Range (HDR) supported | ✓ | Weight & dimensions | |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) | Width (with stand) | 539.5 mm |
| Colour depth | 8 bit | Depth (with stand) | 199.7 mm |
| Colour gamut standard | sRGB | Weight (with stand) | 5.7 kg |
| Colour gamut | 99% | Width (without stand) | 539.5 mm |
| sRGB coverage (typical) | 99% | Depth (without stand) | 46.5 mm |
| | | Height (without stand) | 323.7 mm |
| | | Weight (without stand) | 3.8 kg |
| | | Bezel width (side) | 2 mm |
| | | Bezel width (top) | 2 mm |
| | | Bezel width (bottom) | 1.8 cm |
| Performance | | | |
| Low Blue Light technology | ✓ | | |
| Design | | | |
| Product colour * | Black | | |
| Colour name | Raven Black | | |

| Ports & interfaces | | Packaging data | |
|--|-----|------------------------------|---|
| Built-in USB hub * | ✓ | Package width | 620 mm |
| Number of upstream ports | 1 | Package depth | 160 mm |
| Number of USB Type-B upstream ports quantity | 1 | Package height | 420 mm |
| USB Type-A downstream ports quantity | 4 | Package weight | 8.3 kg |
| HDMI * | ✓ | Packaging content | |
| HDMI ports quantity | 1 | Stand included | ✓ |
| HDMI version | 2.0 | Cables included | AC, DisplayPort, HDMI, USB Type-C |
| DisplayPorts quantity | 2 | Quick start guide | ✓ |
| DisplayPort version | 1.4 | DisplayPort cable length | 1.8 m |
| Audio output | ✓ | HDMI cable length | 1.8 m |
| Network | | Other features | |
| Ethernet LAN | ✓ | Compatible operating systems | Windows 10, Windows 11 |
| Ergonomics | | Certification | Energy Star Certified, TCO 9.0, TCO Edge 2.0, EPEAT Gold, RoHS Eyesafe Display, TÜV Low Blue Light (Hardware solution), TÜV Rheinland Low Blue Light, TÜV Rheinland Flicker Free, TÜV Rheinland Eye Comfort |
| VESA mounting * | ✓ | | |



0196380977107



196380977107

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.