## Samsung QM55B-T Signage Display Digital signage flat panel 139.7 cm (55") LED Wi-Fi 500 cd/m<sup>2</sup> 4K Ultra HD Black Touchscreen Built-in processor Tizen 6.5 24/7

**Brand :** Samsung **Product code:** QM55B-T

Product name: QM55B-T

- Incredibly clear screen with eye-catching 4K UHD picture quality
- Improved visibility with non-glare panel for hyper-realistic, immersive visual experience
- Efficient and reliable display even in dusty environments and repeated customer interactions
- Easy content creation, scheduling and publication with MagicINFO

55", 3840x2160, 4000:1, 24/7, Touchscreen

Samsung QM55B-T. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: LED, Display resolution:  $3840 \times 2160$  pixels, Display brightness:  $500 \text{ cd/m}^2$ , HD type: 4K Ultra HD, Touchscreen. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Tizen 6.5. Product colour: Black





| Display                                                                                                                                                                                                                        |                                                                                                                                                                                               | Power                                                                                                                      |                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| Panel type VA  Display diagonal * 139.7 cm (55")  Display technology * LED  Display resolution * 3840 x 2160 pixels  Display brightness * 500 cd/m²  HD type * 4K Ultra HD  Touchscreen * ✓  Touchscreen technology Capacitive | Power consumption (standby) * Energy efficiency class (SDR) Energy efficiency class (HDR) Energy consumption (SDR) per 1000 hours AC input voltage AC input frequency Energy efficiency scale | 0.5 W G Not available 107 kWh 100 - 240 V 50 - 60 Hz A to G                                                                |                                             |
| Native aspect ratio                                                                                                                                                                                                            | 16:9                                                                                                                                                                                          | Computer system                                                                                                            |                                             |
| Contrast ratio (typical) Viewing angle, horizontal Viewing angle, vertical Pixel pitch Native refresh rate Haze rate RGB colour space                                                                                          | 4000:1<br>178°<br>178°<br>0.315 x 0.315 mm<br>60 Hz<br>25%<br>DCI-P3                                                                                                                          | Computer system *  Built-in processor *  Processor manufacturer  Processor family  Processor model  Processor architecture | ARM ARM Cortex Cortex-A72 ARM Cortex-A72    |
| Ports & interfaces                                                                                                                                                                                                             |                                                                                                                                                                                               | Processor frequency Processor cores                                                                                        | 1.7 GHz<br>2                                |
| HDMI ports quantity * HDMI version                                                                                                                                                                                             | 3<br>2.0                                                                                                                                                                                      | Internal storage capacity Operating system installed                                                                       | 16 GB<br>Tizen 6.5                          |
| DVI port *                                                                                                                                                                                                                     | ×                                                                                                                                                                                             | Weight & dimensions                                                                                                        |                                             |
| DisplayPorts quantity * USB port * USB ports quantity USB version                                                                                                                                                              | 1<br>* 2 2.0                                                                                                                                                                                  | Width<br>Depth<br>Height<br>Weight                                                                                         | 1253.8 mm<br>56.7 mm<br>734.6 mm<br>26.9 kg |
| RS-232C                                                                                                                                                                                                                        | ✓                                                                                                                                                                                             | Packaging data                                                                                                             | J                                           |
| DC-in jack  Audio  Built-in speaker(s) *                                                                                                                                                                                       | <i>'</i>                                                                                                                                                                                      | Package width Package depth Package height                                                                                 | 1421 mm<br>165 mm<br>884 mm                 |
| RMS rated power                                                                                                                                                                                                                | 10 W                                                                                                                                                                                          | Package weight                                                                                                             | 32.5 kg                                     |
| Design                                                                                                                                                                                                                         |                                                                                                                                                                                               | Operational conditions                                                                                                     |                                             |
| Product design * Placement supported * Orientation                                                                                                                                                                             | Digital signage flat panel<br>Indoor<br>Horizontal/Vertical                                                                                                                                   | Operating temperature (T-T) Operating relative humidity (H-H)                                                              | 0 - 40 °C<br>10 - 80%                       |

| Design                                                             |                   | Network           |                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------|-------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product colour *                                                   | Black             | Ethernet LAN *    | ×                                                                                                                                                                                                                                                                                                                                   |
| VESA mounting *                                                    | ✓                 | Wi-Fi *           | ✓                                                                                                                                                                                                                                                                                                                                   |
| Panel mounting interface 200 x 200 mm  Bezel width (bottom) 2.6 cm | Technical details |                   |                                                                                                                                                                                                                                                                                                                                     |
| Bezel width (side) Bezel width (top) Anti-glare screen             | 2.1 cm<br>2.6 cm  | Special features  | Symmetric Design (same with QxR), Center IR, Temperature Sensor, Auto Level, Wi-Fi(2.4/5.0GHz dual) & BT S/W: Workspace (Microsoft365/VMWare/RDP), Custom Home, Auto Source Switching & Recovery, Dicom Simulation Mode, Director Mode, Upgradable Web-Engine, Tizen Enterprise Platform, Video Conference Solution, Jend of June~1 |
| Performance                                                        |                   |                   |                                                                                                                                                                                                                                                                                                                                     |
| Operating hours (hours/days)<br>HDCP<br>HDCP version               | 24/7<br>✓ 2.2     |                   |                                                                                                                                                                                                                                                                                                                                     |
| Power                                                              |                   |                   | Smart Calibration                                                                                                                                                                                                                                                                                                                   |
| Power consumption (typical) *                                      | 108 W             | Other features    |                                                                                                                                                                                                                                                                                                                                     |
|                                                                    |                   | Power supply type | Internal                                                                                                                                                                                                                                                                                                                            |





887276670294

0887276670294

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.