

Epson WorkForce WF-2960DWF

Brand : Epson

Product family: WorkForce

Product code: C11CK60401

Product name : WorkForce
WF-2960DWF

- A4 multifunction printer for business quality documents: High quality print, copy, scan and fax in one machine, plus 30-page ADF
- Wireless connectivity lets you print from anywhere: Use the Epson Smart Panel app to set up, monitor, print and more from your mobile
- Save money by only replacing the colour used: With Epson's genuine individual inks
- Money and paper saving double-sided printing: Automatically print on both sides to reduce paper usage and save money
- Enjoy hassle-free ink replacements, delivered to your door, before you run out!: First 6 months free ReadyPrint Flex ink subscription* with code FLEX6

WorkForce WF-2960DWF



Printing		Network	
Duplex printing mode	Auto	Ethernet LAN data rates	10,100 Mbit/s
Print technology *	Inkjet	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Printing *	Colour printing	Security algorithms	64-bit WEP, 128-bit WEP, WPA2-PSK, WPA3-SAE
Duplex printing *	✓	Mobile printing technologies	Apple AirPrint, Epson Smart Panel, Epson Connect, Epson Email Print, Epson Remote Print, Epson Scan to Cloud, Mopria Print Service
Maximum resolution *	4800 x 1200 DPI		
Print speed (black, normal quality, A4/US Letter) *	33 ppm		
Print speed (colour, normal quality, A4/US Letter)	20 ppm		
Print speed (ISO/IEC 24734) black	14 ppm		
Print speed (ISO/IEC 24734) colour	7.5 ppm	Design	
Duplex print speed (ISO/IEC 24734, A4) black	6.5 ppm	Product colour *	Black
Duplex print speed (ISO/IEC 24734, A4) colour	4.5 ppm	Market positioning *	Home & office
Borderless printing	✓	Built-in display *	✓
		Display	LCD
		Display diagonal	6.1 cm (2.4")
		Control type	Touch
		Colour display	✓
Copying		Power	
Copying *	Colour copying	Power consumption (copying)	12 W
Scanning		Power consumption (ready)	5.4 W
Scanning *	Colour scanning	Power consumption (sleep)	1 W
Optical scanning resolution *	1200 x 2400 DPI	Power consumption (off)	0.2 W
Maximum scan area	216 x 297 mm	AC input voltage	100 - 240 V
Scanner type *	ADF scanner	AC input frequency	50 - 60 Hz
Scan technology	CIS	System requirements	
Scan speed (black, normal quality)	200 DPI 200 dpi (with ADF); , 5 ipm with ADF scan	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows Vista, Windows XP
Scan speed (colour, normal quality)	200 DPI 200 dpi (with ADF); , 5 ipm with ADF scan		

Fax		System requirements	
Faxing *	Colour faxing	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Fax transmission speed	3 sec/page		
Modem speed	33.6 Kbit/s		
Fax memory	100 pages		
Auto-redialing	✔		
Speed dialling	✔		
Features		Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2012 x64, Windows Server 2016
Maximum duty cycle *	3000 pages per month		
Duplex functions *	Print		
Number of print cartridges *	4		
Printing colours *	Yellow, Magenta, Cyan, Black		
Country of origin	Philippines		
Input & output capacity		Weight & dimensions	
Total number of input trays *	1	Width	375 mm
Total input capacity *	150 sheets	Depth	347 mm
Auto document feeder (ADF)	✔	Height	231 mm
Auto document feeder (ADF) input capacity	30 sheets	Weight	6.4 kg
Paper handling		Packaging data	
Maximum ISO A-series paper size *	A4	Package width	415 mm
Paper tray media types *	Envelopes, Photo paper, Plain paper	Package depth	450 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Package height	320 mm
ISO B-series sizes (B0...B9)	B5, B6	Package weight	8.28 kg
Non-ISO print media sizes	Letter	Quantity per pack	1 pc(s)
Envelopes sizes	10, C4, C6, DL	Packaging content	
Photo paper sizes	10x15,13x18 cm	Bundled software	Epson Event Manager, Epson Fax Utility, Epson Photo+, Epson ScanSmart
Paper tray media weight	64 - 300 g/m²		
Ports & interfaces		Logistics data	
Direct printing *	✔	Products per pallet layer	2 pc(s)
USB port	✔	Products per pallet	12 pc(s)
USB 2.0 ports quantity	1	Products per pallet layer (UK)	4 pc(s)
Network		Products per pallet (UK)	24 pc(s)
Wi-Fi *	✔	Technical details	
Ethernet LAN *	✔	Box contents	Individual Ink Cartridges, Main unit, Power cable, Setup guide, Warranty document
Cabling technology	10/100Base-T(X)		
		Safety warning	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Always follow the information on the product label.
Other features			
Colour printing technology		Pigment black and Dye colour Inks	
		Mac OS 10.9.x, Windows 10, Windows 11, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), macOS 11 or later	
Compatible operating systems			
Ink drop		3.3 pl, With Variable-Sized Droplet Technology	
Maximum input capacity (photo paper)		20 sheets	
Print head nozzles		400 Nozzles Black, 128 Nozzles per Color	

Other features	
All-in-one functions	Scan, Copy, Fax, Print
Interface	Hi-Speed USB - compatible with USB 2.0 specification, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, Ethernet interface (100 Base-TX / 10 Base-T)
Supported network protocols	TCP/IPv4, TCP/IPv6
Print speed	33 pages/min Monochrome (plain paper 75 g/m ²), 20 pages/min Colour (plain paper 75 g/m ²)



8715946702513

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.