

Epson WorkForce Pro WF-C4310DW

Brand : Epson

Product family: WorkForce Pro **Product code:** C11CK18401CA

Product name : WorkForce Pro
WF-C4310DW



- High-quality A4 Single Function: Double-sided print
 - Fast business-quality printing: 21ppm in black and 11ppm in colour¹
 - Cost-effective inks: Individual inks are 50% more efficient compared to tri-colour cartridges²
 - Wireless solutions: Ethernet, Wi-Fi, and Wi-Fi Direct
 - Epson's free mobile printing apps: Freedom to print from almost anywhere⁴
- A4, 4800 x 2400 dpi, 21/11 ppm, WiFi, USB, Ethernet, 5.8 kg
Epson WorkForce Pro WF-C4310DW. Colour, Number of print cartridges: 4, Maximum duty cycle: 33000 pages per month. Maximum resolution: 4800 x 2400 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 21 ppm. Duplex printing. Wi-Fi. Product colour: White



Features		Design	
Duplex printing *	✓	Country of origin	Indonesia
Page description languages *	ESC/P-R	Power	
Printing colours *	Yellow, Magenta, Cyan, Black	Power consumption (printing) *	23 W
Print head nozzles	800 Nozzles Black, 256 Nozzles per Color	Power consumption (off)	0.2 W
Colour *	✓	Power consumption (ready)	4.8 W
Maximum duty cycle *	33000 pages per month	Energy Star Typical Electricity Consumption (TEC)	0.14 kWh/week
Number of print cartridges *	4	AC input voltage	100 - 120 V
Printing		System requirements	
Print speed (colour, draft quality, A4/US Letter)	11 ppm	Compatible operating systems	Mac OS X 10.6.8 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later
Maximum resolution *	4800 x 2400 DPI		
Print speed (black, normal quality, A4/US Letter) *	21 ppm		
Time to first page (black, normal)	6.3 s		
Time to first page (colour, normal)	9.3 s		
Input & output capacity		Weight & dimensions	
Total number of input trays *	1	Width	425 mm
Total output capacity *	250 sheets	Depth	493 mm
Maximum input capacity	250 sheets	Height	164 mm
Paper handling		Weight	5.8 kg
Maximum ISO A-series paper size *	A4	Packaging data	
Paper tray media types *	Plain paper	Quantity per pack	1 pc(s)
ISO A-series sizes (A0...A9) *	A4	Package width	450 mm
Non-ISO print media sizes	Letter		
Paper tray media weight	64 - 255 g/m²		

Ports & interfaces		Packaging data	
USB port *	✓	Package depth	500 mm
USB 2.0 ports quantity	1	Package height	280 mm
Network		Package weight	7.89 kg
Ethernet LAN *	✓	Technical details	
Wi-Fi *	✓	Safety warning	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
Wi-Fi Direct *	✓		Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)		Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.
Security algorithms	64-bit WEP, 128-bit WEP, WPA2-PSK, WPA3-SAE		Always follow the information on the product label.
Supported network protocols	HTTPS, IPv4, IPv6		
Mobile printing technologies	Apple AirPrint, Epson Connect, Epson iPrint, Epson Email Print, Mopria Print Service	Logistics data	
Performance		Products per pallet layer	2 pc(s)
Sound pressure level (printing)	53 dB	Products per pallet layer (UK)	4 pc(s)
Design		Products per pallet (UK)	28 pc(s)
Market positioning *	Home & office	Products per pallet	14 pc(s)
Product colour *	White	Other features	
Built-in display *	✓	All-in-one functions	Print
Colour display	✓	Colour printing technology	DURABrite™ Ultra
Display diagonal	6.1 cm (2.4")	Printing method	Epson PrecisionCore
		Interface	Wi-Fi Direct, Hi-Speed USB - compatible with USB 2.0 specification, Wireless LAN IEEE 802.11b/g/n, Ethernet interface (100 Base-TX / 10 Base-T)
		Ink drop	3.8 pl, With Variable-Sized Droplet Technology
		Box contents	Individual Ink Cartridges, Power cable, Quick Start Guide, Warranty document
		Emulations	ESC/P-R



8715946703817

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.