

ASUS ProArt PA329CRV computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : ASUS

Product family: ProArt

Product code: 90LM02C0-B01K70

Product name : PA329CRV

- 31.5-inch 4K (3840 x 2160) LED backlight HDR display with 178° wide-view IPS panel
 - Wide color gamut with 98% DCI-P3 coverage
 - Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
 - Extensive connectivity including DP over USB-C™ with 96W Power Delivery, DisplayPort (MST), HDMI and USB hub
 - Slim profile and smaller base also comes with wall mountable for desk space saving
 - Ergonomic design with tilt, swivel, pivot and height adjustments for a comfortable viewing experience
 - Green Sustainability: paper packaging and energy-efficient environmental standards
- ProArt Display PA329CRV

ASUS ProArt PA329CRV computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Black:

ASUS ProArt Display PA329CRV Professional Monitor – 32-inch (31.5-inch viewable), IPS, 4K UHD (3840 x 2160), 98% DCI-P3, Color Accuracy $\Delta E < 2$, Calman Verified, USB-C PD 96W, VESA DisplayHDR 400, VESA MediaSync, Ergonomic Stand, Green Sustainability



Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	USB Power Delivery up to	96 W
Display resolution *	3840 x 2160 pixels	HDMI *	✓
HD type *	4K Ultra HD	HDMI ports quantity	2
Native aspect ratio *	16:9	HDMI version	2.0
Display technology *	LCD	DisplayPorts quantity	2
Panel type *	IPS	DisplayPort version	1.4
Backlight type	LED	Headphone out *	✓
Touchscreen *	✗	Headphone outputs	1
Display brightness (peak)	400 cd/m²	HDCP	✓
Display brightness (typical)	350 cd/m²	HDCP version	2.2
Response time *	5 ms	Charging port type	USB Type-C
Anti-glare screen	✓	Ergonomics	
Screen shape *	Flat	VESA mounting *	✓
Contrast ratio (typical) *	1000:1	Panel mounting interface	100 x 100 mm
Contrast ratio (dynamic)	3000:1	Wall mountable	✓
Maximum refresh rate *	60 Hz	Cable lock slot *	✓
Viewing angle, horizontal	178°	Cable lock slot type	Kensington
Viewing angle, vertical	178°	Height adjustment *	✓
Display number of colours *	1.073 billion colours	Adjustable height (max)	13 cm
Pixel pitch	0.182 x 0.182 mm	Pivot	✓
Pixel density	140 ppi	Pivot angle	-90 - 90°
Viewable size, horizontal	69.7 cm	Swivelling	✓
Viewable size, vertical	39.2 cm	Swivel angle range	-30 - 30°
Digital horizontal frequency	15 - 135 kHz	Tilt adjustment	✓
Digital vertical frequency	48 - 60 Hz	Tilt angle range	-5 - 23°
High Dynamic Range (HDR) supported	✓	Power	
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Energy efficiency class (SDR) *	E

Display		Power	
Colour gamut standard	DCI-P3	Energy efficiency class (HDR) *	G
Colour gamut	98%	Energy consumption (SDR) per 1000 hours *	25 kWh
sRGB coverage (typical)	100%	Energy consumption (HDR) per 1000 hours *	40 kWh
Performance		Power consumption (typical) *	26.22 W
Flicker-free technology	✓	Power consumption (off)	0 W
Low Blue Light technology	✓	Power consumption (PowerSave)	0.5 W
Multimedia		AC input voltage	100 - 240 V
Number of speakers	2	AC input frequency	50 - 60 Hz
RMS rated power	4 W	Energy efficiency scale	A to G
Built-in speaker(s) *	✓	Weight & dimensions	
Built-in camera *	✗	Width (with stand)	713.8 mm
Design		Depth (with stand)	240 mm
Market positioning *	Photo editing	Height (with stand)	617.7 mm
Product colour *	Black	Weight (with stand)	9.9 kg
Feet colour	Silver	Width (without stand)	713.8 mm
Ports & interfaces		Depth (without stand)	44.7 mm
Built-in USB hub *	✓	Height (without stand)	419.3 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Weight (without stand)	6.7 kg
USB upstream port type	USB Type-C	Packaging data	
USB Type-A downstream ports quantity	3	Package width	828 mm
USB Type-C downstream ports quantity	1	Package depth	142 mm
USB Type-C DisplayPort Alternate Mode	✓	Package height	509 mm
USB Power Delivery (USB PD)	✓	Package weight	14.2 kg
		Package type	Box



4711387005811



0195553996600



195553996600



0197105005815



197105005815

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.