


## DELL Latitude 3440 Intel® Core™ i5 i5-1335U Laptop 35.6 cm (14") Full HD 8 GB DDR4-SDRAM 256 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro English Grey

Brand : DELL Product family: Latitude Product code: CFR82

**Product name: 3440** 







Design		Ports & interfaces	
Product type * Product colour * Form factor *	Laptop Grey Clamshell	Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version	1 1 1.4
Display		Combo headphone/mic port	✓
Display diagonal * Display resolution * Touchscreen * HD type Panel type	35.6 cm (14") 1920 x 1080 pixels <b>x</b> Full HD IPS	Power adapter barrel connector USB Type-C DisplayPort Alternate Mode PowerShare Number of USB ports with PowerShare support	4.5 mm
LED backlight	✓	Keyboard	
Native aspect ratio Anti-glare screen Display brightness Pixel pitch Pixel density RGB colour space Colour gamut Display response rise/fall Maximum refresh rate Contrast ratio (typical)	16:9 ✓ 250 cd/m² 0.161 x 0.161 mm 157 ppi NTSC 45% 35 ms 60 Hz 500:1	Pointing device Numeric keypad * Keyboard backlit Keyboard language  Software Operating system architecture Operating system language  Trial software	Touchpad  X  English  64-bit  Multilingual  No Microsoft Office License Included 30 day Trial Offer Only
Processor		Operating system installed *	Windows 11 Pro
Processor manufacturer *	Intel	Processor special features	
Processor family * Processor generation Processor model * Processor cores	Intel® Core™ i5 13th gen Intel® Core™ i5 i5-1335U 10	Intel Flex Memory Access Intel Trusted Execution Technology Intel VT-x with Extended Page Tables (EPT)	* *
Processor threads Processor boost frequency	12 4.6 GHz	Execute Disable Bit CPU configuration (max)	<b>7</b> 1

Processor		Processor special features	
Efficient-core boost frequency	3.4 GHz	Embedded options available	×
Processor cache	12 MB	Intel Virtualization Technology for	<b>✓</b>
Processor cache type Configurable TDP-down	Smart Cache 12 W	Directed I/O (VT-d) Intel Virtualization Technology (VT-	
Processor base power	15 W	x)	<b>✓</b>
Maximum turbo power	55 W	Battery	
Memory		Battery technology	Lithium-lon (Li-lon)
Internal memory *	8 GB	Number of battery cells	3
Internal memory type	DDR4-SDRAM	Battery capacity *	54 Wh
Memory clock speed	3200 MHz	Battery voltage	11.4 V
Memory form factor	SO-DIMM	Battery recharge time	3 h
Memory layout (slots x size)	1 x 8 GB	Fast charging	<b>✓</b>
Memory slots	2x SO-DIMM	Battery weight	220 g
Maximum internal memory *	64 GB	Power	
Storage		AC adapter power	65 W
Total storage capacity *	256 GB	AC adapter frequency	50/60 Hz
Storage media *	SSD	AC adapter input voltage AC adapter output current	100 - 240 V
Total SSDs capacity	256 GB	AC adapter output voltage	3.34 A 19.5 V
Number of SSDs installed SSD capacity	1 256 GB	DC-in jack	<b>1</b> 5.5 <b>√</b>
SSD interface	PCI Express	USB Power Delivery (USB PD)	·
NVMe	✓	,	•
SSD form factor	M.2	Security	
SSD performance class	35	Cable lock slot	<b>✓</b>
Optical drive type *	×	Cable lock slot type	Wedge
Card reader integrated	×	Fingerprint reader	<b>✓</b>
Graphics		Trusted Platform Module (TPM)	<b>✓</b>
	Maria - Stabila	Trusted Platform Module (TPM) version	2.0
Discrete graphics card model *	Not available	Version	
Discrete graphics card model * On-board graphics card *	Not available		
		Operational conditions	0 - 35 °C
On-board graphics card *	✓		0 - 35 °C -40 - 65 °C
On-board graphics card * On-board GPU manufacturer	Intel	Operational conditions Operating temperature (T-T)	
On-board graphics card * On-board GPU manufacturer Discrete graphics card *	✓ Intel ×	Operational conditions Operating temperature (T-T) Storage temperature (T-T)	-40 - 65 °C
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *	✓ Intel ×	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio	Intel  X Intel Iris Xe Graphics	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro  2  Waves	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration Weight & dimensions	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration Weight & dimensions Width	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration Weight & dimensions Width Depth	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration Weight & dimensions Width	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W  2	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration  Weight & dimensions  Width Depth Height (front)	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera Front camera resolution	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W  2  1920 x 1080 pixels	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear)	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G 322.2 mm 219.4 mm 1.77 cm 1.94 cm
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera Front camera resolution Front camera HD type	Intel X Intel Iris Xe Graphics  Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W  1920 x 1080 pixels Full HD	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G 322.2 mm 219.4 mm 1.77 cm 1.94 cm
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera Front camera Front camera HD type Video capturing speed	Intel X Intel Iris Xe Graphics  Realtek ALC3204 MaxxAudio Pro 2 Waves 2 W  1920 x 1080 pixels Full HD 30 fps	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G 322.2 mm 219.4 mm 1.77 cm 1.94 cm 1.54 kg
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W  1920 x 1080 pixels  Full HD 30 fps	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon emissions, standard deviation (kg of CO2e)	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G 322.2 mm 219.4 mm 1.77 cm 1.94 cm
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W  1920 x 1080 pixels  Full HD 30 fps	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G 322.2 mm 219.4 mm 1.77 cm 1.94 cm 1.54 kg
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera Front camera Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W  1920 x 1080 pixels  Full HD 30 fps	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon emissions, standard deviation (kg of CO2e)	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G  322.2 mm 219.4 mm 1.77 cm 1.94 cm 1.54 kg
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera Front camera Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type  Network	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W  1920 x 1080 pixels  Full HD 30 fps  Privacy shutter	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, logistics (kg of CO2e)	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G  322.2 mm 219.4 mm 1.77 cm 1.94 cm 1.54 kg
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type  Network  Top Wi-Fi standard *	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W  1920 x 1080 pixels  Full HD 30 fps  Privacy shutter  Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G  322.2 mm 219.4 mm 1.77 cm 1.94 cm 1.54 kg
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera Front camera Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type  Network	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W  1920 x 1080 pixels  Full HD 30 fps  Privacy shutter  Wi-Fi 6E (802.11ax)	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G  322.2 mm 219.4 mm 1.77 cm 1.94 cm 1.54 kg  312 65
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type  Network  Top Wi-Fi standard *	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W  1920 x 1080 pixels  Full HD 30 fps  Privacy shutter  Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G  322.2 mm 219.4 mm 1.77 cm 1.94 cm 1.54 kg  312 65 260 11
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera  Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type  Network  Top Wi-Fi standard *  Wi-Fi standards	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro 2  Waves 2 W  1920 x 1080 pixels  Full HD 30 fps  Privacy shutter  Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax)	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e)	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G  322.2 mm 219.4 mm 1.77 cm 1.94 cm 1.54 kg  312 65 260 11 39
On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *  Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones  Camera Front camera Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type  Network Top Wi-Fi standard *  Wi-Fi standards  Mobile network connection *	Intel  X Intel Iris Xe Graphics  Realtek ALC3204  MaxxAudio Pro  2  Waves  2 W  1920 x 1080 pixels  Full HD  30 fps  Y  Privacy shutter  Wi-Fi 6E (802.11ax)  802.11a, 802.11b, 802.11g, Wi-Fi 4  (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax)  X	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use	-40 - 65 °C 0 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 140 G 0.66 G  322.2 mm 219.4 mm 1.77 cm 1.94 cm 1.54 kg  312 65 260 11

Network		Packaging content	
WLAN controller manufacturer	Intel	Cables included	AC
Ethernet LAN	✓		
Ethernet LAN data rates	10,100,1000 Mbit/s		
Bluetooth	✓		
Ports & interfaces			
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3		
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1		



5397184806715

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.