


DELL Latitude 5440 Intel® Core™ i5 i5-1335U Laptop 35.6 cm (14") Full HD 8 GB DDR4-SDRAM 256 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro US International Grey

Brand : DELL Product family: Latitude Product code: HTVF8

Product name: 5440







Design		Ports & interfaces	
Product type * Product colour * Form factor * Market positioning Intel® vPro™ Platform Eligibility	Laptop Grey Clamshell Business	HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port	1 2.0 2
Display		USB Type-C DisplayPort Alternate	✓
Display diagonal * 35.6 cm (14") Display resolution * 1920 x 1080 pixels Touchscreen * X	Mode PowerShare Number of USB ports with PowerShare support	v 1	
HD type	Full HD	Performance	
Panel type LED backlight	IPS ✓	Ambient light sensor	✓
Native aspect ratio	16:9	Keyboard	
Anti-glare screen Display brightness Pixel pitch Pixel density	reen 250 cd/m² 0.161 x 0.161 mm 157 ppi pace NTSC	Pointing device Numeric keypad * Keyboard backlit Keyboard language	Touchpad
RGB colour space		Software	
Colour gamut 45% Display response rise/fall 35 ms Maximum refresh rate 60 Hz Contrast ratio (typical) 600:1	Operating system architecture Operating system language Trial software	64-bit Multilingual No Microsoft Office License Included 30 day Trial Offer Only	
Processor		Operating system installed *	Windows 11 Pro
Processor manufacturer * Processor family * Processor generation Processor model *	Intel Intel® Core™ i5 13th gen Intel® Core™ i5 i5-1335U	Processor special features Intel Flex Memory Access Intel Trusted Execution Technology	<i>'</i>

_		_	
Processor		Processor special features	
Processor cores	10	Intel VT-x with Extended Page	✓
Processor boost frequency	4.6 GHz	Tables (EPT)	
Efficient-core base frequency	3.4 GHz	Execute Disable Bit	•
Performance-core boost frequency	4.6 GHz	CPU configuration (max)	1
Processor cache	12 MB	Embedded options available	×
Processor cache type	Smart Cache	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Configurable TDP-down	12 W	Intel Virtualization Technology (VT-	
Memory		x)	✓
Internal memory *	8 GB	Battery	
Internal memory type	DDR4-SDRAM	Number of battery cells	3
Memory clock speed	3200 MHz	Battery capacity *	54 Wh
Memory form factor	SO-DIMM	Battery voltage	11.4 V
Memory layout (slots x size)	1 x 8 GB	Battery recharge time	4 h
Memory slots	2x SO-DIMM	Fast charging	✓
Maximum internal memory *	64 GB	Battery weight	220 g
Memory channels	Single-channel		9
Non-ECC	✓	Power	
Storage		AC adapter power	65 W
Total storage capacity *	256 GB	AC adapter frequency	50/60 Hz 100 - 240 V
Storage media *	SSD	AC adapter input voltage	
Total SSDs capacity	256 GB	USB Type-C charging port *	✓
Number of SSDs installed	1	USB Power Delivery (USB PD)	/
SSD capacity	256 GB	USB charging voltage	20,5,9,15 V
SSD interface	PCI Express	Security	
NVMe	✓	Cable lock slot	✓
SSD form factor	M.2	Cable lock slot type	Wedge
Optical drive type *	×	Fingerprint reader	✓
Card reader integrated	×	Smart card reader	✓
Graphics		Trusted Platform Module (TPM)	✓
	Not available	Trusted Platform Module (TPM) Trusted Platform Module (TPM)	
Discrete graphics card model *	Not available ✓	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version	2.0
		Trusted Platform Module (TPM) version	
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer	✓	Trusted Platform Module (TPM) version Operational conditions	
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card *	✓ Intel ×	Trusted Platform Module (TPM) version	2.0
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *	✓ Intel	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T)	2.0 0 - 35 °C
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio	Intel X Intel Iris Xe Graphics	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T)	2.0 0 - 35 °C -40 - 65 °C
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio system	Intel X Intel Iris Xe Graphics MaxxAudio	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	2.0 0 - 35 °C -40 - 65 °C 10 - 90%
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio system Number of built-in speakers	Intel X Intel Iris Xe Graphics MaxxAudio 2	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95%
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio system Number of built-in speakers Speakers manufacturer	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W ✓	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera resolution	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W 2 2.07 MP 1920 x 1080 pixels	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W ✓ 2.07 MP 1920 x 1080 pixels Full HD	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W ✓ 2 2.07 MP 1920 x 1080 pixels Full HD 30 fps	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front)	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W ✓ 2.07 MP 1920 x 1080 pixels Full HD	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear)	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W 2 2.07 MP 1920 x 1080 pixels Full HD 30 fps	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight *	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Infrared (IR) camera	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W 2 2 2 1 2.07 MP 1920 x 1080 pixels Full HD 30 fps	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W 2 2.07 MP 1920 x 1080 pixels Full HD 30 fps	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e)	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W 2 2.07 MP 1920 x 1080 pixels Full HD 30 fps	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model * Audio Audio System Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type Network	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W ✓ 2.07 MP 1920 x 1080 pixels Full HD 30 fps ✓ ✓ Privacy shutter Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b,	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e)	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model * Audio Audio System Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type Network	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W 2.07 MP 1920 x 1080 pixels Full HD 30 fps V Privacy shutter Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 6E	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio System Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type Network Top Wi-Fi standard *	Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W ✓ 2.07 MP 1920 x 1080 pixels Full HD 30 fps ✓ ✓ Privacy shutter Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b,	Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 321.4 mm 212 mm 1.91 cm 2.1 cm 1.39 kg

Network		Carbon footprint	
Antenna type WLAN controller model	2x2 Intel Wi-Fi 6E AX211 turer Intel 10,100,1000 Mbit/s	Carbon emissions, end-of-life (kg of CO2e)	1
WLAN controller manufacturer		Total carbon emissions, w/o use phase (kg of CO2e)	253
Ethernet LAN Ethernet LAN data rates		PAIA version	1.3.2
Bluetooth		Packaging content	
		Cables included	AC

Ports & interfaces

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *

Ethernet LAN (RJ-45) ports 1



5397184801635

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.