



HP LaserJet Color Enterprise MFP 5800dn Printer

Brand : HP

Product family: LaserJet

Product code: 6QN29A#B19

Product name : Color LaserJet Enterprise MFP 5800dn Printer

Color LaserJet Enterprise MFP 5800dn Printer

[HP LaserJet Color Enterprise MFP 5800dn Printer:](#)

The most customisable HP A4 LaserJet, with advanced workflow solutions optimised for distributed office collaboration. Transform your workflows with advanced capabilities in a compact footprint. From print speeds to colour panels^[10], get flexible configurations to meet your needs today and tomorrow. All while protecting your business against evolving cyber threats.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.




Printing		Network	
Duplex printing mode	Auto	Ethernet LAN data rates	10,100,1000 Mbit/s
Print resolution colour	1200 x 1200 DPI	Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS, IPsec
Print resolution black	1200 x 1200 DPI	Mobile printing technologies	Mopria Print Service, Apple AirPrint
Print technology *	Laser	Performance	
Printing *	Colour printing	Maximum internal memory	6144 MB
Duplex printing *	✓	Internal storage capacity	32 GB
Maximum resolution *	1200 x 1200 DPI	Storage media	SSD
Print speed (black, normal quality, A4/US Letter) *	43 ppm	Internal memory *	6144 MB
Print speed (colour, normal quality, A4/US Letter)	43 ppm	Built-in processor	✓
Warm-up time	140 s	Processor frequency	1200 MHz
Time to first page (black, normal)	7.2 s	Sound pressure level (printing)	50 dB
Time to first page (colour, normal)	7.9 s	Sound pressure level (scanning)	55 dB
Watermark printing	✓	Sound power level (printing)	6.3 dB
Secure printing	✓	Design	
Copying		Product colour *	White
Duplex copying *	✓	Market positioning *	Business
Duplex copying mode	Auto	Built-in display *	✓
Copying *	Colour copying	Display	CGD
Maximum copy resolution *	600 x 600 DPI	Display diagonal	20.3 cm (8")
Copy speed (black, normal quality, A4)	45 cpm	Control type	Touch
Copy speed (colour, normal quality, A4)	43 cpm	Colour display	✓
Time to first copy (black, normal)	5.5 s	Power	
		Power consumption (printing)	655 W

Copying		Power		
Time to first copy (colour, normal)	8.6 s	Power consumption (copying)	655 W	
Maximum number of copies	9999 copies	Power consumption (ready)	50.1 W	
Copier resize	25 - 400%	Power consumption (sleep)	0.9 W	
N-in-1 copy function	✓	Power consumption (off)	0.09 W	
Book copy function	✓	Energy Star Typical Electricity Consumption (TEC)	0.552 kWh/week	
ID-card copy function	✓	AC input voltage	100 - 240 V	
Auto fit function	✓	AC input frequency	50/60 Hz	
Edge erase function	✓	Brand-specific features		
Stamp function	✓	HP Auto-On/Auto-Off	✓	
Watermark copying	✓	HP Dynamic security	✓	
Scanning		<p>Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs</p> <p>(ABT) 196068721787; (ABY) 196068721794; (ACQ) 196068721831; (B13) 196068721848; (B19) 196068721855; (BAZ) 196068721862</p> <p>196068721787, 196068721794, 196068721831, 196068721848, 196068721855, 196068721862</p>		
Duplex scanning *	✓			
Duplex scanning mode	Auto			
Scanning *	Colour scanning			
Optical scanning resolution *	600 x 600 DPI			
Maximum scan resolution	600 x 600 DPI			
Maximum scan area	216 x 356 mm			
Scanner type *	Flatbed scanner			
Scan technology	CIS			
Scan to	Network folder, USB			
Scan speed (colour)	47 ppm			
Scan speed (black)	47 ppm			
Image formats supported	JPEG, MTIFF, TIFF			
Document formats supported	CSV, DOCX, HTML, PDF, RTF, UNICODE, XLSX, XML, XPS			
Input colour depth	24 bit			
Greyscale levels	256			
Scan drivers	TWAIN			
Fax				HP Security tools
Fax resolution (black)	300 x 300 DPI			
Fax transmission speed	3 sec/page			
Modem speed	33.6 Kbit/s			
Fax memory	1000 pages			
Auto-redialing	✓			
Speed dialling	✓			
Fax forwarding	✓			
Fax delayed sending	✗	HP GTIN (EAN/UPC) with options		
Auto reduction	✓			
Features		HP GTIN (EAN/UPC)		
Recommended duty cycle	2000 - 10000 pages per month			
Maximum duty cycle *	80000 pages per month			
Duplex functions *	Print			
Digital sender	✓			
Ink tank system	✗			
Number of print cartridges *	4			
Printing colours *	Black, Cyan, Magenta, Yellow			
Page description languages	PostScript 3, PDF 1.7, PCL 5c, XPS			
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript			
All-In-One-multitasking	✓			
Country of origin	Czech Republic			
		System requirements		
		Windows operating systems supported	Windows 10, Windows 11	
		Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS	
		Other operating systems supported	ChromeOS, Android, iOS	
		Operational conditions		
		Operating relative humidity (H-H)	10 - 80%	
		Recommended humidity operating range	30 - 70%	
		Recommended operating temperature range (T-T)	15 - 27 °C	
		Storage temperature (T-T)	-20 - 40 °C	
		Operating temperature (T-T)	10 - 32.5 °C	

Features		Certificates	
	HP 213A Black Original LaserJet Toner Cartridge (~3,500 pages) W2130A; HP 213A Cyan Original LaserJet Toner Cartridge (~3,000 pages) W2131A; HP 213A Yellow Original LaserJet Toner Cartridge (~3,000 pages) W2132A; HP 213A Magenta Original LaserJet Toner Cartridge (~3,000 pages) W2133A; HP 213X High Yield Black Original LaserJet Toner Cartridge (~9,000 pages) W2130X; HP 213X High Yield Cyan Original LaserJet Toner Cartridge (~6,000 pages) W2131X; HP 213X High Yield Yellow Original LaserJet Toner Cartridge (~6,000 pages) W2132X; HP 213X High Yield Magenta Original LaserJet Toner Cartridge (~6,000 pages) W2133X; HP 213Y Extra High Yield Black Original LaserJet Toner Cartridge, (~18,000 pages) W2130Y; HP 213Y Extra High Yield Cyan Original LaserJet Toner Cartridge (~12,000 pages) W2131Y; HP 213Y Extra High Yield Yellow Original LaserJet Toner Cartridge (~12,000 pages) W2132Y; HP 213Y Extra High Yield Magenta Original LaserJet Toner Cartridge (~12,000 pages) W2133Y		CISPR 22:2008 (International) - Class A; CISPR 32:2015 (International) - Class A; / EN 55032:2015+A11:2020 (EU) - Class A; CISPR 35:2016 (International); EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019+A2:2021; FCC CFR 47 Part 15 Class A; ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
Replacement cartridges		Certification	
		Sustainability	
		Sustainability compliance	✓
		Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Gold
		Sustainable technologies and materials	15% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered
		Carbon footprint	
		Total carbon footprint (kg of CO2e)	410
		Carbon emissions, manufacturing (kg of CO2e)	327
		Carbon emissions, logistics (kg of CO2e)	13
		Carbon emissions, end-of-life (kg of CO2e)	46
		Total carbon emissions, w/o use phase (kg of CO2e)	19
HP segment	Business		
Input & output capacity		Weight & dimensions	
Total number of input trays *	2	Width	500 mm
Total input capacity *	650 sheets	Depth	460 mm
Total output capacity *	250 sheets	Height	583 mm
Paper tray 1 input capacity	100 sheets	Weight	38 kg
Paper tray 2 input capacity	550 sheets		
Multi-Purpose tray	✓	Packaging data	
Multi-Purpose tray input capacity	100 sheets	Package width	598 mm
Auto document feeder (ADF)	✓	Package depth	758 mm
Auto document feeder (ADF) input capacity	100 sheets	Package height	652 mm
Maximum number of input trays	5	Package weight	42.9 kg
Maximum input capacity	2300 sheets	Packaging content	
Maximum output capacity	250 sheets	Cartridge(s) included	✓
Paper handling		Included cartridge capacity (black)	7000 pages
Maximum ISO A-series paper size *	A4	Included cartridge capacity (CMY)	3000 pages
Maximum print size	207.4 x 1191.4 mm	Cables included	AC
	Plain paper, Glossy paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper, Rough paper, Letterhead	Logistics data	
Paper tray media types *		Pallet gross weight	272.3 kg
		Layers per pallet	3 pc(s)
ISO A-series sizes (A0...A9) *	A4, A5, A6	Products per pallet	6 pc(s)
ISO B-series sizes (B0...B9)	B5, B6	Technical details	
ISO C-series sizes (C0...C9)	C5, C6	Box contents	HP Color LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (1-7,000 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (1-3,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord
Non-ISO print media sizes	Oficio, 16K	Master (outer) cases per pallet layer 2 pcs(s)	
Envelopes sizes	B5, B6, C5, C6	Compliance certificates	CECP, GS mark, CCC, BIS, cUL, UL, CE, BSMI
Photo paper sizes	10x15 cm	General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/products/setup-user-guides/hp-color-laserjet-enterprise-mfp-5800dn-printer-series/model/2101004135?sku=60N29A https://kaas.hpcloud.hp.com/pdf-public/pdf_4666361_en-US-1.pdf
Custom media width	64 - 216 mm	Other features	
Custom media length	127 - 1200 mm	Number of users	15 user(s)
Paper tray media weight	60 - 220 g/m ²	Custom media sizes	Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm
Envelope feeder	No	Pallet dimensions (W x D x H)	800 x 1200 x 2083 mm
Ports & interfaces		Power supply type	Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)
Direct printing *	✓		
USB port	✓		

Ports & interfaces		Other features	
USB 2.0 ports quantity	1	Recommended system requirements	2 GB available hard disk space; Internet connection; or USB port; Internet browser. 2 GB available hard drive space; Internet connection; or USB port; Internet browser.
USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	2		
Network		Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS
Wi-Fi *	✗		
Ethernet LAN *	✓	Pallet dimensions (W x D x H) (imperial)	800.1 x 1199.9 x 2083.1 mm (31.5 x 47.2 x 82")
Cabling technology	10/100/1000Base-T(X)		
		Pallet weight (imperial)	271.8 kg (599.1 lbs)
		Acoustic power emissions (ready)	35 dB
		Acoustic pressure emissions bystander (ready)	20 dB
		Typical electricity consumption (TEC) number	0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel)
		UNSPSC-code	43212110
		Processor frequency	1.2 GHz
		Manufacturer warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements.
		Electromagnetic compatibility	CISPR 22:2008 (International) - Class A; CISPR 32:2015 (International) - Class A; / EN 55032:2015+A11:2020 (EU) - Class A; CISPR 35:2016 (International); EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019+A2:2021; FCC CFR 47 Part 15 Class A; ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.



7330381182211



0196068721855



196068721855

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.