

## HP Pro x360 435 G10 AMD Ryzen™ 5 7530U Hybrid (2-in-1) 33.8 cm (13.3") Touchscreen Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6 (802.11ax) Windows 11 Pro Silver

Brand: HP Product family: Pro x360 Product code: 85A92EA#ABH

Product name: 435 G10

- AMD Ryzen™ 5 7530U (up to 4.5 GHz max boost clock, 16 MB L3 cache, 6 cores, 12 threads)
- Windows 11 Pro
- 33.8 cm (13.3") diagonal FHD touch display
- AMD Radeon™ Graphics
- 16 GB memory; 512 GB SSD storage

Pro x360 435 13.3 inch G10 Notebook PC Wolf Pro Security Edition, 13.3", touch screen, Windows 11 Pro, AMD Ryzen $^{™}$  5, 16GB RAM, 512GB SSD, FHD

HP Pro x360 435 G10 AMD Ryzen™ 5 7530U Hybrid (2-in-1) 33.8 cm (13.3") Touchscreen Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6 (802.11ax) Windows 11 Pro Silver:

Flexible features for performance, durability, and security

Drive business growth with the commercial-grade HP Pro x360~435 convertible touchscreen laptop. Focus on business priorities with a well-equipped device for hybrid work, that's durably built and easily upgradeable for long-term performance.





Design		Network	
Colour name	Pike silver aluminum Hybrid (2-in-1) Silver Clamshell Premium 2023 HP	Ethernet LAN	×
Product type *		Bluetooth	✓
Product colour *		Bluetooth version	5.3
Form factor *  Market positioning		Ports & interfaces	
Introduction year		USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2
Original brand name		ports quantity *	2
Display		USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Display diagonal *	33.8 cm (13.3")	HDMI ports quantity *	1
Display resolution *	1920 x 1080 pixels	HDMI version	2.0
Touchscreen *	·	Combo headphone/mic port	<b>✓</b>
HD type	Full HD	Keyboard	
Panel type	IPS	Keyboard special features	Spill-resistant
Native aspect ratio	16:9	Pointing device	Clickpad
Display surface	Gloss	Numeric keypad *	×
Anti-glare screen	<b>✓</b>	Spill-resistant keyboard	✓
Display brightness	250 cd/m²	Keyboard layout	QWERTY
Display diagonal (metric) RGB colour space	33.8 cm NTSC	Input device model	HP Premium Keyboard
Colour gamut	45%	Software	
Processor			HP Connection Optimizer; HP Hotkey Support; HP Support
Processor manufacturer *	AMD D		Assistant; HP Power Manager; myHP; HP Privacy Settings; HP
Processor family *	AMD Ryzen ™ 5	Pre-installed software	Notifications; HP QuickDrop; HP PC
Processor generation  Processor model *	AMD Ryzen 7000 Series 7530U		Hardware Diagnostics Windows; HP Services Scan; HP Smart Support
Processor cores	6		(download)
Processor threads	12	Operating system installed *	Windows 11 Pro
Processor boost frequency	4.5 GHz	Bundled software	HP Wolf Pro Security Edition (1 year)
Processor frequency *	2 GHz	Brand-specific features	
Processor cache	16 MB	HP speaker type	HP Dual Speakers
Processor cache type	L3		

Memory		Brand-specific features	
Internal memory *	16 GB	HP Connection Optimizer	✓
Internal memory type	DDR4-SDRAM	HP Support Assistant	✓
Memory clock speed	3200 MHz	HP Smart AC Adapter	✓
Memory form factor  Memory layout (slots x size)	SO-DIMM 1 x 16 GB	HP front camera	HP Webcam
Memory slots	2x SO-DIMM		Absolute persistence module; HP
Maximum internal memory *	32 GB		Secure Erase; HP Sure Click; HP Sure Sense; BIOS Update via
ECC	X		Network; HP Sure Admin; HP
Non-ECC	··		BIOSphere Gen6; HP Client Security Manager Gen7; TPM 2.0 embedded
	•	HP Security tools	security chip (Common Criteria
Storage			EAL4+ and FIPS 140-2 Level 2 Certified); HP Sure Start Gen7; HP
Total storage capacity *	512 GB		Wake on WLAN; HP Tamper Lock;
Storage media *	SSD 512 GB		HP Sure Run Gen5; HP Sure Recover Gen5: Secured-Core PC Enable
Total SSDs capacity Number of SSDs installed	1		HP Client Management Script
SSD capacity	512 GB		Library (download); HP Driver Packs
SSD memory type	TLC		(download); HP Client Catalog (download); HP Manageability
SSD interface	PCI Express	HP Management tools	Integration Kit Gen4 (download); HP
NVMe	<b>✓</b>		Image Assistant Gen5 (download); HP Patch Assistant (download); HP
Optical drive type *	×		Cloud Recovery; HP Connect for
Card reader integrated	<b>√</b>		Microsoft Endpoint Manager
Compatible memory cards	MicroSD (TransFlash)	HP segment	Business
Graphics	, ,	HP GTIN (EAN/UPC)	198122289257
Discrete graphics card model *	Not available	Battery	
On-board graphics card *	√	Battery technology	Lithium-lon (Li-lon)
On-board GPU manufacturer	AMD	Number of battery cells	3
Discrete graphics card *	X	Battery capacity *	42 Wh
On-board graphics card family	AMD Radeon Graphics	Battery weight	190 g
On-board graphics card model *	AMD Radeon Graphics	Power	
Audio		AC adapter power	65 W
Audio	,	AC adapter frequency	50 - 60 Hz
Built-in speaker(s)	<b>V</b>	AC adapter frequency AC adapter input voltage	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers	2	AC adapter frequency	50 - 60 Hz
Built-in speaker(s) Number of built-in speakers Built-in microphone	2 ✓	AC adapter frequency AC adapter input voltage	50 - 60 Hz 100 - 240 V
Built-in speaker(s)  Number of built-in speakers  Built-in microphone  Number of microphones	2	AC adapter frequency AC adapter input voltage DC-in jack	50 - 60 Hz 100 - 240 V
Built-in speaker(s)  Number of built-in speakers  Built-in microphone  Number of microphones  Camera	2 • 2 2	AC adapter frequency AC adapter input voltage DC-in jack Security	50 - 60 Hz 100 - 240 V ✓
Built-in speaker(s)  Number of built-in speakers  Built-in microphone  Number of microphones  Camera  Front camera	2 2 2	AC adapter frequency AC adapter input voltage DC-in jack Security Cable lock slot	50 - 60 Hz 100 - 240 V ✓
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera HD type	2 ✓ 2  HD	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM)	50 - 60 Hz 100 - 240 V
Built-in speaker(s)  Number of built-in speakers  Built-in microphone  Number of microphones  Camera  Front camera	2 2 2	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version	50 - 60 Hz 100 - 240 V ✓  ✓  2.0
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera HD type	2 ✓ 2  HD	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection	50 - 60 Hz 100 - 240 V
Built-in speaker(s)  Number of built-in speakers  Built-in microphone  Number of microphones  Camera  Front camera  Front camera HD type  Infrared (IR) camera	2 ✓ 2  HD	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version	50 - 60 Hz 100 - 240 V ✓  ✓  2.0
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera HD type Infrared (IR) camera  Network	2 ✓ 2 ✓ HD ✓	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection	50 - 60 Hz 100 - 240 V
Built-in speaker(s)  Number of built-in speakers  Built-in microphone  Number of microphones  Camera  Front camera  Front camera HD type  Infrared (IR) camera  Network  Top Wi-Fi standard *  Wi-Fi standards  Mobile network connection *	2  V  HD  Wi-Fi 6 (802.11ax)  Wi-Fi 6 (802.11ax)	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type	2	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type	2	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability	50 - 60 Hz 100 - 240 V ✓  2.0  ✓ BIOS, Power on, User
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Sustainabile technologies and	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Sustainabile technologies and	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Sustainabile technologies and	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Sustainabile technologies and	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Sustainabile technologies and materials	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Sustainability certificates  Sustainabile technologies and materials  Weight & dimensions Width Depth	50 - 60 Hz 100 - 240 V
Built-in speaker(s) Number of built-in speakers Built-in microphone Number of microphones  Camera Front camera Front camera HD type Infrared (IR) camera  Network  Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	2  V 2  HD V Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)  X 2x2 RZ616	AC adapter frequency AC adapter input voltage DC-in jack  Security  Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type  Certificates Low halogen  Sustainability Sustainability compliance Sustainability certificates  Sustainabile technologies and materials  Weight & dimensions Width	50 - 60 Hz 100 - 240 V

Packaging data

Package width 69 mm
Package depth 483 mm
Package height 305 mm

Packaging content

Stylus pen

Logistics data

Harmonized System (HS) code 8471300000

Technical details

 $\label{lem:composition} General \ Product \ Safety \ Regulation \\ \ (GPSR) \ URL \\ \ https://support.hp.com/us-en/document/ish\_6126692-6126777-16?openCLC=true \\ \ (GPSR) \ URL \\ \ https://support.hp.com/us-en/document/ish\_6126692-612677-16?openCLC=true \\ \ (GPSR) \ URL \\ \ https://support.hp.com/us-en/document/ish\_6126692-612677-16?openCLC=$ 

Other features

Number of speakers 2

 $1 \ \mbox{year} \ (1/1/0) \ \mbox{limited warranty}$  Manufacturer warranty includes 1 year of parts and labor.

No on-site repair.





197497716719

0197497716719

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.