



Lenovo ThinkCentre Tiny-In-One 22 computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LED Black

Brand : Lenovo

Product code: 12N8GAT1UK

Product name : ThinkCentre Tiny-In-One 22

- 54.6cm (21.5") Full HD 1920 x 1080 W-LED IPS
- 6ms, 16:9, 250cd/m², 1000:1
- USB, HDMI, DisplayPort

54.6cm (21.5") Full HD 1920 x 1080 W-LED IPS, 16:9, 250cd/m², 16.7M, 6ms, 178°/178°, 1000:1
 Lenovo ThinkCentre Tiny-In-One 22. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 6 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



| Display | | Ergonomics | |
|------------------------------|-----------------------|-------------------------------|--------------|
| Display diagonal * | 54.6 cm (21.5") | VESA mounting * | ✓ |
| Display resolution * | 1920 x 1080 pixels | Panel mounting interface | 100 x 100 mm |
| HD type * | Full HD | Cable management | ✓ |
| Native aspect ratio * | 16:9 | Cable lock slot * | ✓ |
| Display technology * | LED | Cable lock slot type | Kensington |
| Panel type * | IPS | Height adjustment * | ✓ |
| Backlight type | W-LED | Adjustable height (max) | 15.5 cm |
| Touchscreen * | ✗ | Pivot | ✓ |
| Display brightness (typical) | 250 cd/m ² | Pivot angle | -5 - 90° |
| Response time * | 6 ms | Swivelling | ✓ |
| Anti-glare screen | ✓ | Swivel angle range | -45 - 45° |
| Screen shape * | Flat | Tilt angle range | -5 - 23.5° |
| Contrast ratio (typical) * | 1000:1 | On Screen Display (OSD) | ✓ |
| Contrast ratio (dynamic) | 3000000:1 | Power | |
| Maximum refresh rate * | 60 Hz | Power consumption (typical) * | 13.4 W |
| Viewing angle, horizontal | 178° | Power consumption (standby) * | 0.3 W |
| Viewing angle, vertical | 178° | Power consumption (max) | 33 W |
| Display number of colours * | 16.7 million colours | Power consumption (off) | 0.5 W |
| Response time (fast) | 4 ms | AC input voltage | 100 - 240 V |
| Pixel pitch | 0.248 x 0.248 mm | AC input frequency | 50/60 Hz |
| Pixel density | 102 ppi | Power supply type | External |
| Viewable size, horizontal | 47.6 cm | Weight & dimensions | |
| Viewable size, vertical | 26.8 cm | Width (with stand) | 489.3 mm |
| Colour depth | 8 bit | Depth (with stand) | 207.6 mm |
| Colour gamut standard | sRGB | Height (with stand) | 512.3 mm |
| Colour gamut | 99% | Weight (with stand) | 5.5 kg |
| sRGB coverage (typical) | 99% | Width (without stand) | 489.3 mm |
| Performance | | Depth (without stand) | 72.8 mm |
| NVIDIA G-SYNC * | ✗ | Height (without stand) | 339.1 mm |
| AMD FreeSync * | ✗ | Weight (without stand) | 3.2 kg |
| Low Blue Light technology | ✓ | Bezel width (side) | 2 mm |
| Multimedia | | Bezel width (top) | 2 mm |
| Number of speakers | 2 | Bezel width (bottom) | 4.6 mm |
| RMS rated power | 6 W | Packaging data | |
| Built-in speaker(s) * | ✓ | Package width | 568 mm |
| Built-in microphone | ✓ | | |

| Multimedia | | Packaging data | |
|--|-----------------------|------------------------------|--|
| Built-in camera * | ✓ | Package depth | 176 mm |
| Design | | Package height | 422 mm |
| Product colour * | Black | Package weight | 8.1 kg |
| Ports & interfaces | | Packaging content | |
| Built-in USB hub * | ✓ | Stand included | ✓ |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Cables included | AC |
| USB upstream port type | USB Type-B | Power adapter included | ✓ |
| Number of upstream ports | 1 | Quick start guide | ✓ |
| Number of USB Type-B upstream ports quantity | 1 | Power cable length | 1 m |
| USB Type-A downstream ports quantity | 1 | Other features | |
| HDMI * | ✓ | Compatible operating systems | Windows 10, Windows 11 |
| HDMI ports quantity | 1 | Warranty period | 3 year(s) |
| HDMI version | 1.4 | Certification | EU Energy Label (D-class) ENERGY STAR® Certified EPEAT™ Gold Registered TCO Certified 9.0 TCO edge 2.0 Volatile Organic Compound Certification RoHS compliant Eyesafe Display 2.0, TÜV Low Blue Light (Hardware solution), TÜV Rheinland Eye Comfort |
| DisplayPorts quantity | 1 | | |
| DisplayPort version | 1.2 | | |



0196804375472



196804375472

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.