

Ernitec 0070-08215 security camera Bullet IP security camera Indoor & outdoor 2592 x 1944 pixels Wall



Brand : Ernitec

Product code: 0070-08215

Product name : 0070-08215

- 1/2.8" progressive scan CMOS
- 2592x1944 @ 25/30fps (5MP)
- Smart IR up to 40m
- WDR, 3D DNR, ROI, HLC, BLC, Defog
- Support face, human, vehicle detection and capture
- Supports strobe-light and audible alarms linkage to warn intruders off
- 1/1 audio in/out, 1/1 alarm in/out. Built-in microphone and speaker
- Power Supply DC12V / POE (IEEE 802.3af)
- IP66
- 5 Year Warranty


Deimos Pro 5MP Bullet Camera with 2.7-13.5mm Motorized Lens & IR 40m, Active Deterrence, PoE, IP66
 - NDAA

Ernitec 0070-08215 security camera Bullet IP security camera Indoor & outdoor 2592 x 1944 pixels Wall:

Deimos PX-415IRAD

Performance		Video	
Type *	IP security camera	Privacy masking	✓
Placement supported *	Indoor & outdoor	Back Light Compensation (BLC)	✓
Connectivity technology *	Wired	Highlight Compensation (HLC)	✓
Maximum operating distance	40 m	Smart IR	✓
Certification	CE/FCC		
Design		Audio	
Form factor *	Bullet	Built-in speaker(s)	✓
Mounting type *	Wall	Audio input channels	1.0 channels
Product colour *	White	Audio output channels	1.0 channels
Housing material	Metal	Audio formats supported	G.711
International Protection (IP) code	IP66	Built-in microphone	✓
Camera		Network	
Camera pan control	✓	Ethernet LAN *	✓
Camera tilt control	✓	Networking standards	IEEE 802.3af
Minimum illumination	0.03 lx	Supported network protocols	IPv4/IPv6, 802.1x, HTTP, HTTPS, TCP/IP, UDP/IP, RTSP, DHCP, NTP, RTCP/RTP, PPPoE, SMTP, DNS, UPnP, FTP, ARP, SNMP, TLS/SSL
Angle of rotation	360°		
Lens viewing angle, horizontal	87.5 - 26°		
Lens viewing angle, vertical	64.8 - 19.9°	Number of users	10 user(s)
Tilt angle range	0 - 90°	User access level	User
Pan range	0 - 360°	Streaming method	Unicast
White balance	Auto, Manual	Storage	
Camera shutter type	Electronic, Mechanical	Card reader integrated	✓
Camera shutter speed	/5 ~ 1/20.000 s	Compatible memory cards	SD
Image sensor		Maximum memory card size	256 GB
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Ports & interfaces	
Sensor type *	CMOS	Ethernet LAN (RJ-45) ports	1
Panoramic camera		Security	
Signal-to-Noise Ratio (SNR) (panoramic camera)	55 dB	Alarm input channels	1
Focal length range (panoramic camera)	2.7 ~ 13.5 mm	Alarm output channels	1
Bit rate control (panoramic camera)	Constant Bit Rate (CBR), Variable Bit Rate (VBR)	Video motion detection	✓
		Human and vehicle targets classification	✓

Video		Management features	
Maximum resolution *	2592 x 1944 pixels	Web browser	✓
Total megapixels *	5 MP	Reset button	✓
Megapixels per lens	5 MP	Power	
Noise reduction	✓	Power source type *	DC, PoE
Noise reduction technology	2D noise reduction, 3D noise reduction	Power consumption (max)	13.5 W
Full HD	✓	Operational conditions	
Image quality adjustment	Brightness, Contrast, Mirror, Saturation, Sharpness	Operating temperature (T-T)	-40 - 55 °C
		Weight & dimensions	
		Weight	1.25 kg
		Packaging data	
		Package weight	2.1 kg
		Packaging content	
		Number of cameras *	1



5715063067888

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.