

Ernitec 0070-08115 security camera Bullet IP security camera Indoor & outdoor 2592 x 1520 pixels Ceiling/Wall/Pole

Brand : Ernitec

Product code: 0070-08115

Product name : 0070-08115



- 1/2.8" progressive scan CMOS
- 2592x1520 @ 50/60fps (4MP)
- 6-22mm motorized lens
- WDR, 3D DNR, ROI, HLC, BLC, Defog
- Support face, human, vehicle detection and capture
- 1/1 audio in/out, 1/1 alarm in/out
- Smart IR up to 60m
- Power Supply DC12V / POE (IEEE 802.3af)
- IP67, IK10
- 5 Year Warranty

Pluto Pro 4MP Dome Camera with 6-22mm Motorized Lens & IR 60m, 50/60fps ,PoE, IP67, IK10 - NDAA

Ernitec 0070-08115 security camera Bullet IP security camera Indoor & outdoor 2592 x 1520 pixels Ceiling/Wall/Pole:

Deimos-PX-404IR

Ernitec 0070-08115. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Ceiling/Wall/Pole, Product colour: White, Form factor: Bullet. Minimum illumination: 0.03 lx, Angle of rotation: 360°, Tilt angle range: 0 - 90°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"), Number of effective pixels (H x V): 2592 x 1520 pixels. Focal length range: 6 - 22 mm, Focus: Motorized

Performance		Video	
Type *	IP security camera	Video streaming	✓
Placement supported *	Indoor & outdoor	Noise reduction	✓
Connectivity technology *	Wired	Noise reduction technology	2D noise reduction, 3D noise reduction
People counting function	✓	Gain control type	Auto/Manual
Wide Dynamic Range (WDR)	✓	Privacy masking	✓
Day/night mode	✓	Smart IR	✓
Alarm input/output	✓		
Design		Audio	
Form factor *	Bullet	Audio formats supported	G.711, PCM
Mounting type *	Ceiling/Wall/Pole		
Product colour *	White		
Housing material	Metal		
International Protection (IP) code	IP67		
IK code	IK10		
Camera		Network	
Camera pan control	✓	Ethernet LAN *	✓
Camera tilt control	✓	Number of users	10 user(s)
Minimum illumination	0.03 lx	Streaming method	Unicast
Angle of rotation	360°		
Tilt angle range	0 - 90°		
Pan range	0 - 360°		
White balance	Auto		
Adjustment shutter speed	Auto/Manual		
Image sensor		Storage	
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Compatible memory cards	MicroSD (TransFlash)
Progressive scan	✓	Maximum memory card size	256 GB
Sensor type *	CMOS		
Number of effective pixels (H x V)	2592 x 1520 pixels		
		Ports & interfaces	
		Ethernet LAN (RJ-45) ports	1
		Security	
		Alarm input channels	1
		Alarm output channels	1
		Video motion detection	✓
		Mirror	✓
		Human and vehicle targets classification	✓
		Management features	
		Web browser	✓

Lens system		Management features	
Focal length range	6 - 22 mm	Reset button	✓
Focus	Motorized	Management software	SunView
Night vision		Power	
Night vision *	✓	Power source type *	DC, PoE
Night vision distance	60 m	Power consumption (typical)	10.5 W
Video		DC output voltage	12
Maximum resolution *	2592 x 1520 pixels	Operational conditions	
Total megapixels *	4 MP	Operating temperature (T-T)	-40 - 55 °C
Supported graphics resolutions	640 x 360, 1280 x 960, 2048 x 1536 (QXGA), 2560 x 1920	Weight & dimensions	
Frame rate	60 fps	Width	375.5 mm
		Diameter	11 cm
		Weight	1.45 kg
Packaging data			
		Package weight	2 kg
Packaging content			
		Number of cameras *	1



5715063099773

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.