

DELL UltraSharp U3824DW computer monitor 95.2 cm (37.5") 3840 x 1600 pixels Wide Quad HD+ LCD Black, Silver

Brand: DELL Product family: UltraSharp Product code: DELL-U3824DW

Product name: U3824DW

- 95.25cm (37.5") Wide Quad HD+ 3840 x 1600 W-LED IPS

- 8ms, 21:9, 300cd/m², 2000:1

- USB, HDMI, DisplayPort

95.25cm (37.5") Wide Quad HD+ 3840 x 1600 W-LED IPS, 21:9, 300cd/m², 1.07B, 8ms, 178°/178°, 2000:1, SuperSpeed USB A to USB C - 10 Gbps (1m) Upstream cable - 1.00 M

DELL UltraSharp U3824DW computer monitor 95.2 cm (37.5") 3840 x 1600 pixels Wide Quad HD+ LCD Black, Silver:

With its IPS Black panel technology and vast color coverage, this ultrawide WQHD+ curved screen monitor immerses you in a world that's as beautiful as it is practical.

DELL UltraSharp U3824DW. Display diagonal: 95.2 cm (37.5"), Display resolution: 3840 x 1600 pixels, HD type: Wide Quad HD+, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black, Silver





| Display | | Ergonomics | |
|--|--|--|--|
| Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * | 95.2 cm (37.5") 3840 x 1600 pixels Wide Quad HD+ 21:9 LCD IPS W-LED | Pivot Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) LED indicators | × -30 - 30° ✓ -5 - 21° ✓ |
| Display brightness (typical) | 300 cd/m ² | Power | |
| Response time * Anti-glare screen Screen shape * Screen curvature rating Supported graphics resolutions | 8 ms Curved 2300R 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 1600 | Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage | F Not available 35 kWh 34.8 W 0.4 W 245 W 0.3 W 100 - 240 V |
| Supported video modes | 480p, 576p, 720p, 1080i, 1080p | AC input frequency | 50/60 Hz |
| Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * | 2000:1 60 Hz 178° 178° 1.07 billion colours | Input current Power supply type Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code | 3.2 A Internal A to G 1361189 |
| Response time (fast) | 5 ms | Operational conditions | |
| Pixel pitch Pixel density Horizontal scan range Vertical scan range | 0.22908 x 0.22908 mm 110.87 ppi 30 - 100 kHz 56 - 76 Hz | Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) | 0 - 40 °C -20 - 60 °C 10 - 80% 5 - 90% |

| Dienlay | | Operational conditions | |
|--|-----------------------|---|--|
| Display Viousble size herizental | 00 cm | Operational conditions | 0 |
| Viewable size, horizontal Viewable size, vertical | 88 cm 36.7 cm | Operating altitude Non-operating altitude | 0 - 5000 m 0 - 12192 m |
| Display diagonal (metric) | 95.25 cm | | 0 - 12132 III |
| Surface hardness | 3H | Weight & dimensions | 904.2 mm |
| Colour gamut standard | DCI-P3 | Width (with stand) Depth (with stand) | 894.3 mm 251.2 mm |
| Colour gamut | 98% | Height (with stand) | 443.8 mm |
| sRGB coverage (typical) | 100% | Weight (with stand) | 12.8 kg |
| Heat dissipation (typical) | 118.74 BTU/h | Width (without stand) | 894.3 mm |
| Performance | | Depth (without stand) | 102.3 mm |
| NVIDIA G-SYNC * | × | Height (without stand) | 392.3 mm |
| AMD FreeSync * | × | Weight (without stand) | 8.79 kg |
| Flicker-free technology | ✓ | Bezel width (side) | 9.97 mm |
| Low Blue Light technology | ✓ | Bezel width (top) Bezel width (bottom) | 1.05 cm 1.53 cm |
| Multimedia | | | 1.55 Cm |
| Number of speakers | 2 | Packaging data | 10 1 |
| RMS rated power | 18 W | Package weight | 19 kg |
| Built-in speaker(s) * | ✓ | Packaging content | |
| Built-in camera * | × | Stand included | ✓ |
| Design | | Cables included | AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A |
| Market positioning * | Office | Power adapter included | ✓ |
| Product colour * | Black, Silver | Remote control included | × |
| Front bezel colour Feet colour | Black Silver | Stylus included | × |
| | Silvei | Quick start guide | ✓ |
| Ports & interfaces | | DisplayPort cable length | 1.8 m |
| Built-in USB hub * | / | HDMI cable length | 1.8 m |
| USB hub version | 3.2 Gen 2 (3.1 Gen 2) | Sustainability | |
| USB upstream port type Number of USB Type-C upstream | USB Type-C | Sustainability compliance | ✓ |
| ports quantity | 2 | Sustainability certificates | ENERGY STAR, TCO |
| USB Type-A downstream ports | 5 | Doesn't contain | Arsenic, PVC/BFR |
| quantity USB Type-C downstream ports | | Carbon footprint | |
| quantity | 2 | Total carbon footprint (kg of CO2e) | 906 |
| USB Type-C DisplayPort Alternate Mode | 1 | Total carbon emissions, standard deviation (kg of CO2e) | 232 |
| USB Power Delivery (USB PD) | ✓ | Carbon emissions, manufacturing (kg of CO2e) | 486.2 |
| USB Power Delivery up to HDMI * | 90 W ✓ | Carbon emissions, logistics (kg of CO2e) | 105 |
| HDMI ports quantity HDMI version | 2 2.1 | Carbon emissions, energy usage (kg of CO2e) | 302 |
| DisplayPorts quantity DisplayPort version | 1 1.4 | Carbon emissions, end-of-life (kg of CO2e) | 12.3 |
| Audio output | 1.4 ✓ | PAIA version | 1.3.2 2022 |
| Headphone out * | × | Other features | |
| Microphone in | × | Picture-by-Picture (PbP) | ✓ |
| PC Audio in | × | Maximum resolution | 3840 x 1600 pixels |
| Built-in KVM switch | ·· • | Heavy metals free | Hg (mercury) |
| HDCP | · · | Compliance certificates | RoHS |
| HDCP version | 1.4 | Ethernet LAN (RL-45) ports | 10,100,1000,2500 Mbit/s |
| Network | | Ethernet LAN (RJ-45) ports Brand-specific features | 1 |
| Wi-Fi | x | Dell Display Manager (DDM) | , |
| Ergonomics | | compatibility | / |
| VESA mounting * | ✓ | | |
| Panel mounting interface | 100 x 100 mm | | |
| Cable management | ✓ | | |
| | | | |

Cable lock slot *

Ergonomics

Cable lock slot type Kensington

Height adjustment *

1

Adjustable height (max) 12 cm











Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.