

Epson LabelWorks LW-300 (QWERTY UK Type AC Adapter)

Brand : Epson

Product code: C51CB69060

Product name : LabelWorks LW-300 (QWERTY UK Type AC Adapter)

- Dedicated buttons: For cutting and printing
- Flexible formatting: Choice of fonts, styles and borders
- Choice of tapes: Supports 6, 9 and 12mm labels
- Minimal margins: Mean more labels per tape
- 9-metre tape: For economical refills


Epson LabelWorks LW-300

Epson LabelWorks LW-300 (QWERTY UK Type AC Adapter). Print technology: Thermal transfer, Maximum resolution: 180 x 180 DPI, Print speed: 6 mm/sec. Keyboard layout: QWERTY, Product colour: White



Printing		Weight & dimensions	
Print technology *	Thermal transfer	Width	145 mm
Maximum resolution *	180 x 180 DPI	Depth	150 mm
Print speed *	6 mm/sec	Height	55 mm
Maximum print height	9 mm	Weight	440 g
Vertical printing	✓	Packaging data	
Paper handling		Quantity per pack	1 pc(s)
Ribbon width	3 mm	Package width	202 mm
Maximum label width	1.2 cm	Package depth	260 mm
Performance		Package height	84 mm
Fixed length	✓	Package weight	1.14 kg
Number of fonts	14	Logistics data	
Tape cutting	Manual	Products per pallet layer	30 pc(s)
Number of styles	10	Products per pallet layer (UK)	45 pc(s)
Number of printing lines (max)	2	Products per pallet (UK)	315 pc(s)
Design		Pallet length (UK)	120 cm
Product colour *	White	Pallet width (UK)	100 cm
Built-in display	✓	Pallet height (UK)	71 cm
Display *	LCD	Pallet gross width	80 cm
Keyboard layout	QWERTY	Pallet gross length	120 cm
Power		Pallet gross height	73.8 cm
Power consumption (standby)	0.36 W	Products per pallet	210 pc(s)
Power consumption (PowerSave)	2.28 W	Minimum order quantity	5 pc(s)
Power consumption (off)	0.18 W	Technical details	
Battery type	AAA	Box contents	2 x 4m Trial Tapes, AC adapter, Main unit, Quick Memo Guide, Supplies Catalogue, User manual, Warranty Documents
Number of batteries supported	6		
Auto power off	✓		

Battery		Other features	
Battery technology	Alkaline	Dimensions (WxDxH)	145 x 150 x 55 mm
Operational conditions		Maximum resolution	128 x 16 pixels
Operating temperature (T-T)	-10 - 35 °C	Print sizes included	5
Storage temperature (T-T)	-10 - 55 °C	Print preview	✓
		Country of origin	China



8715946492650

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.