

Lindy 70m Cat.6 HDMI 4K60, IR and RS-232 HDBaseT UK Wall Plate Extender, Transmitter

Brand : Lindy Product code: 38347

Product name : 70m Cat.6 HDMI 4K60, IR and RS-232 HDBaseT UK Wall Plate Extender, Transmitter

- Sends HDMI resolutions up to 70m over Cat.6 network cable via HDBaseT technology
- Supports HDMI 18G resolutions up to 4K@60Hz 4:4:4, with additional support for HDR
- Supports RS-232, bi-directional IR and PoC (Power over Cable)
- UK standard 1-gang wall plate (86x86mm)andnbsp;
- 2 year warranty


70m Cat.6 HDMI 4K60, IR and RS-232 HDBaseT UK Wall Plate Extender, Transmitter Lindy 70m Cat.6 HDMI 4K60, IR and RS-232 HDBaseT UK Wall Plate Extender, Transmitter. Type: AV transmitter, Maximum resolution: 3840 x 2160 pixels, Cable types supported: Cat6. Connectivity technology: Wired. Power source type: DC, Operating voltage (transmitter): 24 V, Output current: 1 A. Width: 86 mm, Depth: 38 mm, Height: 86 mm. Quantity per pack: 1 pc(s), Package width: 152 mm, Package depth: 95 mm





Features		Power	
Type * AV transmitter Maximum resolution * 3840 x 2160 pixels Cable types supported Cat6	3840 x 2160 pixels	Operating voltage (transmitter) Output current Power requirements	24 V 1 A 24VDC 1A
Maximum transfer distance Chipset Maximum refresh rate Extended display identification data (EDID)	70 m VS010 60 Hz ✓	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C -20 - 60 °C 20 - 90%
RS-232 pass-through Bidirectional Infrared (IR) frequency range Bandwidth On/off switch	Weight & dimensions Width Depth Height Weight	86 mm 38 mm 86 mm 390 g	
HDCP Material Wall mountable HDCP version Product colour Certification	Metal 2.2 Black, White California Proposition 65	Packaging data Quantity per pack Package width Package depth Package height Package weight	1 pc(s) 152 mm 95 mm 133 mm 540 g
Ports & interfaces Connectivity technology * RJ-45 output ports	Wired 1	Package type Packaging content Manual	Box ✓
HDBaseT port HDMI in HDMI version RS-232 output ports	1 2.0 1	Packaging content	HDMI Transmitter Multi-country Power Supply (UK, EU, US & AUS) IR Emitter Cable, 1.5m IR Receiver Cable, 1.5m 3-Pin Terminal Block 2- Pin Terminal Block Lindy Manual
3.5 mm (1/8-inch) in 3.5 mm (1/8-inch) out	<i>' '</i>	Technical details	

Power		Technical details	
Power source type	DC	Special features	Bi-directional IR, PoC
		Sustainability compliance	✓
		Warranty period	2 year(s)
		Compliance certificates	CE, Federal Communications Commission (FCC), RoHS, UKCA



4002888383479

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.